


Abrasive fibre disc

CS 561

Advantages

For universal use ■ Largest selection of diameters, grit sizes and hole patterns



Applications:

- Steel
- NF metals
- Metals
- Plastic
- Stainless steel
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
■	■	■	■	■	■	■	■	■	■	■	■	■	■		■										

Diameter x Hole in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
100 x 16	16	⊙ 10	25	65708		
100 x 16	24	⊙ 10	25	65713		
100 x 16	36	⊙ 10	25	65718		
100 x 16	40	⊙ 10	25	65720		
100 x 16	50	⊙ 10	25	65725		
100 x 16	60	⊙ 10	25	65730		
100 x 16	80	⊙ 10	25	65735		
100 x 16	100	⊙ 10	25	65739		
100 x 16	120	⊙ 10	25	65743		
115 x 22	16	⊙ 10	25	66302		
115 x 22	24	⊙ 10	25	72298		
115 x 22	36	⊙ 10	25	66308		
115 x 22	40	⊙ 10	25	72192		
115 x 22	50	⊙ 10	25	66313		
115 x 22	60	⊙ 10	25	66318		
115 x 22	80	⊙ 10	25	25472		
115 x 22	100	⊙ 10	25	66322		
115 x 22	120	⊙ 10	25	66327		
115 x 22	16	⊗ 30	25	10977		
115 x 22	24	⊗ 30	25	10978		
115 x 22	30	⊗ 30	25	10979		
115 x 22	36	⊗ 30	25	10980		
115 x 22	40	⊗ 30	25	10981		
115 x 22	50	⊗ 30	25	10982		
115 x 22	60	⊗ 30	25	10983		
115 x 22	80	⊗ 30	25	10984		
115 x 22	100	⊗ 30	25	10985		
115 x 22	120	⊗ 30	25	10986		
115 x 22	150	⊗ 30	25	10987		
115 x 22	180	⊗ 30	25	10988		
115 x 22	220	⊗ 30	25	10989		
115 x 22	240	⊗ 30	25	10990		
115 x 22	320	⊗ 30	25	10992		
125 x 22	16	⊙ 10	25	66354		

Dispenser see page 99 / Backing pads see page 102

Continuation →

Please observe: Minimum order quantities for manufactured items see page 92; Please see Applications Guide on page 92.

Continuation of CS 561, Abrasive fibre disc

Diameter x Hole in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
125 x 22	24	⊙ 10	25	66358		
125 x 22	36	⊙ 10	25	66364		
125 x 22	40	⊙ 10	25	66366		
125 x 22	50	⊙ 10	25	66371		
125 x 22	60	⊙ 10	25	66376		
125 x 22	80	⊙ 10	25	70439		
125 x 22	100	⊙ 10	25	66379		
125 x 22	120	⊙ 10	25	66383		
125 x 22	16	⊗ 30	25	11009		
125 x 22	24	⊗ 30	25	11010		
125 x 22	30	⊗ 30	25	11011		
125 x 22	36	⊗ 30	25	11012		
125 x 22	40	⊗ 30	25	11013		
125 x 22	50	⊗ 30	25	11014		
125 x 22	60	⊗ 30	25	11015		
125 x 22	80	⊗ 30	25	11016		
125 x 22	100	⊗ 30	25	11017		
125 x 22	120	⊗ 30	25	11018		
125 x 22	150	⊗ 30	25	11019		
125 x 22	180	⊗ 30	25	11020		
125 x 22	220	⊗ 30	25	11021		
125 x 22	240	⊗ 30	25	11022		
125 x 22	320	⊗ 30	25	11024		
150 x 22	24	⊗ 30	25	11042		
150 x 22	36	⊗ 30	25	11044		
150 x 22	40	⊗ 30	25	11045		
150 x 22	60	⊗ 30	25	11047		
150 x 22	80	⊗ 30	25	11048		
150 x 22	120	⊗ 30	25	11050		
180 x 22	16	⊙ 10	25	66443		
180 x 22	24	⊙ 10	25	66451		
180 x 22	36	⊙ 10	25	66459		
180 x 22	40	⊙ 10	25	70447		
180 x 22	50	⊙ 10	25	70448		
180 x 22	60	⊙ 10	25	70449		
180 x 22	80	⊙ 10	25	66465		
180 x 22	100	⊙ 10	25	66469		
180 x 22	120	⊙ 10	25	66472		
180 x 22	16	⊗ 30	25	11057		
180 x 22	24	⊗ 30	25	11058		
180 x 22	30	⊗ 30	25	11059		
180 x 22	36	⊗ 30	25	11060		
180 x 22	40	⊗ 30	25	11061		
180 x 22	50	⊗ 30	25	11062		
180 x 22	60	⊗ 30	25	11063		
180 x 22	80	⊗ 30	25	11064		
180 x 22	100	⊗ 30	25	11065		
180 x 22	120	⊗ 30	25	11066		
180 x 22	150	⊗ 30	25	11067		
180 x 22	180	⊗ 30	25	11068		
180 x 22	220	⊗ 30	25	11069		
180 x 22	240	⊗ 30	25	11070		
180 x 22	320	⊗ 30	25	11072		
235 x 22	24	⊙ 10	25	66497		

Dispenser see page 99 / Backing pads see page 102

Continuation →

Please observe: Minimum order quantities for manufactured items see page 92; Please see Applications Guide on page 92.

Continuation of CS 561, Abrasive fibre disc

Diameter x Hole in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
235 x 22	36	⊙ 10	25	66502		
235 x 22	40	⊙ 10	25	66504		
235 x 22	60	⊙ 10	25	66511		
235 x 22	80	⊙ 10	25	66514		

Abrasive fibre disc

CS 561



Advantages

For universal use ■ Largest selection of diameters, grit sizes and hole patterns ■ Special large package reduces storage costs

Applications:

- Steel
- NF metals
- Metals
- Plastic
- Stainless steel
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close



Available grits:


16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
■	■	■	■	■	■	■	■	■	■	■	■	■	■		■										

Diameter x Hole in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
115 x 22	24	⊗ 30	50	311520		
115 x 22	36	⊗ 30	50	311521		
115 x 22	40	⊗ 30	50	311518		
115 x 22	60	⊗ 30	50	311524		
125 x 22	36	⊗ 30	50	311523		
125 x 22	40	⊗ 30	50	311549		
125 x 22	60	⊗ 30	50	311547		
125 x 22	80	⊗ 30	50	311548		

Dispenser see page 99 / Backing pads see page 102

Abrasive fibre disc
FS 764 ACT
Advantages

For universal use ■ Increased removal rate and outstanding grit adhesion due to special ACT recipe ■ Long service life ■ Also suitable for stainless steel


Applications:

- Steel
- Stainless steel
- Metals
- Plastic
- NF metals
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■		■	■	■	■	■		■																

Diameter x Hole in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
115 x 22	24	⊗ 30	25	316469		
115 x 22	36	⊗ 30	25	316470		
115 x 22	40	⊗ 30	25	316471		
115 x 22	50	⊗ 30	25	316472		
115 x 22	60	⊗ 30	25	316473		
115 x 22	80	⊗ 30	25	316474		
115 x 22	120	⊗ 30	25	316475		
125 x 22	24	⊗ 30	25	316476		
125 x 22	36	⊗ 30	25	316477		
125 x 22	40	⊗ 30	25	316478		
125 x 22	50	⊗ 30	25	316479		
125 x 22	60	⊗ 30	25	316480		
125 x 22	80	⊗ 30	25	316481		
125 x 22	120	⊗ 30	25	316482		
180 x 22	24	⊗ 30	25	316483		
180 x 22	36	⊗ 30	25	316484		
180 x 22	40	⊗ 30	25	316485		
180 x 22	50	⊗ 30	25	316486		
180 x 22	60	⊗ 30	25	316487		
180 x 22	80	⊗ 30	25	316488		
180 x 22	120	⊗ 30	25	316489		

Dispenser see page 99 / Backing pads see page 102