

Abrasive cloth
LS 309 X

Advantages

High-quality universal abrasive cloth for diverse applications in metal- and woodworking ■ Good price-performance ratio



Applications:

- Metals
- Wood

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

X-cotton



Rolls

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■	■									

All sizes and minimum purchasing quantities available on request

Abrasive cloth
LS 309 JF

Advantages

High abrasive performance ■ Fine surface scratch pattern ■ Very good adaptation to contours, tight radiuses and profiles due to highly flexible cotton cloth



Applications:

- Metals
- Wood

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■	■	■		■						

All sizes and minimum purchasing quantities available on request

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth
LS 309 JF slashed



Advantages

Outstanding adaptation for use on turned parts ■ Individual applications due to different slotting variants

Applications:

- Metals
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing


JF-cotton

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■	■	■		■						

All sizes and minimum purchasing quantities available on request

Abrasive cloth, brown
KL 361 JF



Advantages

High-quality universal abrasive cloth ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll

Applications:

- Stainless steel
- Steel
- Metals
- NF metals
- Wood
- Plastic

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
		■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
25 x 50000	40	1	3769
25 x 50000	60	1	3771
25 x 50000	80	1	3772
25 x 50000	100	1	3773
25 x 50000	120	1	3774
25 x 50000	150	1	3775
25 x 50000	180	1	3776
25 x 50000	220	1	3777
25 x 50000	240	1	3778
25 x 50000	320	1	3780
25 x 50000	400	1	3782

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
25 x 50000	600	1	64825		
30 x 50000	40	1	3785		
30 x 50000	60	1	3787		
30 x 50000	80	1	91286		
30 x 50000	100	1	3789		
30 x 50000	120	1	3790		
30 x 50000	150	1	3791		
30 x 50000	180	1	3792		
30 x 50000	240	1	3794		
30 x 50000	320	1	3796		
30 x 50000	400	1	3798		
40 x 25000	40	1	4201		
40 x 25000	50	1	4202		
40 x 25000	60	1	4203		
40 x 25000	80	1	4204		
40 x 25000	100	1	4205		
40 x 25000	120	1	4206		
40 x 25000	150	1	4207		
40 x 25000	180	1	4208		
40 x 25000	220	1	4209		
40 x 25000	240	1	4210		
40 x 25000	320	1	4212		
40 x 25000	400	1	4214		
40 x 50000	40	1	3833		
40 x 50000	60	1	3835		
40 x 50000	80	1	3836		
40 x 50000	100	1	3837		
40 x 50000	120	1	3838		
40 x 50000	150	1	3839		
40 x 50000	180	1	3840		
40 x 50000	220	1	3841		
40 x 50000	240	1	3842		
40 x 50000	280	1	3843		
40 x 50000	320	1	3844		
40 x 50000	360	1	3845		
40 x 50000	400	1	3846		
40 x 50000	600	1	64830		
50 x 25000	40	1	4217		
50 x 25000	60	1	4219		
50 x 25000	80	1	4220		
50 x 25000	100	1	4221		
50 x 25000	120	1	4222		
50 x 25000	150	1	4223		
50 x 25000	180	1	4224		
50 x 25000	220	1	4225		
50 x 25000	240	1	4226		
50 x 25000	320	1	4228		
50 x 25000	400	1	4230		
50 x 25000	600	1	64831		
50 x 50000	40	1	3849		
50 x 50000	50	1	3850		
50 x 50000	60	1	3851		
50 x 50000	80	1	3852		
50 x 50000	100	1	3853		
50 x 50000	120	1	3854		

Rolls

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
50 x 50000	150	1	3855
50 x 50000	180	1	3856
50 x 50000	220	1	3857
50 x 50000	240	1	3858
50 x 50000	280	1	3859
50 x 50000	320	1	3860
50 x 50000	360	1	3861
50 x 50000	400	1	3862
50 x 50000	500	1	3863
50 x 50000	600	1	64832

Abrasive cloth, brown
KL 361 JF
Advantages

High-quality universal abrasive cloth ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll


Applications:

- Stainless steel
- Steel
- Metals
- NF metals
- Wood
- Plastic

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

JF-cotton


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
		■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
80 x 50000	80	1	3900
80 x 50000	120	1	3902
80 x 50000	150	1	3903
100 x 50000	40	1	3913
100 x 50000	50	1	3914
100 x 50000	60	1	3915
100 x 50000	80	1	3916
100 x 50000	100	1	3917
100 x 50000	120	1	3918
100 x 50000	150	1	3919
100 x 50000	180	1	3920
100 x 50000	220	1	3921
100 x 50000	240	1	3922
100 x 50000	320	1	3924
100 x 50000	400	1	3926
100 x 50000	600	1	64835
110 x 50000	40	1	3929
110 x 50000	60	1	3931
110 x 50000	80	1	3932
110 x 50000	100	1	3933
110 x 50000	120	1	3934

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
110 x 50000	150	1	3935
110 x 50000	180	1	3936
110 x 50000	240	1	3938
115 x 50000	40	1	3945
115 x 50000	60	1	3947
115 x 50000	80	1	3948
115 x 50000	100	1	3949
115 x 50000	120	1	3950
115 x 50000	150	1	3951
115 x 50000	180	1	3952
115 x 50000	240	1	3954
115 x 50000	320	1	3956
120 x 50000	60	1	3963
120 x 50000	80	1	3964
120 x 50000	100	1	3965
120 x 50000	120	1	3966
120 x 50000	180	1	3968
150 x 50000	40	1	3977
150 x 50000	60	1	3979
150 x 50000	80	1	3980
150 x 50000	100	1	3981
150 x 50000	120	1	3982
150 x 50000	150	1	3983

Rolls

Abrasive cloth, brown
KL 385 JF



Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll

Applications:

- Metals
- NF metals
- Stainless steel
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
115 x 5000	60	1	278789
115 x 5000	80	1	278790
115 x 5000	120	1	278791
115 x 5000	320	1	278792

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth, brown
KL 385 JF
Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll


Applications:

- Metals
- NF metals
- Stainless steel
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

JF-cotton


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
25 x 50000	60	1	218196		
25 x 50000	80	1	218197		
25 x 50000	100	1	218198		
25 x 50000	120	1	218199		
40 x 50000	40	1	218077		
40 x 50000	60	1	218079		
40 x 50000	80	1	218080		
40 x 50000	100	1	218081		
40 x 50000	120	1	218082		
40 x 50000	150	1	218083		
40 x 50000	180	1	218084		
40 x 50000	220	1	218085		
40 x 50000	240	1	218086		
40 x 50000	320	1	218088		
40 x 50000	400	1	218090		
50 x 50000	40	1	218094		
50 x 50000	60	1	218096		
50 x 50000	80	1	218097		
50 x 50000	100	1	218098		
50 x 50000	120	1	218099		
50 x 50000	150	1	218100		
50 x 50000	180	1	218101		
50 x 50000	220	1	218102		
50 x 50000	240	1	218103		
50 x 50000	320	1	218105		
50 x 50000	400	1	218107		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth, brown

KL 385 JF

Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll



Applications:

- Metals
- NF metals
- Stainless steel
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

JF-cotton



Rolls

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
115 x 50000	40	1	224650		
115 x 50000	60	1	228151		
115 x 50000	80	1	228363		
115 x 50000	100	1	228364		
115 x 50000	120	1	228365		
115 x 50000	150	1	228370		
115 x 50000	180	1	228366		
115 x 50000	240	1	228367		
115 x 50000	320	1	228368		
115 x 50000	400	1	228369		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Non-woven web roll
NRO 400

Advantages

Very good adaptation to surface contours ■ No clogging ■ Ideal for smoothing, cleaning, roughening and for general surface finishing

Applications Al. oxide:

- Stainless steel
- Metals
- Wood
- Plastic
- Paint/Varnish/Filler

Applications SiC:

- Stainless steel
- Plastic
- Paint/Varnish/Filler
- Metals
- Wood

Bonding agent

Resin



Width x Length in mm	Grade	Grain	Colour	Packing unit/pcs.	Cat. number		
100 x 10000	medium	Aluminium oxide	maroon	1	258870		
100 x 10000	very fine	Aluminium oxide	green	1	258871		
100 x 10000	fine	Aluminium oxide	maroon	1	258872		
100 x 10000	very fine	Aluminium oxide	maroon	1	258873		
115 x 10000	medium	Aluminium oxide	maroon	1	258885		
115 x 10000	fine	Aluminium oxide	maroon	1	258887		
115 x 10000	very fine	Aluminium oxide	green	1	258886		
115 x 10000	very fine	Aluminium oxide	maroon	1	258888		
150 x 10000	medium	Aluminium oxide	maroon	1	258890		
150 x 10000	fine	Aluminium oxide	maroon	1	258892		
150 x 10000	very fine	Aluminium oxide	green	1	258891		
150 x 10000	very fine	Aluminium oxide	maroon	1	258893		
100 x 10000	medium	SiC	black	1	260365		
100 x 10000	ultra fine	SiC	grey	1	258874		
115 x 10000	medium	SiC	black	1	260366		
115 x 10000	ultra fine	SiC	grey	1	258889		
150 x 10000	medium	SiC	black	1	260367		
150 x 10000	ultra fine	SiC	grey	1	258894		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.