

Cup grinding wheel A 16 R Supra



Advantages

For surface grinding and finish grinding of weld seams ■ Very high aggressiveness due to coarse grit

Applications:

- Steel
- Castings

Bond

Medium

Quality class

Supra



Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number		
110 x 55 x 22,23		50 m/s	8,600 rpm	6	13729		

Cup grinding wheel A 30 R Supra



Advantages

For surface grinding and finish grinding of weld seams ■ High aggressiveness and very long service life

Applications:

- Steel

Bond

Medium

Quality class

Supra



Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number		
110 x 55 x 22,23		50 m/s	8,600 rpm	6	13728		

Cutting-off wheels and grinding discs

Cup grinding wheel
C 16 R Supra

Advantages

For use on surfaces and edges ■ For stone and mineral materials ■ Very good aggressiveness and very long service life due to sharp, coarse silicon carbide

Applications:

- Stone/Concrete
- Castings

Bond

Medium

Quality class

Supra



Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number		
110 x 55 x 22,23		50 m/s	8,600 rpm	6	13727		

Cup grinding wheel
C 30 R Supra

Advantages

For use on surfaces and edges ■ For stone and mineral materials ■ Very good aggressiveness and very long service life

Applications:

- Stone/Concrete
- Castings


Bond

Medium

Quality class

Supra



Diameter x Height x Bore in mm	Form	Max. operating speed	Max. RPM	Packing unit/pcs.	Cat. number		
110 x 55 x 22,23		50 m/s	8,600 rpm	6	13726		

