

Applications rolls with paper backing

Application	Type	Grain	Backing	Coating	Characteristics	Page
Wood	PS 22 F ACT	Aluminium oxide	F-paper	●	Close coating for maximum stock removal and uniform scratch pattern regarding surface treatment of hard, low-content woods. ACT and antistatic properties prevent premature clogging	19
	PS 22 N	Aluminium oxide	E-paper	◐	Abrasive paper with semi-open coating for high stock removal capacity for the processing of wood	20
	PS 29 F ACT	Aluminium oxide	F-paper	○	Abrasive with outstanding service life. Open coat, antistatic properties as well as ACT prevent premature clogging. The abrasive paper is particularly suitable for processing soft and high-resin woods	24
	PS 30 D	Aluminium oxide	D-paper	◐	Economical abrasive paper for universal applications in the processing of wood and paints	21
	PL 31 B	Aluminium oxide	B-paper	◐	Flexible finishing paper with an optimal price-performance ratio for a wide range of applications for the processing of wood, paint and varnish. Provides a smooth surface finish	22
Paint	PS 30 D	Aluminium oxide	D-paper	◐	Economical abrasive paper for universal applications in the processing of wood and paints	21
	PL 31 B	Aluminium oxide	B-paper	◐	Flexible finishing paper with an optimal price-performance ratio for a wide range of applications for the processing of wood, paint and varnish. Provides a smooth surface finish	22
	PS 33 B/C	Aluminium oxide	B-/C-paper	◐	High-quality abrasive paper, particularly suited for working on paint, varnish and filler, but also on wood	23

Applications rolls with cloth backing

Application	Type	Grain	Backing	Coating	Characteristics	Page
Metals	LS 309 X	Aluminium oxide	X-cotton	●	Multi-purpose abrasive cloth for metal and wood processing, good price-performance ratio	25
	KL 361 JF	Aluminium oxide	JF-cotton	●	High-quality, highly flexible abrasive cloth for versatile applications in the metal processing industry, also suitable for stainless steel	26-29
	KL 385 JF	Aluminium oxide	JF-cotton	●	Highly flexible universal abrasive cloth for the metal processing industry, good price-performance ratio	29-31
Wood	LS 309 X	Aluminium oxide	X-cotton	●	Multi-purpose abrasive cloth for metal and wood processing good price-performance ratio	25
	LS 309 JF	Aluminium oxide	JF-cotton	●	Highly flexible abrasive cloth for strongly profiled workpieces, for smooth surfaces in the metal and wood processing	25
	LS 309 JF slashed	Aluminium oxide	JF-cotton	●	Slashed, highly flexible abrasive cloth for strongly profiled work pieces, for smooth surfaces in wood processing, also suitable for light de-burring work on metals	26

Applications non-woven web rolls

Application	Type	Grain	Backing	Coating	Characteristics	Page
Metals	NRO 400	Al. oxide / SiC	Non-woven web	—	Perfectly suited for light de-burring, cleaning and surface refinement, also suited for stainless steel	32
Wood / Varnish	NRO 400	Al. oxide / SiC	Non-woven web	—	Excellent suited to smoothing, cleaning and surface finishing	32

● = close ◐ = semi-open ○ = open

Type	Grit range
PS 22 F ACT	40 – 150
PS 28 F	60 – 150
PS 29 F ACT	60 – 150
CS 308 Y	40 – 80, 120
LS 309 X	40 – 360
LS 309 J	60 – 320
LS 309 JF	60 – 400
CS 310 X	24 – 400
CS 310 XF	40 – 280
LS 312 JF	60 – 320, 400
CS 321 X	80 – 400
CS 333 X	60, 80, 120, 150
CS 341 X	50 – 320
KL 361 JF	40 – 600
KL 385 JF	40 – 600
CS 410 X	60 – 120
CS 411 X	24 – 120
CS 411 Y	36 – 80

Paper	
B	approx. 105 g/m ²
C	approx. 110 g/m ²
D	approx. 130 g/m ²
E	approx. 250 g/m ²
F	approx. 300 g/m ²
Cloth	
X	Cloth, heavy
J	Cloth, light
JF	Cloth, light, highly flexible

Minimum order quantities for manufactured items

Width	Minimum order quantities	Width	Minimum order quantities
10 mm	29 pieces	80 mm	3 pieces
15 mm	19 pieces	95 mm	3 pieces
20 mm	14 pieces	100 mm	3 pieces
25 mm	12 pieces	120 mm	2 pieces
28 mm	10 pieces	125 mm	2 pieces
30 mm	10 pieces	140 mm	2 pieces
35 mm	8 pieces	150 mm	2 pieces
40 mm	7 pieces	250 mm	1 piece
50 mm	6 pieces	300 mm	1 piece
60 mm	5 pieces		

Regarding all other grits, widths and types at least one complete jumbo roll width, cut up, has to be purchased. Quantities available on request.

Abrasive paper
PS 22 F ACT



Advantages

High abrasive performance ■ Homogeneous, fine surface scratch pattern ■ Premium product for use on hardwood, varnish and filler ■ Long service life and minimal clogging due to ACT recipe ■ High edge stability

Applications:

- Wood
- Metals
- Paint/Varnish/Filler
- Plastic
- Steel
- NF metals

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

F-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■	■									

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
95 x 50000	60	1	20822		
95 x 50000	80	1	20850		
95 x 50000	100	1	20884		
95 x 50000	120	1	20916		
95 x 50000	150	1	20940		
95 x 50000	180	1	20960		
110 x 50000	40	1	2969		
110 x 50000	60	1	2971		
110 x 50000	80	1	2972		
110 x 50000	100	1	2973		
110 x 50000	120	1	2974		
110 x 50000	150	1	2975		
110 x 50000	180	1	2976		
110 x 50000	240	1	2978		
115 x 50000	40	1	2983		
115 x 50000	60	1	2985		
115 x 50000	80	1	2986		
115 x 50000	100	1	2987		
115 x 50000	120	1	2988		
115 x 50000	150	1	2989		
115 x 50000	180	1	2990		
115 x 50000	220	1	2991		
115 x 50000	240	1	2992		
150 x 50000	80	1	3014		
150 x 50000	100	1	3015		
150 x 50000	120	1	3016		
200 x 50000	40	1	3053		
200 x 50000	60	1	3055		
200 x 50000	80	1	3056		
200 x 50000	120	1	3058		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive paper
PS 22 N

Advantages

Universal product for hand sanding and hand-held machine sanding of virtually any material ■
Large grit range allows use from rough sanding to finishing



Applications:

- Wood
- Metals
- Paint/Varnish/Filler
- Plastic
- Steel

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Semi-open

Backing

E-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■			■		■	■	■	■	■	■	■	■		■		■	■		■					

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
115 x 50000	40	1	244611		
115 x 50000	60	1	244612		
115 x 50000	80	1	244613		
115 x 50000	100	1	244614		
115 x 50000	120	1	244615		
115 x 50000	150	1	244616		
115 x 50000	180	1	244599		
115 x 50000	240	1	244597		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive paper
PS 30 D



Advantages

Sharp grit and high aggressiveness for use on wood, varnish and fillers ■ Flexible and tear-resistant, easy folding ■ Product with good price-performance ratio

Applications:

- Paint/Varnish/Filler
- Wood
- Metals

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Semi-open

Backing

D-paper



Rolls

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■										

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
115 x 4500	40	10	174094		
115 x 4500	60	10	174095		
115 x 4500	80	10	174096		
115 x 4500	100	10	174097		
115 x 4500	120	10	174098		
115 x 4500	150	10	174099		
115 x 4500	180	10	174100		
115 x 50000	40	1	174086		
115 x 50000	60	1	174088		
115 x 50000	80	1	174089		
115 x 50000	100	1	174090		
115 x 50000	120	1	174091		
115 x 50000	150	1	174092		
115 x 50000	180	1	174093		
115 x 50000	240	1	182418		
115 x 50000	320	1	182419		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Finishing paper
PL 31 B
Advantages

Product with optimal price-performance ratio ■ Optimized wear properties for hand sanding and hand-held machine sanding


Applications:

- Paint/Varnish/Filler
- Wood
- Metals

Bonding agent

Glue

Grain


Aluminium oxide

Coating

Semi-open

Backing

B-paper


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■								

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
95 x 50000	40	1	3279		
95 x 50000	60	1	3281		
95 x 50000	80	1	3282		
95 x 50000	100	1	3191		
95 x 50000	120	1	3192		
95 x 50000	180	1	3194		
95 x 50000	240	1	3196		
110 x 50000	40	1	3287		
110 x 50000	60	1	3289		
110 x 50000	80	1	3290		
110 x 50000	100	1	3213		
110 x 50000	120	1	3214		
110 x 50000	150	1	3215		
110 x 50000	180	1	3216		
110 x 50000	220	1	3217		
110 x 50000	240	1	3218		
110 x 50000	280	1	3219		
110 x 50000	320	1	3220		
110 x 50000	400	1	3222		
115 x 50000	40	1	3291		
115 x 50000	60	1	3293		
115 x 50000	80	1	3294		
115 x 50000	100	1	3224		
115 x 50000	120	1	3225		
115 x 50000	150	1	3226		
115 x 50000	180	1	3227		
115 x 50000	220	1	3228		
115 x 50000	240	1	3229		
115 x 50000	280	1	3230		
115 x 50000	320	1	3231		
115 x 50000	400	1	3233		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive paper

PS 33 B/PS 33 C



Advantages

Very high removal rate ■ Minimal clogging due to active abrasive substances ■ Longer service life ■ Good tear resistance and flexibility

Applications:

- Paint/Varnish/Filler
- Wood
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Semi-open

Backing

B/C-paper



Rolls

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■		■	■	■						


Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
110 x 50000	60	1	146981		
110 x 50000	80	1	146982		
110 x 50000	100	1	146983		
110 x 50000	120	1	146386		
110 x 50000	150	1	148494		
110 x 50000	180	1	147935		
110 x 50000	220	1	148495		
110 x 50000	240	1	147114		
110 x 50000	280	1	148496		
110 x 50000	320	1	147110		
110 x 50000	400	1	146387		
115 x 50000	60	1	155815		
115 x 50000	80	1	147575		
115 x 50000	100	1	147576		
115 x 50000	120	1	153398		
115 x 50000	150	1	153177		
115 x 50000	180	1	149480		
115 x 50000	220	1	149698		
115 x 50000	240	1	147055		
115 x 50000	280	1	165031		
115 x 50000	320	1	148891		
115 x 50000	400	1	145520		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive paper, ANTISTATIC
PS 29 F ACT
Advantages

High aggressiveness and long service life when used on wood (especially softwood) due to ACT recipe ■ High edge stability ■ Premium product for wood in general, varnish and filler


Applications:

- Wood
- Paint/Varnish/Filler

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Open

Backing

F-paper


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■								

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
110 x 50000	80	1	307878		
110 x 50000	100	1	307879		
110 x 50000	120	1	307880		
110 x 50000	150	1	307881		
110 x 50000	180	1	307882		
115 x 50000	60	1	307884		
115 x 50000	80	1	302592		
115 x 50000	100	1	307885		
115 x 50000	120	1	302591		
115 x 50000	150	1	307886		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth
LS 309 X

Advantages

High-quality universal abrasive cloth for diverse applications in metal- and woodworking ■ Good price-performance ratio



Applications:

- Metals
- Wood

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

X-cotton



Rolls

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■	■									

All sizes and minimum purchasing quantities available on request

Abrasive cloth
LS 309 JF

Advantages

High abrasive performance ■ Fine surface scratch pattern ■ Very good adaptation to contours, tight radiuses and profiles due to highly flexible cotton cloth



Applications:

- Metals
- Wood

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■	■	■		■						

All sizes and minimum purchasing quantities available on request

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth
LS 309 JF slashed



Advantages

Outstanding adaptation for use on turned parts ■ Individual applications due to different slotting variants

Applications:

- Metals
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing


JF-cotton

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■	■	■		■						

All sizes and minimum purchasing quantities available on request

Abrasive cloth, brown
KL 361 JF



Advantages

High-quality universal abrasive cloth ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll

Applications:

- Stainless steel
- Steel
- Metals
- NF metals
- Wood
- Plastic

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
		■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
25 x 50000	40	1	3769
25 x 50000	60	1	3771
25 x 50000	80	1	3772
25 x 50000	100	1	3773
25 x 50000	120	1	3774
25 x 50000	150	1	3775
25 x 50000	180	1	3776
25 x 50000	220	1	3777
25 x 50000	240	1	3778
25 x 50000	320	1	3780
25 x 50000	400	1	3782

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
25 x 50000	600	1	64825		
30 x 50000	40	1	3785		
30 x 50000	60	1	3787		
30 x 50000	80	1	91286		
30 x 50000	100	1	3789		
30 x 50000	120	1	3790		
30 x 50000	150	1	3791		
30 x 50000	180	1	3792		
30 x 50000	240	1	3794		
30 x 50000	320	1	3796		
30 x 50000	400	1	3798		
40 x 25000	40	1	4201		
40 x 25000	50	1	4202		
40 x 25000	60	1	4203		
40 x 25000	80	1	4204		
40 x 25000	100	1	4205		
40 x 25000	120	1	4206		
40 x 25000	150	1	4207		
40 x 25000	180	1	4208		
40 x 25000	220	1	4209		
40 x 25000	240	1	4210		
40 x 25000	320	1	4212		
40 x 25000	400	1	4214		
40 x 50000	40	1	3833		
40 x 50000	60	1	3835		
40 x 50000	80	1	3836		
40 x 50000	100	1	3837		
40 x 50000	120	1	3838		
40 x 50000	150	1	3839		
40 x 50000	180	1	3840		
40 x 50000	220	1	3841		
40 x 50000	240	1	3842		
40 x 50000	280	1	3843		
40 x 50000	320	1	3844		
40 x 50000	360	1	3845		
40 x 50000	400	1	3846		
40 x 50000	600	1	64830		
50 x 25000	40	1	4217		
50 x 25000	60	1	4219		
50 x 25000	80	1	4220		
50 x 25000	100	1	4221		
50 x 25000	120	1	4222		
50 x 25000	150	1	4223		
50 x 25000	180	1	4224		
50 x 25000	220	1	4225		
50 x 25000	240	1	4226		
50 x 25000	320	1	4228		
50 x 25000	400	1	4230		
50 x 25000	600	1	64831		
50 x 50000	40	1	3849		
50 x 50000	50	1	3850		
50 x 50000	60	1	3851		
50 x 50000	80	1	3852		
50 x 50000	100	1	3853		
50 x 50000	120	1	3854		

Rolls

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
50 x 50000	150	1	3855
50 x 50000	180	1	3856
50 x 50000	220	1	3857
50 x 50000	240	1	3858
50 x 50000	280	1	3859
50 x 50000	320	1	3860
50 x 50000	360	1	3861
50 x 50000	400	1	3862
50 x 50000	500	1	3863
50 x 50000	600	1	64832

Abrasive cloth, brown
KL 361 JF
Advantages

High-quality universal abrasive cloth ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll


Applications:

- Stainless steel
- Steel
- Metals
- NF metals
- Wood
- Plastic

Bonding agent

Resin

Grain


Aluminium oxide

Coating

Close

Backing

JF-cotton


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
		■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
80 x 50000	80	1	3900
80 x 50000	120	1	3902
80 x 50000	150	1	3903
100 x 50000	40	1	3913
100 x 50000	50	1	3914
100 x 50000	60	1	3915
100 x 50000	80	1	3916
100 x 50000	100	1	3917
100 x 50000	120	1	3918
100 x 50000	150	1	3919
100 x 50000	180	1	3920
100 x 50000	220	1	3921
100 x 50000	240	1	3922
100 x 50000	320	1	3924
100 x 50000	400	1	3926
100 x 50000	600	1	64835
110 x 50000	40	1	3929
110 x 50000	60	1	3931
110 x 50000	80	1	3932
110 x 50000	100	1	3933
110 x 50000	120	1	3934

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Continuation of KL 361 JF, Abrasive cloth, brown

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
110 x 50000	150	1	3935
110 x 50000	180	1	3936
110 x 50000	240	1	3938
115 x 50000	40	1	3945
115 x 50000	60	1	3947
115 x 50000	80	1	3948
115 x 50000	100	1	3949
115 x 50000	120	1	3950
115 x 50000	150	1	3951
115 x 50000	180	1	3952
115 x 50000	240	1	3954
115 x 50000	320	1	3956
120 x 50000	60	1	3963
120 x 50000	80	1	3964
120 x 50000	100	1	3965
120 x 50000	120	1	3966
120 x 50000	180	1	3968
150 x 50000	40	1	3977
150 x 50000	60	1	3979
150 x 50000	80	1	3980
150 x 50000	100	1	3981
150 x 50000	120	1	3982
150 x 50000	150	1	3983

Rolls

Abrasive cloth, brown
KL 385 JF



Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll

Applications:

- Metals
- NF metals
- Stainless steel
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
115 x 5000	60	1	278789
115 x 5000	80	1	278790
115 x 5000	120	1	278791
115 x 5000	320	1	278792

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth, brown
KL 385 JF

Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll



Applications:

- Metals
- NF metals
- Stainless steel
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

JF-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
25 x 50000	60	1	218196
25 x 50000	80	1	218197
25 x 50000	100	1	218198
25 x 50000	120	1	218199
40 x 50000	40	1	218077
40 x 50000	60	1	218079
40 x 50000	80	1	218080
40 x 50000	100	1	218081
40 x 50000	120	1	218082
40 x 50000	150	1	218083
40 x 50000	180	1	218084
40 x 50000	220	1	218085
40 x 50000	240	1	218086
40 x 50000	320	1	218088
40 x 50000	400	1	218090
50 x 50000	40	1	218094
50 x 50000	60	1	218096
50 x 50000	80	1	218097
50 x 50000	100	1	218098
50 x 50000	120	1	218099
50 x 50000	150	1	218100
50 x 50000	180	1	218101
50 x 50000	220	1	218102
50 x 50000	240	1	218103
50 x 50000	320	1	218105
50 x 50000	400	1	218107

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Abrasive cloth, brown

KL 385 JF

Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to workpiece contours ■ Tears off cleanly and easily from the roll



Applications:

- Metals
- NF metals
- Stainless steel
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

JF-cotton



Rolls

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
115 x 50000	40	1	224650		
115 x 50000	60	1	228151		
115 x 50000	80	1	228363		
115 x 50000	100	1	228364		
115 x 50000	120	1	228365		
115 x 50000	150	1	228370		
115 x 50000	180	1	228366		
115 x 50000	240	1	228367		
115 x 50000	320	1	228368		
115 x 50000	400	1	228369		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.

Non-woven web roll
NRO 400

Advantages

Very good adaptation to surface contours ■ No clogging ■ Ideal for smoothing, cleaning, roughening and for general surface finishing

Applications Al. oxide:

- Stainless steel
- Metals
- Wood
- Plastic
- Paint/Varnish/Filler

Applications SiC:

- Stainless steel
- Plastic
- Paint/Varnish/Filler
- Metals
- Wood

Bonding agent

Resin



Width x Length in mm	Grade	Grain	Colour	Packing unit/pcs.	Cat. number		
100 x 10000	medium	Aluminium oxide	maroon	1	258870		
100 x 10000	very fine	Aluminium oxide	green	1	258871		
100 x 10000	fine	Aluminium oxide	maroon	1	258872		
100 x 10000	very fine	Aluminium oxide	maroon	1	258873		
115 x 10000	medium	Aluminium oxide	maroon	1	258885		
115 x 10000	fine	Aluminium oxide	maroon	1	258887		
115 x 10000	very fine	Aluminium oxide	green	1	258886		
115 x 10000	very fine	Aluminium oxide	maroon	1	258888		
150 x 10000	medium	Aluminium oxide	maroon	1	258890		
150 x 10000	fine	Aluminium oxide	maroon	1	258892		
150 x 10000	very fine	Aluminium oxide	green	1	258891		
150 x 10000	very fine	Aluminium oxide	maroon	1	258893		
100 x 10000	medium	SiC	black	1	260365		
100 x 10000	ultra fine	SiC	grey	1	258874		
115 x 10000	medium	SiC	black	1	260366		
115 x 10000	ultra fine	SiC	grey	1	258889		
150 x 10000	medium	SiC	black	1	260367		
150 x 10000	ultra fine	SiC	grey	1	258894		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 18. Please see Applications Guide on page 18.