

Abrasive paper, waterproof
PS 11 C



Advantages

Special product for car repair and painting ■ For hard and tough surfaces ■ Good adaptation and high stability ■ Wet and dry sanding

Applications:

- Paint/Varnish/Filler
- Metals
- Glass/Stone
- Plastic

Bonding agent

Resin

Grain

SiC

Coating

Close

Backing

C-paper

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■	■	■		■		■				

All sizes and minimum purchasing quantities available on request

Abrasive paper
PS 22 F ACT



Advantages

Premium product for hardwood ■ Reduced clogging due to ACT recipe and antistatic properties

Applications:

- Wood
- Metals
- Paint/Varnish/Filler
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

F-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■	■	■								

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
180 x 22	40	⊗ 30	50	115022
180 x 22	60	⊗ 30	50	120109
180 x 22	80	⊗ 30	50	115020
180 x 22	100	⊗ 30	50	120110

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.



Abrasive paper, self-fastening

PS 21 FK



Advantages

Aggressive abrasive behavior due to self-sharpening zirconia alumina ■ Optimal recipe for rough grinding and finish grinding of stainless steel ■ Long service life

Applications:

- Steel
- Stainless steel
- Metals

Bonding agent

Resin

Grain

Zirconia alumina

Coating

Close

Backing

F-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■		■		■		■								

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
115	40	○ 0	50	237224		
115	60	○ 0	50	248808		
115	80	○ 0	50	249326		
115	120	○ 0	50	249327		
115	150	○ 0	50	248809		
115	240	○ 0	50	255347		
125	40	○ 0	50	246857		
125	60	○ 0	50	237780		
125	80	○ 0	50	237781		
125	120	○ 0	50	237782		
125	150	○ 0	50	255348		
125	240	○ 0	50	237785		
150	40	○ 0	50	230312		
150	60	○ 0	50	230313		
150	80	○ 0	50	230314		
150	120	○ 0	50	246488		
150	150	○ 0	50	239244		
150	240	○ 0	50	251509		

Strips / Sheets / Discs

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Abrasive paper, self-fastening
PS 22 K
Advantages

Universal abrasive disc for metalworking and woodworking ■ Homogeneous surface scratch pattern ■ Available in many grit sizes and dimensions


Applications:

- Wood
- Metals
- Stainless steel
- Paint/Varnish/Filler
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Semi-open

Backing

E-paper


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■			■		■	■	■	■	■	■	■	■		■		■								

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
96	40	▲ GLS15	50	142134
96	60	▲ GLS15	50	142135
96	80	▲ GLS15	50	142136
96	100	▲ GLS15	50	145055
96	120	▲ GLS15	50	142137
96	150	▲ GLS15	50	146336
96	180	▲ GLS15	50	142138
96	240	▲ GLS15	50	142139
115	24	○ 0	50	6754
115	40	○ 0	50	2785
115	60	○ 0	50	2786
115	80	○ 0	50	6756
115	100	○ 0	50	2787
115	120	○ 0	50	6757
115	150	○ 0	50	80046
115	180	○ 0	50	2788
115	220	○ 0	50	88330
115	240	○ 0	50	88333
115	320	○ 0	50	95561
115	400	○ 0	50	111470
115	40	● GLS4	50	82938
115	60	● GLS4	50	82940
115	80	● GLS4	50	82941
115	100	● GLS4	50	82942
115	120	● GLS4	50	82944
115	180	● GLS4	50	82946
115	240	● GLS4	50	87424
125	24	○ 0	50	7300
125	40	○ 0	50	2294
125	60	○ 0	50	2295
125	80	○ 0	50	6774
125	100	○ 0	50	2296
125	120	○ 0	50	6775
125	150	○ 0	50	78163

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.



Continuation of PS 22 K, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
125	180	○ 0	50	62107
125	220	○ 0	50	97176
125	240	○ 0	50	91922
125	320	○ 0	50	93284
125	400	○ 0	50	130114
125	24	⊗ GLS5	50	89485
125	40	⊗ GLS5	50	89486
125	60	⊗ GLS5	50	89488
125	80	⊗ GLS5	50	89489
125	100	⊗ GLS5	50	89491
125	120	⊗ GLS5	50	89493
125	150	⊗ GLS5	50	89494
125	180	⊗ GLS5	50	89495
125	220	⊗ GLS5	50	90758
125	240	⊗ GLS5	50	92753
125	320	⊗ GLS5	50	89496
125	400	⊗ GLS5	50	104778
125	40	⊗ GLS27	50	260795
125	60	⊗ GLS27	50	260796
125	80	⊗ GLS27	50	260797
125	100	⊗ GLS27	50	260798
125	120	⊗ GLS27	50	260799
125	150	⊗ GLS27	50	260800
125	180	⊗ GLS27	50	260801
125	240	⊗ GLS27	50	260802
150	24	○ 0	50	2474
150	40	○ 0	50	20207
150	60	○ 0	50	6649
150	80	○ 0	50	6936
150	100	○ 0	50	6697
150	120	○ 0	50	6937
150	150	○ 0	50	71140
150	180	○ 0	50	4022
150	220	○ 0	50	93324
150	240	○ 0	50	91605
150	320	○ 0	50	91721
150	400	○ 0	50	129092
150	24	⊗ GLS1	50	6516
150	40	⊗ GLS1	50	6520
150	60	⊗ GLS1	50	6523
150	80	⊗ GLS1	50	6524
150	100	⊗ GLS1	50	6525
150	120	⊗ GLS1	50	6526
150	150	⊗ GLS1	50	80722
150	180	⊗ GLS1	50	6611
150	220	⊗ GLS1	50	98990
150	240	⊗ GLS1	50	89451
150	320	⊗ GLS1	50	89450
150	400	⊗ GLS1	50	129389
150	40	⊗ GLS2	50	74088
150	60	⊗ GLS2	50	72633
150	80	⊗ GLS2	50	72632
150	100	⊗ GLS2	50	73490
150	120	⊗ GLS2	50	72628
150	150	⊗ GLS2	50	79862

Strips / Sheets / Discs

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Continuation of PS 22 K, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
150	180	⊗ GLS2	50	72624		
150	240	⊗ GLS2	50	91814		
150	24	⊗ GLS3	50	93321		
150	40	⊗ GLS3	50	89181		
150	60	⊗ GLS3	50	86634		
150	80	⊗ GLS3	50	86635		
150	100	⊗ GLS3	50	97072		
150	120	⊗ GLS3	50	86636		
150	150	⊗ GLS3	50	86637		
150	180	⊗ GLS3	50	87528		
150	220	⊗ GLS3	50	100157		
150	240	⊗ GLS3	50	97778		
150	320	⊗ GLS3	50	97779		
150	400	⊗ GLS3	50	128356		
150	40	⊗ GLS51	50	306611		
150	60	⊗ GLS51	50	306612		
150	80	⊗ GLS51	50	305559		
150	100	⊗ GLS51	50	306507		
150	120	⊗ GLS51	50	305560		
150	150	⊗ GLS51	50	306508		
150	180	⊗ GLS51	50	306509		
150	240	⊗ GLS51	50	309471		
180	24	○ 0	50	2782		
180	40	○ 0	50	2476		
180	60	○ 0	50	2477		
180	80	○ 0	50	6914		
180	100	○ 0	50	2783		
180	120	○ 0	50	6915		
200	40	○ 0	50	77659		
200	60	○ 0	50	77660		
200	80	○ 0	50	77656		
200	100	○ 0	50	77658		
200	120	○ 0	50	77661		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Discs, self-fastening

Coated abrasives



KLINGSPOR

Abrasive paper, self-fastening

PS 33 BK / PS 33 CK

Advantages

High removal rate ■ For diverse applications



Applications:

- Paint/Varnish/Filler
- Wood
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Semi-open

Backing

B/C-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■		■	■	■						

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
96	40	▲ GLS15	100	147163
96	60	▲ GLS15	100	147164
96	80	▲ GLS15	100	147165
96	100	▲ GLS15	100	147166
96	120	▲ GLS15	100	148195
98 x 148	60	▲ GLS24	100	215473
98 x 148	80	▲ GLS24	100	215474
98 x 148	100	▲ GLS24	100	215475
98 x 148	120	▲ GLS24	100	215476
115	40	○ 0	100	147701
115	60	○ 0	100	148469
115	80	○ 0	100	147144
115	100	○ 0	100	150379
115	120	○ 0	100	146955
125	40	○ 0	100	154113
125	60	○ 0	100	147604
125	80	○ 0	100	149055
125	100	○ 0	100	150431
125	120	○ 0	100	150433
125	40	⊗ GLS5	100	146954
125	60	⊗ GLS5	100	147642
125	80	⊗ GLS5	100	147643
125	100	⊗ GLS5	100	147977
125	120	⊗ GLS5	100	147170
125	150	⊗ GLS5	100	150760
125	180	⊗ GLS5	100	147837
125	240	⊗ GLS5	100	147838
150	40	○ 0	100	147922
150	60	○ 0	100	147107
150	80	○ 0	100	146739
150	100	○ 0	100	147106
150	120	○ 0	100	146740
150	150	○ 0	100	148375
150	180	○ 0	100	146958

Strips / Sheets / Discs

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Continuation of PS 33 BK / PS 33 CK, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
150	220	○ 0	100	149916		
150	240	○ 0	100	146959		
150	320	○ 0	100	146716		
150	400	○ 0	100	147108		
150	40	⊗ GLS1	100	146978		
150	60	⊗ GLS1	100	146979		
150	80	⊗ GLS1	100	143130		
150	100	⊗ GLS1	100	143131		
150	120	⊗ GLS1	100	147093		
150	150	⊗ GLS1	100	148379		
150	180	⊗ GLS1	100	147095		
150	220	⊗ GLS1	100	149794		
150	240	⊗ GLS1	100	147094		
150	320	⊗ GLS1	100	147096		
150	400	⊗ GLS1	100	147097		
150	60	⊗ GLS2	100	147226		
150	80	⊗ GLS2	100	143132		
150	100	⊗ GLS2	100	143133		
150	120	⊗ GLS2	100	147225		
150	150	⊗ GLS2	100	148377		
150	180	⊗ GLS2	100	147224		
150	240	⊗ GLS2	100	147280		
150	320	⊗ GLS2	100	147721		
150	40	⊗ GLS3	100	147647		
150	60	⊗ GLS3	100	147124		
150	80	⊗ GLS3	100	146946		
150	100	⊗ GLS3	100	143694		
150	120	⊗ GLS3	100	146947		
150	150	⊗ GLS3	100	149151		
150	180	⊗ GLS3	100	146948		
150	220	⊗ GLS3	100	149255		
150	240	⊗ GLS3	100	146907		
150	320	⊗ GLS3	100	147126		
150	400	⊗ GLS3	100	147125		
150	40	⊗ GLS51	100	310531		
150	60	⊗ GLS51	100	301874		
150	80	⊗ GLS51	100	301925		
150	100	⊗ GLS51	100	301926		
150	120	⊗ GLS51	100	301927		
150	150	⊗ GLS51	100	301928		
150	180	⊗ GLS51	100	304084		
150	220	⊗ GLS51	100	301929		
150	240	⊗ GLS51	100	304815		
150	320	⊗ GLS51	100	301930		
150	400	⊗ GLS51	100	310898		
225	40	○ 0	50	223162		
225	60	○ 0	50	210124		
225	80	○ 0	50	210129		
225	100	○ 0	50	224731		
225	120	○ 0	50	210130		
225	40	⊗ GLS52	50	302042		
225	60	⊗ GLS52	50	302043		

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.




Continuation of PS 33 BK / PS 33 CK, Abrasive paper, self-fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
225	80	⊗ GLS52	50	302044
225	100	⊗ GLS52	50	302045
225	120	⊗ GLS52	50	302046
225	220	⊗ GLS52	50	302049

Abrasive paper, self-fastening

PS 61 FK

NEW



Advantages

Continuously aggressive abrasive performance ■ High-performance abrasive disc for stainless steel grinding ■ Also very good results in repair grinding of parquet flooring

Applications:

- Stainless steel
- Steel
- Wood

Bonding agent

Resin

Grain


Ceramic Al. oxide

Coating

Close

Backing

F-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■		■	■	■														

All sizes and minimum purchasing quantities available on request

Strips / Sheets / Discs

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Abrasive film, actively coated,
self-fastening

FP 73 WK

NEW

Advantages

Special product with highly tear-resistant film backing for use on paint, varnish and fillers ■ Very good adaptation of the discs with excellent grit adhesion also in the edge area ■ Substantially reduced clogging and significantly longer service life



Applications:

- Paint/Varnish/Filler
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Semi-open

Backing

Film



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000
							■	■	■	■	■		■		■		■	■	■	■	■	■	■	

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
150	80	⊗ GLS47	100	320641
150	100	⊗ GLS47	100	320642
150	120	⊗ GLS47	100	320643
150	150	⊗ GLS47	100	320644
150	180	⊗ GLS47	100	320725
150	240	⊗ GLS47	100	320726
150	320	⊗ GLS47	100	320727
150	400	⊗ GLS47	100	320728
150	500	⊗ GLS47	100	320735
150	600	⊗ GLS47	100	320729
150	800	⊗ GLS47	100	320730
150	1000	⊗ GLS47	100	320731
150	1200	⊗ GLS47	100	320732
150	1500	⊗ GLS47	100	320733

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Discs, self-fastening

Coated abrasives

Abrasive paper, active coated, self-fastening

PS 73 BWK / PS 73 CWK

Advantages

High-quality product for use on varnish, paint and filler ■ High removal rate ■ Substantially reduced clogging and significantly longer service life due to additional special coating



Applications:

- Paint/Varnish/Filler
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Semi-open

Backing

B/C-paper



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
150	40	○ 0	100	301231		
150	60	○ 0	100	301232		
150	80	○ 0	100	301233		
150	100	○ 0	100	301234		
150	120	○ 0	100	301235		
150	150	○ 0	100	301236		
150	180	○ 0	100	301237		
150	220	○ 0	100	301238		
150	240	○ 0	100	301239		
150	320	○ 0	100	301240		
150	400	○ 0	100	301241		
150	500	○ 0	100	301937		
150	800	○ 0	100	301886		
150	1000	○ 0	100	301891		
150	40	⊗ GLS1	100	301205		
150	60	⊗ GLS1	100	301206		
150	80	⊗ GLS1	100	301207		
150	100	⊗ GLS1	100	301208		
150	120	⊗ GLS1	100	301209		
150	150	⊗ GLS1	100	301210		
150	180	⊗ GLS1	100	301211		
150	220	⊗ GLS1	100	301212		
150	240	⊗ GLS1	100	301213		
150	320	⊗ GLS1	100	301214		
150	400	⊗ GLS1	100	301215		
150	500	⊗ GLS1	100	301216		
150	600	⊗ GLS1	100	301217		
150	800	⊗ GLS1	100	301890		
150	40	⊗ GLS3	100	301218		
150	60	⊗ GLS3	100	301219		
150	80	⊗ GLS3	100	301220		
150	100	⊗ GLS3	100	301221		
150	120	⊗ GLS3	100	301222		
150	150	⊗ GLS3	100	301223		

Strips / Sheets / Discs

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Continuation of PS 73 BWK / PS 73 CWK, Abrasive paper, active coated, self- fastening

Diameter in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
150	180	⊗ GLS3	100	301224		
150	220	⊗ GLS3	100	301225		
150	240	⊗ GLS3	100	301226		
150	320	⊗ GLS3	100	301227		
150	400	⊗ GLS3	100	301228		
150	500	⊗ GLS3	100	301229		
150	600	⊗ GLS3	100	301230		
150	800	⊗ GLS3	100	301889		
150	40	⊗ GLS47	100	301810		
150	60	⊗ GLS47	100	301811		
150	80	⊗ GLS47	100	301812		
150	100	⊗ GLS47	100	301813		
150	120	⊗ GLS47	100	301814		
150	150	⊗ GLS47	100	301855		
150	180	⊗ GLS47	100	301856		
150	220	⊗ GLS47	100	301857		
150	240	⊗ GLS47	100	301858		
150	320	⊗ GLS47	100	301859		
150	400	⊗ GLS47	100	301860		
150	500	⊗ GLS47	100	301861		
150	600	⊗ GLS47	100	301862		
150	80	⊗ GLS51	100	310524		
150	100	⊗ GLS51	100	309470		
150	120	⊗ GLS51	100	310478		
150	150	⊗ GLS51	100	310479		
150	180	⊗ GLS51	100	310525		
150	220	⊗ GLS51	100	310526		
150	240	⊗ GLS51	100	309093		
150	320	⊗ GLS51	100	309094		
150	400	⊗ GLS51	100	310527		

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 124; Please see Applications Guide on page 104, 124 - 125.

Backing pad HST 359

Advantages

Good adhesion for all velour-coated abrasive discs ■ For medium-duty rough grinding and polishing



Diameter in mm	Thread/ Shaft	Packing unit/pcs.	Cat. number		
115	M 10	1	70432		
115	M 14	1	70433		
115	8 mm	1	6874		
125	M 14	1	70434		
125	8 mm	1	70435		
150	M 14	1	70436		
180	M 14	1	73066		

Strips / Sheets / Discs

Multihole backing pad for random orbital sanders HST 555

NEW

Advantages

Very good adhesion for all velour-coated discs due to fine, heat-resistant self-fastening coating ■ For all standard hole patterns, also for net-like and diverse multi-hole patterns ■ Compatible with all standard orbital sanders



Diameter in mm	Mounting	Density	Packing unit/pcs.	Cat. number		
150	M 8 / 5/16", spacer discs, Festool adaptor	soft	1	320488		
150	M 8 / 5/16", spacer discs, Festool adaptor	medium	1	320489		
150	M 8 / 5/16", spacer discs, Festool adaptor	hard	1	320587		

Multihole backing pad for random orbital sanders

HST 555

NEW



Advantages

Very good adhesion for all velour-coated discs due to fine, heat-resistant self-fastening coating ■ For all standard hole patterns, also for net-like and diverse multi-hole patterns ■ Self-fastening backing pad for BOSCH GEX-150 series



Diameter in mm	Mounting	Density	Packing unit/pcs.	Cat. number		
150	M 8	medium	1	320490		

Non-woven web

SV 484



Advantages

Universal disc with outstanding price-performance ratio ■ Soft and elastic grinding

Applications:

- Paint/Varnish/Filler
- Wood
- Plastic
- Metals
- Stainless steel

Bonding agent

Resin

Grain

Aluminium oxide



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
							■	■			■			■											

Diameter in mm	Grit	Grade	Packing unit/pcs.	Cat. number		
115	80	coarse	10	104134		
115	100	medium	10	104135		
115	180	medium	10	104138		
115	280	very fine	10	104139		
125	80	coarse	10	104136		
125	100	medium	10	104137		
125	180	medium	10	104140		
125	280	very fine	10	104141		

Strips / Sheets / Discs

Non-woven web disc

NDS 800



Advantages

High edge stability ■ Aggressive abrasive behavior ■ Long service life

Applications:


- Metals
- Stainless steel
- Paint/Varnish/Filler
- Plastic
- Wood

Bonding agent

Resin

Grain

Aluminium oxide



Diameter in mm	Grade	Colour	Packing unit/pcs.	Cat. number		
115	coarse	brown	10	258430		
115	medium	red	10	258431		
115	very fine	blue	10	258432		
125	coarse	brown	10	258433		
125	medium	red	10	258434		
125	very fine	blue	10	258445		

Other grits/grades and sizes available on request.

Please observe: Please see Applications Guide on page 104, 124 - 125.

Backing pad
NDS 555
Advantages

Good adhesion for non-woven web discs ■ For medium-duty rough grinding and polishing



Diameter in mm	Thread/ Shaft	Packing unit/pcs.	Cat. number		
115	M 14	1	164100		
125	M 14	1	208275		

