

**Abrasive paper, waterproof**  
**PS 8 A**

**Advantages**

Ideal for hard and tough surfaces ■ Very flexible latex paper allows excellent adaptation ■ Can be used for wet and dry grinding



**Applications:**

- Paint/Varnish/Filler
- Plastic
- Glass/Stone
- Metals

**Bonding agent**

Resin

**Grain**

SiC

**Coating**

Close

**Backing**

A-paper



**Available grits:**

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	
											■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
230 x 280	180	50	269269		
230 x 280	220	50	269275		
230 x 280	240	50	269279		
230 x 280	280	50	269285		
230 x 280	320	50	269289		
230 x 280	360	50	269294		
230 x 280	400	50	269299		
230 x 280	600	50	269314		
230 x 280	800	50	269323		
230 x 280	1000	50	269328		

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**



## Abrasive paper, waterproof

### PS 8 C



### Advantages

Ideal for hard and tough surfaces ■ Very flexible latex paper allows excellent adaptation ■ Can be used for wet and dry grinding

### Applications:

- Paint/Varnish/Filler
- Plastic
- Glass/Stone
- Metals

### Bonding agent

Resin

### Grain

SiC

### Coating

Close

### Backing

C-paper



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■		■	■	■	■										

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
230 x 280	60	50	269424		
230 x 280	80	50	269429		
230 x 280	100	50	269435		
230 x 280	120	50	269444		
230 x 280	150	50	269448		

Strips / Sheets / Discs

## Abrasive paper, waterproof

### PS 11 A



### Advantages

Special product for car repair and painting ■ Ideal for hard and tough surfaces ■ Excellent adaptation while maintaining high stability ■ Can be used for wet and dry grinding

### Applications:

- Paint/Varnish/Filler
- Plastic
- Glass/Stone
- Metals

### Bonding agent

Resin

### Grain

SiC

### Coating

Close

### Backing

A-paper



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
												■	■	■	■	■	■	■	■	■	■	■	■	■	■

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
230 x 280	220	50	2002		
230 x 280	240	50	2003		
230 x 280	280	50	2004		
230 x 280	320	50	2005		
230 x 280	360	50	2006		

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.

**Continuation of PS 11 A, Abrasive paper, waterproof**

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
230 x 280	400	50	2007
230 x 280	500	50	2008
230 x 280	600	50	2009
230 x 280	800	50	2010
230 x 280	1000	50	11892
230 x 280	1200	50	6616
230 x 280	1500	50	186794
230 x 280	2000	50	186795

**Abrasive paper, waterproof**  
**PS 11 C**
**Advantages**

Special product for car repair and painting ■ Ideal for hard and tough surfaces ■ Excellent adaptation while maintaining high stability ■ Can be used for wet and dry grinding


**Applications:**

- Paint/Varnish/Filler
- Plastic
- Glass/Stone
- Metals

**Bonding agent**

Resin

**Grain**

SiC

**Coating**

Close

**Backing**

C-paper


**Available grits:**

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■	■	■		■		■				

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
230 x 280	60	50	2022
230 x 280	80	50	2023
230 x 280	100	50	2117
230 x 280	120	50	2116
230 x 280	150	50	2011
230 x 280	180	50	2012
230 x 280	220	50	2013
230 x 280	240	50	2014
230 x 280	280	50	2015
230 x 280	320	50	2016
230 x 280	360	50	2017
230 x 280	400	50	2018

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**



## Abrasive paper

### PS 22 F ACT



## Advantages

Premium product for hardwood ■ Good edge stability ■ Reduced clogging due to ACT recipe and antistatic properties

## Applications:

- Wood
- Metals
- Paint/Varnish/Filler
- Plastic
- Steel
- NF metals

## Bonding agent

Resin

## Grain

Aluminium oxide

## Coating

Close

## Backing

F-paper



## Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■	■	■								

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
115 x 280	40	100	6529
115 x 280	60	100	6531
115 x 280	80	100	6532
115 x 280	100	100	6533
115 x 280	120	100	6534

Strips / Sheets / Discs

## Abrasive paper

### PS 30 D



## Advantages

Product with good price-performance ratio ■ For diverse applications

## Applications:

- Paint/Varnish/Filler
- Wood
- Metals

## Bonding agent

Resin

## Grain


Aluminium oxide

## Coating

Semi-open

## Backing

D-paper



## Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■										

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
115 x 280	40	100	194671
115 x 280	60	100	194673
115 x 280	80	100	194674
115 x 280	100	100	194675
115 x 280	120	100	194676

Continuation →

Other grits and sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.

**Continuation of PS 30 D, Abrasive paper**

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
115 x 280	180	100	194679
115 x 280	240	100	194680
230 x 280	40	50	194660
230 x 280	60	50	194662
230 x 280	80	50	194663
230 x 280	100	50	194664
230 x 280	120	50	194665
230 x 280	150	50	194666
230 x 280	180	50	194667
230 x 280	240	50	194668
230 x 280	320	50	194669

**Finishing paper**
**PL 31 B**

**Advantages**

Product with optimal price-performance ratio ■ Optimized wear properties for hand grinding and hand-held machine grinding ■ Very fine surface scratch pattern

**Applications:**

- Paint/Varnish/Filler
- Wood
- Metals

**Bonding agent**

Glue

**Grain**


Aluminium oxide

**Coating**







Semi-open

**Backing**

B-paper


**Available grits:**

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■								

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
93 x 230	40		100	2416
93 x 230	60		100	2418
93 x 230	80		100	2419
93 x 230	100		100	2390
93 x 230	120		100	2391
93 x 230	180		100	2393
93 x 230	240		100	2395
93 x 230	40	 GL 9	100	2665
93 x 230	60	 GL 9	100	2667
93 x 230	80	 GL 9	100	2668
93 x 230	100	 GL 9	100	2669
93 x 230	120	 GL 9	100	2670
93 x 230	180	 GL 9	100	2684
115 x 280	40		100	2412
115 x 280	60		100	2414
115 x 280	80		100	2415
115 x 280	100		100	2379
115 x 280	120		100	2380
115 x 280	150		100	2381

Continuation →

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**

## Continuation of PL 31 B, Finishing paper

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number
115 x 280	180		100	2382
115 x 280	220		100	2383
115 x 280	240		100	2384
115 x 280	40	GL 1	100	5326
115 x 280	60	GL 1	100	5324
115 x 280	80	GL 1	100	5323
115 x 280	100	GL 1	100	5322
115 x 280	120	GL 1	100	5321
115 x 280	180	GL 1	100	5319
230 x 280	40		50	2059
230 x 280	50		50	2060
230 x 280	60		50	2061
230 x 280	80		50	2062
230 x 280	100		50	2048
230 x 280	120		50	2049
230 x 280	150		50	2050
230 x 280	180		50	2051
230 x 280	220		50	2052
230 x 280	240		50	2053
230 x 280	280		50	2054
230 x 280	320		50	2055
230 x 280	400		50	2057

Strips / Sheets / Discs

### Abrasive paper

## PS 33 B/PS 33 C



### Advantages

High removal rate ■ For diverse applications

### Applications:

- Paint/Varnish/Filler
- Wood
- Plastic

### Bonding agent

Resin

### Grain

Aluminium oxide

### Coating

Semi-open

### Backing

B/C-paper



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■		■	■	■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number
230 x 280	40	50	147849
230 x 280	60	50	147850
230 x 280	80	50	147851
230 x 280	100	50	149719
230 x 280	120	50	147852
230 x 280	150	50	149528
230 x 280	180	50	147853
230 x 280	220	50	149529
230 x 280	240	50	147854

Continuation →

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**

**Continuation of PS 33 B/PS 33 C, Abrasive paper**

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
230 x 280	280	50	149793		
230 x 280	320	50	149530		
230 x 280	400	50	148971		
230 x 280	500	50	170667		
230 x 280	600	50	170668		

**Abrasive paper, actively coated**
**PS 73 BW**

**Advantages**

High-quality product for use on varnish, paint and filler ■ High removal rate ■ Substantially reduced clogging and significantly longer service life due to additional special coating

**Applications:**

- Paint/Varnish/Filler
- Plastic

**Bonding agent**

Resin

**Grain**


Aluminium oxide

**Coating**

Semi-open

**Backing**

B-paper


**Available grits:**

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
										■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	

All sizes and minimum purchasing quantities available on request

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**



## Abrasive cloth, brown

### KL 361 JF



### Advantages

High-quality universal product ■ Optimal adaptation to the workpiece due to highly flexible cotton backing ■ Tears off cleanly and easily

### Applications:

- Steel
- Metals
- NF metals
- Wood
- Stainless steel
- Plastic

### Bonding agent

Resin

### Grain

Aluminium oxide

### Coating

Close

### Backing

JF-cotton



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
		■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
115 x 280	40	100	73953		
115 x 280	60	100	74436		
115 x 280	80	100	72227		
115 x 280	100	100	73583		
115 x 280	120	100	72488		
230 x 280	30	50	2083		
230 x 280	40	50	2084		
230 x 280	50	50	2085		
230 x 280	60	50	2086		
230 x 280	80	50	2087		
230 x 280	100	50	2088		
230 x 280	120	50	2089		
230 x 280	150	50	2090		
230 x 280	180	50	2091		
230 x 280	220	50	2092		
230 x 280	240	50	2093		
230 x 280	280	50	2094		
230 x 280	320	50	2095		
230 x 280	360	50	2096		
230 x 280	400	50	2097		
230 x 280	500	50	2098		
230 x 280	600	50	5334		

Strips / Sheets / Discs

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**



**Abrasive cloth, blue**  
**KL 371 X**
**Advantages**

Attractively priced universal product for surface hand grinding


**Applications:**

- Metals
- NF metals

**Bonding agent**

Glue

**Grain**

Aluminium oxide

**Coating**

Close

**Backing**

X-cotton


**Available grits:**

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■								

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
230 x 280	40	50	2100		
230 x 280	50	50	2101		
230 x 280	60	50	2102		
230 x 280	80	50	2103		
230 x 280	100	50	2104		
230 x 280	120	50	2105		
230 x 280	150	50	2106		
230 x 280	180	50	2107		
230 x 280	220	50	2108		
230 x 280	240	50	2109		
230 x 280	280	50	119885		
230 x 280	320	50	119886		
230 x 280	360	50	119887		
230 x 280	400	50	119888		

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**



## Abrasive cloth, brown

### KL 385 JF



### Advantages

Attractively priced universal product for profile grinding ■ Optimal adaptation to the workpiece due to maximum flexible cotton backing ■ Tears off cleanly and easily

### Applications:

- Wood
- Metals
- NF metals
- Stainless steel
- Plastic

### Bonding agent

Resin

### Grain

Aluminium oxide

### Coating

Close

### Backing

JF-cotton



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■	■	■	■	■	■	■	■	■	■	■	■		■		■						

Width x Length in mm	Grit	Packing unit/pcs.	Cat. number		
230 x 280	40	50	218047		
230 x 280	50	50	218048		
230 x 280	60	50	218050		
230 x 280	80	50	218051		
230 x 280	100	50	218052		
230 x 280	120	50	218053		
230 x 280	150	50	218054		
230 x 280	180	50	218055		
230 x 280	220	50	218056		
230 x 280	240	50	218057		
230 x 280	280	50	218058		
230 x 280	320	50	218059		
230 x 280	400	50	218061		
230 x 280	600	50	218063		

Strips / Sheets / Discs

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**

**Abrasive paper, self-fastening**  
**PS 22 K**
**Advantages**

High removal rate ■ Homogeneous surface scratch pattern


**Applications:**

- Wood
- Metals
- Paint/Varnish/Filler
- Plastic
- Steel

**Bonding agent**

Resin

**Grain**


Aluminium oxide

**Coating**

Semi-open

**Backing**

E-paper


**Available grits:**

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■			■		■	■	■	■	■	■	■	■		■		■								

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
70 x 125	60		100	147593		
70 x 125	80		100	140608		
70 x 125	100		100	131668		
70 x 125	120		100	129801		
70 x 125	150		100	135581		
70 x 125	180		100	129802		
80 x 133	40	GL18	100	149852		
80 x 133	60	GL18	100	149853		
80 x 133	80	GL18	100	149854		
80 x 133	100	GL18	100	149855		
80 x 133	120	GL18	100	149857		
80 x 133	150	GL18	100	232741		
80 x 133	180	GL18	100	232742		
80 x 133	220	GL18	100	206371		
100 x 115	80		100	103378		
100 x 115	100		100	103379		
100 x 115	120		100	103380		
100 x 115	150		100	103381		
115 x 115	80		100	82076		
115 x 115	100		100	81638		
115 x 115	120		100	81637		
115 x 115	150		100	94721		
115 x 230	40	GL15	100	122331		
115 x 230	60	GL15	100	116647		
115 x 230	80	GL15	100	116648		
115 x 230	100	GL15	100	116649		
115 x 230	120	GL15	100	114942		
115 x 230	150	GL15	100	111500		

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**



## Abrasive paper, self-fastening

### PS 33 BK / PS 33 CK

## Advantages

High removal rate ■ For diverse applications



## Applications:

- Paint/Varnish/Filler
- Wood
- Plastic

## Bonding agent

Resin

## Grain

Aluminium oxide

## Coating

Semi-open

## Backing

B/C-paper



## Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■	■	■	■	■		■	■	■						

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
70 x 125	80		100	155072		
70 x 125	100		100	151786		
70 x 125	120		100	151785		
70 x 125	150		100	151784		
70 x 125	180		100	148228		
70 x 125	220		100	155500		
70 x 125	240		100	152381		
70 x 125	280		100	197133		
80 x 133	40	GL18	100	146974		
80 x 133	60	GL18	100	146975		
80 x 133	80	GL18	100	146976		
80 x 133	100	GL18	100	146977		
80 x 133	120	GL18	100	147169		
80 x 133	150	GL18	100	149107		
80 x 133	180	GL18	100	147479		
80 x 133	220	GL18	100	149819		
80 x 133	240	GL18	100	148050		
80 x 133	320	GL18	100	149897		
80 x 133	400	GL18	100	149899		
93 x 178	40	GL17	100	146970		
93 x 178	60	GL17	100	146971		
93 x 178	80	GL17	100	146972		
93 x 178	100	GL17	100	146973		
93 x 178	120	GL17	100	148046		
93 x 178	150	GL17	100	149138		
93 x 178	180	GL17	100	148047		
93 x 178	240	GL17	100	148048		
100 x 115	80		100	147101		
100 x 115	100		100	147102		
100 x 115	120		100	147103		
100 x 115	150		100	148658		
100 x 115	180		100	147104		
100 x 115	240		100	147105		
115 x 230	40	GL15	100	146966		










Strips / Sheets / Discs

Continuation →

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**

**Continuation of PS 33 BK / PS 33 CK, Abrasive paper, self-fastening**

Width x Length in mm	Grit	Hole pattern	Packing unit/pcs.	Cat. number		
115 x 230	60	 GL15	100	146967		
115 x 230	80	 GL15	100	146968		
115 x 230	100	 GL15	100	146969		
115 x 230	120	 GL15	100	147182		
115 x 230	150	 GL15	100	149820		
115 x 230	180	 GL15	100	147183		
115 x 230	220	 GL15	100	149486		
115 x 230	240	 GL15	100	147184		
115 x 230	320	 GL15	100	147185		

**Hand block**  
**HK 100**
**Advantages**

Excellent for flat and slightly convex surfaces ■ Effortless hand grinding due to ergonomic form



Width x Length x Height in mm	Packing unit/pcs.	Cat. number		
68 x 118 x 40	1	185320		

Other grits and sizes available on request.

**Please observe: Minimum order quantities for manufactured items see page 105; Please see Applications Guide on page 104 - 107.**

## Non-woven web hand pad NPA 400

### Advantages

Outstanding for surface finishing, e.g. adaptation to an existing surface scratch pattern



### Applications Al. oxide:

- Stainless steel
- Metals
- Wood
- Paint/Varnish
- Plastic

### Applications SiC:

- Paint/Varnish
- Plastic
- Stainless steel
- Metals
- Wood

### Bonding agent

Resin




Width x Length in mm	Grade	Colour	Grain	Packing unit/pcs.	Cat. number		
152 x 229	coarse	brown	Aluminium oxide	10	258862		
152 x 229	medium	green HD	Aluminium oxide	10	258864		
152 x 229	very fine	green	Aluminium oxide	10	258865		
152 x 229	very fine	maroon	Aluminium oxide	10	258866		
152 x 229	medium	black	SiC	10	258863		
152 x 229	ultra fine	grey	SiC	10	258867		
152 x 229	without grain	non abrasive white	-	10	258868		
152 x 229	Set	all colours	Al. oxide / SiC	7	258869		

Strips / Sheets / Discs

## Abrasive block, flexible, coated on 4 sides SK 500

### Advantages

Can be used flat and upright (four usable sides) ■ For flat and profiled surfaces due to flexible foam core ■ Robust, washable and reusable



### Applications:

- Paint/Varnish/Filler
- Wood
- Plastic
- Metals

### Grain

Aluminium oxide

### Coating

Close



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■		■	■		■											

Width x Length x Height in mm	Grit	Packing unit/pcs.	Cat. number		
100 x 70 x 25	60	100	125279		
100 x 70 x 25	80	100	225165		
100 x 70 x 25	100	100	125280		
100 x 70 x 25	120	100	225166		
100 x 70 x 25	180	100	225167		
100 x 70 x 25	220	100	225168		
100 x 70 x 25	280	100	225169		

Other grades and sizes available on request.

Please observe: Please see Applications Guide on page 104 - 107.

Abrasive sponge, flexible,  
coated on 2 sides

## SW 501



### Advantages

Satin surface scratch pattern ■ For low and high profiled surfaces (two usable sides) ■ Crease- and break-resistant ■ Washable and reusable

### Applications:

- Paint/Varnish/Filler
- Wood
- Plastic
- Metals

### Grain

Aluminium oxide

### Coating

Close



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
									■			■													

Width x Length x Height in mm	Grit	Packing unit/pcs.	Cat. number
123 x 96 x 12,5	120	100	125281
123 x 96 x 12,5	220	100	125282

Abrasive sponge, flexible,  
coated on 2 sides

## SW 502



### Advantages

Glossy surface scratch pattern ■ For low and high profiled surfaces ■ Crease- and break-resistant ■ Washable and reusable

### Applications:

- Paint/Varnish/Filler
- Wood
- Plastic
- Metals

### Grain

SiC

### Coating

Close



### Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
									■			■													

Width x Length x Height in mm	Grit	Packing unit/pcs.	Cat. number
123 x 96 x 12,5	120	100	244377
123 x 96 x 12,5	220	100	244379

Other grades and sizes available on request.

**Please observe: Please see Applications Guide on page 104 - 107.**

