

Abrasive cloth
CS 308 Y



Advantages

Universal product for metal and wood applications ■ High tear resistance ■ Moisture-proof

Applications:

- Wood
- NF metals
- Stainless steel
- Steel
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
				■		■	■	■	■	■	■		■												

All sizes and minimum purchasing quantities available on request

Abrasive cloth
CS 310 X



Advantages

Universal product with optimal price-performance ratio ■ Available in a wide grit range

Applications:

- Metals
- Steel
- Stainless steel
- Wood
- Plastic

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

X-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
■	■		■	■	■	■	■	■	■	■	■	■	■	■	■		■	■	■						

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

Abrasive cloth ANTISTATIC
CS 311 Y ACT



Advantages

Specially developed for calibration grinding of wood ■ Reduced clogging and longer service life due to ACT recipe and antistatic properties

Applications:

- Wood
- Metals

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Open

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
			■	■	■	■	■	■	■	■	■	■													

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof
CS 320 Y



Advantages

Very hard and sharp silicon carbide grain for hard and tough workpiece surfaces ■ High aggressiveness and abrasive performance ■ Especially suitable for wet grinding of glass, ceramic and plastic

Applications:

- Mineral-based materials
- Plastic

Bonding agent

Resin

Grain

SiC

Coating

Close

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
■	■			■		■	■	■	■		■														

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

Abrasive cloth, waterproof
CS 321 X

Advantages

Produces a brilliant, glossy finish of stainless steel surfaces due to the very hard and sharp-edged silicon carbide grit ■ High aggressiveness and abrasive performance ■ Especially suitable for wet grinding of glass, ceramic and plastic

Applications:

- Mineral-based materials
- Plastic
- Stainless steel

Bonding agent

Resin

Grain

SiC

Coating

Close

Backing

X-cotton


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
							■	■	■	■	■	■	■	■	■		■	■		■					

All sizes and minimum purchasing quantities available on request

Abrasive cloth, KULEX
CS 326 Y

Advantages

Long-life abrasive belt for a satin surface scratch pattern, under medium to high grinding pressure ■ Extremely long life, with consistent surface roughness and finish ■ Suitable for dry and wet grinding

Applications:

- Stainless steel
- Steel

Bonding agent

Resin

Grain

Al. oxide agglom.

Backing

Y-polyester


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
							■		■		■		■		■		■		■						

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

Abrasive cloth, KULEX
CS 329 Y



Advantages

Long-life abrasive belt for a satin surface scratch pattern, under low to medium grinding pressure ■ Especially suitable for dry grinding

Applications:

- Stainless steel
- Steel

Bonding agent

Resin

Grain

Al. oxide agglom.

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
							■		■		■		■		■		■		■						

All sizes and minimum purchasing quantities available on request

Abrasive cloth
CS 330 X



Advantages

Special product for soft and fine grinding, polishable due to very hard and sharp-edged silicon carbide grit on cork granulate ■ Special satin finish grinding on steel and stainless steel surfaces ■ Suitable for dry and wet grinding

Applications:

- Steel
- Stainless steel

Bonding agent

Resin

Grain

SiC/Cork

Coating

Close

Backing

X-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
												■		■			■		■	■					

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

**Abrasive cloth ANTISTATIC
CS 336 Y**

NEW



Advantages

High removal rate, especially suitable for calibration and fine sanding of wood-based materials (one-piece wide belts up to 1620 mm) ■ Optimal electrical conductivity, no dust accumulation due to perfect antistatic properties

Applications:

- Wood
- Mineral-based materials
- Wood based materials

Bonding agent

Resin

Grain

SiC

Coating

Semi-open

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
			■	■	■																				

All sizes and minimum purchasing quantities available on request

**Abrasive cloth, waterproof
CS 341 X**



Advantages

Universal product for wet and dry grinding of steel and stainless steel ■ Excellent wear properties in wet grinding

Applications:

- Metals
- Stainless steel
- Steel
- NF metals

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

X-cotton



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
						■	■	■	■	■	■	■	■	■	■		■	■	■						

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

Abrasive cloth, multibond
CS 409 Y



Advantages

Aggressive abrasive behavior due to self-sharpening zirconia alumina ■ Prevents heat tinting on stainless steel ■ Cool grinding due to additional multibond ■ Minimal clogging when used on aluminum and aluminum alloys

Applications:

- Stainless steel

Bonding agent

Resin

Grain

Zirconia alumina

Coating

Close

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
			■	■	■	■	■	■	■																

All sizes and minimum purchasing quantities available on request

Abrasive cloth, waterproof
CS 411 Y



Advantages

Aggressive abrasive behavior ■ Universal product for use on steel and stainless steel

Applications:

- Steel
- Stainless steel
- Metals

Bonding agent

Resin

Grain

Zirconia alumina

Coating

Close

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■		■	■	■	■	■	■	■																

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

Abrasive cloth, waterproof
CS 412 Y

Advantages

Universal product for rough and intermediate grinding of steel and non-ferrous metals

Applications:

- Stainless steel
- Metals
- Steel
- NF metals
- Wood

Bonding agent

Resin

Grain

Aluminium oxide

Coating

Close

Backing

Y-polyester


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■		■	■	■	■	■	■	■	■	■		■												

All sizes and minimum purchasing quantities available on request

Abrasive cloth ANTISTATIC
CS 538 Z

Advantages

 High removal rate, especially suitable for calibration and fine sanding of wood-based materials with segmented wide belts (width ≥ 1620 mm) ■ Outstanding grit adhesion, very long service life due to perfect antistatic properties and ACT recipe

Applications:

- Wood based materials

Bonding agent

Resin

Grain

SiC

Coating

Close

Backing

Z-polyester


Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
			■	■	■	■	■	■	■	■	■														

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.

Abrasive cloth

CS 912 Y ACT

Advantages

Continuously aggressive abrasive behavior due to micro-crystalline and self-sharpening ceramic grit ■
High-performance abrasive belt for stainless steel finish grinding



Applications:

- Stainless steel
- Steel

Bonding agent

Resin

Grain

Ceramic Al. oxide

Coating

Close

Backing

Y-polyester



Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	
	■		■	■	■	■	■	■	■	■	■														

All sizes and minimum purchasing quantities available on request

Other sizes available on request.

Please observe: Minimum order quantities for manufactured items see page 36; Please see Applications Guide on page 34 - 36, 71 - 73.