



For use in plasterboard and cavity walls, in different sizes to suit varying wall depths.

HOLLOW WALL ANCHORS - with screws

Code	Size	Screw Diameter	Anchor Length	Wall Thickness	Fastens Up To	Hole Diameter	Qty Per Box	Weight Kg Per 100	Price £ Per 100
0840T450020	M4 X 20	4	20	0-5	8	8	100	0.51	19.93
0840T450032	M4 X 32	4	32	3-12	16	8	100	0.51	21.72
0840T450040	M4 X 38	4	38	10-16	17	8	100	0.85	21.30
0840T450050	M4 X 46	4	46	16-24	30	8	100	1.21	24.41
0840T470040	M5 X 37	5	37	6-13	17	10	100	1.30	28.40
0840T470065	M5 X 65	5	65	14-32	26	10	100	1.55	30.03
0840T490052	M6 X 52	6	52	3-16	30	13	50	1.95	30.69
0840T490065	M6 X 65	6	65	14-32	26	13	50	2.05	32.68



Use unique setting tool for fast repetitive fixings.

HOLLOW WALL ANCHOR SETTING TOOL

Code	Description	Qty Per Box	Weight Kg Per Item	Price £ Per Item
0840TSET	Hollow Wall Anchor Setting Tool	1	0.45	22.51



Light duty fixing, ideal for ceiling installations and gives high loadings because of its wide wing coverage.

SPRING TOGGLES - Complete with screws


Code	Thread Diameter	Screw Size	Wall Thickness	Cavity Depth	Hole Size	Rec Tensile Load kN	Qty Per Box	Weight Kg Per 100	Price £ Per 100
0862M390050	3	50	30	20	11	0.10	100	0.52	22.64
0862M470050	5	50	20	30	14	0.18	100	1.27	27.03
0862M470075	5	75	45	30	14	0.18	50	1.62	27.03
0862M470100	5	100	70	30	14	0.18	50	1.88	33.21
0862M490075	6	75	45	30	18	0.30	50	2.55	37.29

SPRING TOGGLE - Wings only


Code	Thread Diameter	Screw Size	Wall Thickness	Cavity Depth	Hole Size	Rec Tensile Load kN	Qty Per Box	Weight Per 100	Price £ Per 100
0862M39	3	-	-	20	11	0.10	100	0.34	14.65
0862M47	5	-	-	30	14	0.18	100	0.63	17.30
0862M49	6	-	-	30	18	0.30	50	0.97	23.97




Light duty fixing, ideal for ceiling installations and gives high loadings because of its wide wing coverage.




Drill your hole to the correct diameter...



...tap fixing ensuring anti-rotation...



...attach setting tool to screw...



...remove screw and position fixture.

PLASTERBOARD FIXINGS - Metal or Nylon

Code	Screw Size	Max Fixture Thickness	Fixing Length	Qty Per Box	Weight Kg Per 100	Price £ Per 100
0866METAL	4.5 x 30	10	38	100	0.91	17.36
0866NYLON	4.5 x 30	10	31	100	0.45	12.12



Metal - extremely efficient and popular for plasterboard.

Nylon - cost effective fixing used for light fixtures into plasterboard.

PLASTERBOARD FIXINGS Open end for variable screw lengths - Metal

Code	Screw Size	Max Fixture Thickness	Fixing Length	Qty Per Box	Weight Kg Per 100	Price £ Per 100
0968T707	4.5 x 37	12	31	100	1.40	26.58
0961T718	4.5 x 45	12	38	100	1.90	66.70



Heavy duty and easy fix with higher load capacity.

NYLON TOGGLE ANCHORS

Code	Woodscrew Size	Screw Gauge	Wall Thickness	Minimum Cavity Depth	Hole Size	Rec Tensile Load Kn	Qty Per Box	Weight Kg Per 100	Price £ Per 100
0863T1012	3.5-4.0	6-8	10-12	30	8	0.12	100	0.23	8.95
0863T1216	3.5-4.0	6-8	12-16	35	8	0.12	100	0.25	9.91
0863T1619	3.5-4.0	6-8	16-19	40	8	0.12	100	0.25	14.22



Medium duty plasterboard fixing used for ceiling fixtures, light shelving or kitchen & bathroom fittings.

RUBBER NUTS - with Brass inserts

Code	Thread Diameter	Hole Diameter	Wall Thickness	Overall Length	Flange Thickness	Flange Diameter	Rec Tightening Torque	Qty Per Box	Weight Kg Per 100	Price £ Per 100
0864M450011	4	8	0.0-2.0	11	1.4	11	1.0	50	0.19	38.02
0864M450025	4	8	6.0-14.0	25	1.4	11	1.0	50	0.30	34.60
0864M470015	5	10	0.0-2.0	15	1.0	13	1.8	50	0.24	40.09
0864M470025	5	10	6.0-14.0	25	1.3	14	1.8	50	0.36	41.47
0864M470040	5	10	19.0-26.0	40	1.3	14	1.8	50	0.40	46.32
0864M490015	6	13	0.0-2.0	15	1.3	16	4.0	50	0.42	51.16
0864M490025	6	13	3.0-13.0	25	2.0	18	4.0	50	0.58	59.44
0864M540025	8	18	6.0-15.0	25	5.7	22	8.0	50	1.12	94.01
0864M540050	8	18	25.0-35.0	50	1.6	20	8.0	50	1.88	113.37
0864M560055	10	20	25.0-35.0	55	1.3	22.5	10.0	50	2.28	135.49
0864M580075	12	24	33.0-45.0	75	1.3	27	15.0	50	4.00	215.67

(loads vary depending on the condition of the base material)



Vibration resistant fixing that can be used in virtually any construction material as the sleeve compresses in irregular holes.

Used in damp and sanitary applications.



PLASTIC WALL PLUGS

Code	Colour	Hole Size	Plug Length	Woodscrew Gauge	Woodscrew Size	Min Hole Depth	Qty Per Box	Qty Per Outer	Weight Kg Per 100	Price £ per 1000
0948TBROWN	Brown	7	37	No. 10-14	5.0-6.0	46	100	1000	1.08	17.62
0948TRED	Red	6	30	No. 6-10	3.5-5.0	37	100	1000	0.70	13.89
0948TYELLOW	Yellow	5	25	No. 4-6	3.0-3.5	30	100	1000	0.37	13.19
0948TBLUE	Blue	10	50	No. 14-18	6.0-8.0	55	100	1000	1.30	52.09

All purpose cost effective fixings for light to medium applications.

Manufactured to British standard lengths for the professional tradesman. Soft and pliable for cold site use (made with premium HDPE).



NYLON WALL PLUGS - Suitable for solid base

Code	Size	Anchor Hole Size	Plug Length	Screw Gauge	Screw Size	Min Hole Depth	Rec Tensile Load kN	Qty Per Box	Weight Kg Per 100	Price £ per 100
0947E525	5 x 25	5	25	4-6G	2.5-3.5	35	0.20	200	0.04	1.47
0947E630	6 x 30	6	30	6-10G	3.5-5.0	40	0.30	100	0.08	1.88
0947E730	7 x 30	7	30	8-12G	4.5-5.0	40	0.35	100	0.12	2.74
0947E840	8 x 40	8	40	10-14G	5.0-6.0	55	0.45	100	0.15	2.77
0947E1050	10 x 50	10	50	14-18G	6.0-8.0	65	0.90	50	0.29	7.08
0947E1260	12 x 60	12	60	18-24G	8.0-10.0	75	1.10	25	0.52	8.21
0947E1475	14 x 75	14	75	24-32G	10.0-12.0	90	1.90	20	0.74	15.01

Rimless plugs, ideal for fixing wall lights, shelving and cupboards. Often used with coach screws as satellite fixings.



UNIVERSAL NYLON WALL PLUGS - Suitable for hollow or solid base

Code	Size	Anchor hole size	Plug length	Screw Gauge	Screw Size	Min Hole Depth	Rec Tensile Load kN	Qty Per Box	Weight Kg Per 100	Price £ per 100
0947TPF637	6 x 37	6	37	6-8G	3.5-4.0	50	0.14	100	0.04	4.00
0947TPF850	8 x 50	8	50	10-12G	4.5-5.5	60	0.20	50	0.12	6.04
0947TPF1060	10 x 60	10	60	12-14G	6.0-8.0	70	0.30	25	0.15	8.10

Universal plugs used in lightweight, aerated and hollow blockwork giving quicker and greater expansion than standard wall plugs.



NAIL IN ANCHORS - Zinc Alloy

Code	Size	Anchor Hole Size	Anchor Length	Fastens Up To	Head Diameter	Rec Tensile Load kN	Rec Shear Load kN	Qty Per Box	Weight Kg Per 100	Price £ per 100
0842T490030	6 x 30	6	30	10	13	1.1	1.40	100	1.05	14.06
0842T490040	6 x 40	6	40	20	13	1.1	1.40	100	1.18	16.56
0842T490050	6 x 50	6	50	30	13	1.1	1.40	100	1.50	18.86

Pre-assembled for quick and repetitive hammer action installation offering simple through fixing.