Cylinder Handling _____

A range of storage and handling solutions for the safekeeping and movement of gas cylinders around your premises. All trolleys are of tubular steel construction powder coated in blue with a pierced base plate to help disperse condensation. Trolleys and wall brackets are fitted with a galvanised chain to hold cylinders securely. All rear wheel models are fitted with 100mm diameter swivel blue vulcanised rubber castors, which offers low rolling resistance, meaning they are easy to manoeuvre, are non marking and are a soft yet highly durable compound.



Single Cylinder Trolleys _____

SCT/280

Product Description	Wheels	Max	H x W x D (mm)	Order Ref	Trolley	Price
Froduct Description	(Ømm)	Cylinder (Ømm)	II X W X D (IIIII)	Older her	Capacity (kg)	(Each)
Single Cylinder Trolley	200	280	1050 x 483 x 520	SCT/280	150	£107.00
Single Cylinder Trolley c/w Rear Wheels	200 + 100	280	1050 x 483 x 900	SCT/280/RW	150	£174.78
Single Cylinder Rear Wheel Attachment	100	-	-	RW/PT/47/SCT/280	-	£67.78

47kg Propane Cylinder Trolleys _____



Product Description	Wheels (Ømm)	Max Cylinder (Ømm)	H x W x D (mm)	Order Ref	Trolley Capacity (kg)	Price (Each)
Propane Cylinder Trolley	200	380	1050 x 583 x 520	PT/47	150	£122.65
Propane Cylinder Trolley c/w Rear Wheels	200 + 100	380	1050 x 583 x 900	PT/47/RW	150	£190.43
Propane Cylinder Rear Wheel Attachment	100	-	-	RW/PT/47/SCT/280	-	£67.78

Oxygen Acetylene Cylinder Trolleys _____



Product Description	Wheels (Ømm)	Max Cylinder (Ømm)	H x W x D (mm)	Order Ref	Trolley Capacity (kg)	Price (Each)
Oxygen Acetylene Cylinder Trolley	300	240 / 290	1050 x 760 x 520	OACT	200	£206.46
Oxygen Acetylene Cylinder Trolley c/w Rear Wheel	300 + 100	240 / 290	1050 x 760 x 900	OACT/RW	200	£296.47
Oxygen Acetylene Rear Wheel Attachment	100	-	-	RW/OACT/OPCT/2	-	£90.00

Ž

Oxygen Propane Cylinder Trolleys _____



Product Description	Wheels	Max	H x W x D (mm)	Order Ref	Trolley	Price
Floduct Description	(Ømm)	Cylinder (Ømm)	H X W X D (IIIIII)	Older her	Capacity (kg)	(Each)
Oxy Propane Cylinder Trolley	300	240/410	1050 x 880 x 520	OPCT	200	£208.02
Oxy Propane Cylinder Trolley	300 + 100	240/410	1050 x 880 x 900	OPCT/RW	200	£298.02
c/w Rear Wheels	300 + 100	240/410	1030 x 000 x 900	OI OI/IIVV	200	2230.02
Oxy Propane Rear Wheel Attachment	100	-	-	RW/OACT/OPCT/2	-	£90.00

Cylinder Wall Brackets _____

- For stability and safe storage of cylinders.
- Cylinders secured by galvanised chain.
- Epoxy powder coated in blue.
- Wall fixings not included.



Product Description	Max Cylinder (Ømm)	H x W x D (mm)	Order Ref	Price (Each)
Cylinder Wall Bracket for Two Cylinders	280	40 x 650 x 155	CWB/2W	£45.00
Cylinder Wall Bracket for Three Cylinders	280	40 x 965 x 155	CWB/3W	£54.00

Cylinder Stand _____

- For stability and safe storage of gas cylinders.
- Cylinders secured by hinged bar and winged nuts.
- Epoxy powder coated in blue.
- Heavy duty base plate can be floor fixed (fixings not supplied).





Product Description	Max Cylinder (Ømm)	H x W x D (mm)	Order Ref	Price (Each)
Cylinder Stand	280	600 x 340 x 310	CS/280	£107.48

Drum Handling _____

Drum Dollies _____

A range of heavy duty steel drum dollies.

Powder-coated finish.

Designed for 210 litre drums.





Product Description	Castor Size (Ømm)	Capacity (Kg)	Order Ref	Price (Each)	
Pressed Steel 4 Wheeled Drum Dolly	80	300	BGD80	£25.95	
Heavy Duty Steel 4 Wheeled Drum Dolly	76	400	DD4	£49.95	

Drum Stands _____

Our range of heavy duty, powder coated blue steel drum stands are designed for 210 litre drums.

Enables drums to be tilted from vertical to horizontal position for decanting or storage.

Three choices available



BS



BS2

Product Description	Height of Drum from Floor (mm)	Capacity (Kg)	Order Ref	Price (Each)
Drum Stand	280	220	BS	£66.50
Drum Stand c/w Two Fixed Wheels and Two Swivel Castors	330	220	BS1	£98.00
Drum Stand c/w Two Fixed Wheels, Two Swivel Castors and Drum Rollers	330	220	BS2	£114.00

Drum Transporters _____

Our range of heavy duty steel drum transporters are designed for the safe storage and transportation of 210 litre drums.

Enables drums to be tilted from vertical to horizontal position.

Two choices available





BS4

Product Description	Height of Drum from Floor (mm)	Capacity (Kg)	Order Ref	Price (Each)
Drum Transporter c/w Detachable Handle (Powder Coated)	390	300	BS3	£275.00
Drum Transporter c/w Twin Extendable Handles (Galvanised)	400	300	BS4	£99.95

A range of steel, powder coated, heavy duty drum trucks for use with 100 to 210 litre steel drums.

- DT45 and DT45E are fitted with a drum-retaining hook.
- DT45G has a pincer grab to secure steel drums.
- DT45U can cater for steel, plastic and fibre drums.



DT45U

Product Description	Wheel Type	Wheel Dia.	Capacity (Kg)	Order Ref	Price (Each)
Drum Truck	Solid Rubber	260	400	DT45	£125.00
Drum Truck c/w Rear Wheels and Brake	Solid Rubber	260	400	DT45E	£135.00
Drum Truck c/w Rear Wheels and Brake	Pneumatic	260	400	DT45A	£180.00
Drum Truck c/w Pincer Grab	Solid Rubber	260	400	DT45G	£164.95
Multi-Purpose Drum Truck	Solid Rubber	260	400	DT45U	£95.00

Drum Trucks _____

Fitted with a drum-retaining hook suitable for handling tight head and open top 210 litre steel drums.

- Enables easy mobility of 210 litre steel drums
- Available with or without rear wheels. The real wheel attachment considerably reduces operator effort
- · Both drum trucks come with full operating instructions.
- All rear wheel models are fitted with 100mm diameter swivel blue vulcanised rubber castors and 250mm diameter rubber wheels, which offers low rolling resistance, meaning they are easy to manoeuvre, are non marking and a soft yet highly durable compound.





Product Description	H x W x D (mm)	Order Ref	Capacity (kgs)	Price (Each)
Drum Truck	1520 x 610 x 420	DT	280	£195.00
Drum Truck c/w Rear Wheels	1520 x 610 x 420	DT/RW	280	£265.00
Drum Truck Rear Wheel Attachment	-	RW/DT		£76.80

Drum Handling _____

WARRIOR Drum Porter _____

Easy to use, lifts the drum hydraulically off the floor for transportation and smoothly lowers it via a spring return knob.



The simple but very effective Drum Porter makes light work when moving 205 Litre steel drums around.



Product Description	Capacity (Kg)	Lifting Height (mm)	Lifting per stroke (mm)	Max Drum Diameter (mm)	Max Drum Length (mm)	Max Height in Lowered Position (mm)	Max Height in Raised Position (mm)	Length (mm)	Width (mm)	Net Weight (Kg)	Order Ref	Price (Each)
Drum Porter	250	345	22	572	915	1000	1215	810	780	42Kg	WRDT250	£490.63

WARRIOR Drum Porter With Wide Straddle ____

This drum porter has a wide straddle and is designed to enable the unit to lift 205 litre drums from euro pallets (800mm wide).



The Drum Porter is easy to manouevre and comes with large polyurethane wheels and is fitted with brake.



Product Description	Capacity (Kg)	Lifting Height (mm)	Lifting per Stroke (mm)	Max Drum Diameter (mm)	Inside Straddle (mm)	Outside O/A Straddle (mm)	Order Ref	Price (Each)
Drum porter (Straddle)	250	345	22	572	850	1015	WRDTW250	£534.54

WARRI⊕R Drum Porter Override_____

Our Drum Porter Override has a wide straddle and a cantilevered frame which allows it to pass over a 800mm max. wide pallet allowing drums to be manoeuvred both on and off with ease.



The Drum Porter is easy to manoeuvre and comes with large polyurethane wheels.

Having a combination of wide straddle and cantilevered chassis also enables this Drum Porter to lift drums from corners of spillage containment units.



Product Description	Capacity (Kg)	Max Drum Height (mm)	Min Drum height (mm)	Drum Diameter (mm)	Inside Straddle (mm)	Outside 0/A Straddle (mm)	Order Ref	Price (Each)
Drum Porter Override	250	1180	910	572	850	980	WRDTR250	£605.71

WARRIOR Drum Porter Plus ____

The Drum Porter plus will handle 140 or 205 litre drums on and off bound pallets as well as regular pallets





Product Description	Capacity (Kg)	Lifting Height (mm)	Lifting per stroke (mm)	Max Drum Diameter (mm)	Max Drum Length (mm)	Max Height in Lowered Position (mm)	Max Height in Raised Position (mm)	Length (mm)	Width (mm)	Net Weight (Kg)	Order Ref	Price (Each)
Drum Porter Plus	450	500	12	572	915	1250	1380	900	1020	165	WRDTF450	£1,371.94

WARRI⊕R Drum Positioner _____

Our Drum Positioner is a versitile drum stacker as it allows the operator to attach the 205 litre drum, lift, rotate and discharge the content safely at height.

Lift is performed hydraulically by handle and pedal rotation mechanically via a hand wheel. Drum rollback is prevented by 30:1 ratio transfer box.

The Drum Positioner will allow stacking of drums up to a maximum height of 1350mm. Due to the design of the jaw mechanism it is possible to release the drum when safely in the horizontal position.

Rotation can be locked in both vertical and horizontal.



Product Description	Capactiy (Kg)	Overall Lifting actiy (Kg) Height (to underside 210ltr drum) (mm)		Overall Width (mm)	Overall Length (mm)	Inside Straddle (mm)	Overall Leg Height (mm)	Net Weight (mm)	Order Ref	Price (Each)
Drum Postiioner	400	1350	1960	906	1325	700	150	190Kg	WRDTPL40	£1,924.66

WARRIOR Gator Grip Forklift Drum Grab _____

- Carry one or two drums by automatic grip lock, maintains a positive grip over rough floor surface
- The grip head has different positions to fit different heights
- · Easily operated, extremely secure





Product Description	Capacity (Kg)	Drum Size (Gallon)	Fork Opening	Overall Size (mm)	Packing Size (mm)	Net. Weight (Kg)	Order Ref	Price (Each)
Gator Forklift Drumgrab Single Steel Drum	360	55	560	830 x 710 x 100	900 x 710 x 490	60	WRDG360A	£716.26
Gator Forklift Drumgrab Double Steel Drum	720	55 x2	605	1030 x 850 x 1000	900 x 790 x 500	96	WRDG720A	£829.83

WARRI⊕R Automatic Drum Clamps for Fork Lift Trucks _____

Our Automatic Drum Clamps fit quickly and easily onto the forks and secured via hand screws. Once fitted, the drum clamp will automatically pick up, transport and deposit drums without the driver needing to leave the truck. The drums are held in position by using their own weight to tighten the arms. When deposited the arms of the clamp simply slide away from the drum. Available for Steel 205 ltr Drums in either single or double drum configuration and now the WRDG50 for single Plastic Drums.





Product Description	Fork Pocket Size (W x H mm)	Fork Pocket Length (mm)	Order Ref	Price (Each)
Drum Grab Fork Mounted Single Plastic Drum	50 x 140	245	WRDG50	£339.20
Drum Grab Fork Mounted Single Steel Drum	50 x 140	245	WRDG10	£419.46
Drum Grab Fork Mounted Double Steel Drum	50 x 140	245	WRDG20	£566.34

WARRIOR Fork Mounted Drum Tippler _

- For 205 Litre steel drums
- For tipping, pouring etc
- Converts your fork lift truck into a drum handler
- The 10m pull-chain loop allows control from the driver's seat
- It has 30:1 ratio gear box preventing gravity roll





 ϵ

Product Description	Capacity (Kg)	Fork Pocket Size (mm)	Overall Width (mm)	Distance Between Fork Pockets (mm)	Order Ref	Price (Each)
Fork Mounted Drum Tipper	680	65 x 180	980	620	WRHK285B	£1,200.83

WARRI⊕R Forklift Maintenance Platform ____

- · For overhead access and maintenance with safety
- Spring loaded inward opening door with safety latch for safe entry
- Unit is secured to the fork with heel pins and chain
- Slip-resistant floor with drainage holes
- Conforms to health and safety guidance note issue 3 PM28 and GN48 standard
- · Less storage space, portable and easy to assemble
- Fitted with personal guard and castors for easy manoeuvrability



Product Description	Capacity (Kg)	Deck Size (mm)	Max Height (mm)	Fork Spread (mm)	Order Ref	Price (Each)
Warrior Forklift Access Cage	300	1000x100	2180	600/690	WRNK30C	£770.77