key features

A comprehensive range of trade battery chargers, a machine to meet any requirement from small garage to professional, heavy duty use.

All are covered by a full 12 month warranty



03941 Chargestar 8 Automatic

- Adjusts to battery condition and can extend battery life
- Full LED analogue display
- Automatic cut-off and recharge
- · No fuse to change
- 12v charging voltage



ITEM NO.	03941
Supply	230v (13amp)
Charging Voltage	12v
Charge Rate Settings	1
Max. Rated Current Output	4amp
Rated Battery Capacity	10Ah to 40Ah
Net Weight	1.5kg
Gross Weight	1.9kg
Packaged Dimensions (HxWxL)	100 x 175 x 185mm
Barcode Number	5012713039418

trade level ★★

03943 Chargestar 11 Automatic

- Adjusts to battery condition and can extend battery life
- Full LED analogue display
- Automatic cut-off and recharge
- No fuse to change



	SUPPLY
ITEM NO.	03943
Supply	230v (13amp)
Charging Voltage/s	6v / 12v
Charge Rate Settings	1
Max. Rated Current Output	5amp
Rated Battery Capacity	10Ah to 50Ah
Net Weight	2kg
Gross Weight	2.32kg
Packaged Dimensions (HxWxL)	125 x 225 x 235mm
Barcode Number	5012713039432

trade level ★★

03947 Chargestar 21 Automatic

- · Adjusts to battery condition and can extend battery life
- Full LED analogue display

• Automatic cut-off and recharge

· No fuse to change

• 6v/12v charging voltage

• 12amp maximum charging current

• 2 charge rate settings



ITEM NO.	03947
Supply	230v (13amp)
Charging Voltage/s	6v / 12v
Charge Rate Settings	2
Max. Rated Current Output - Slow	2amp
Max. Rated Current Output - Fast	12amp
Rated Battery Capacity	10Ah to 120Ah
Net Weight	3kg
Gross Weight	3.82kg
Packaged Dimensions (HxWxL)	150 x 240 x 250mm
Barcode Number	5012713039470



03945 Chargestar Smart 16 Automatic

- Smart digital charger for regular, GEL or AGM batteries
- Automatic unit with auto-voltage detection
- 6v/12v charging voltages
- 10amp maximum charging current
- 2 charge rate settings



13 AMP

trade level **

ITEM NO.	03945
Supply	230v (13amp)
Charging Voltage/s	6v / 12v
Charge Rate Settings	2
Max. Rated Current Output - Slow	2amp
Max. Rated Current Output - Fast	6.5amp
Rated Battery Capacity	4Ah to 100Ah
Net Weight	3kg
Gross Weight	3.66kg
Packaged Dimensions (HxWxL)	150 x 240 x 265mm
Barcode Number	5012713039456

trade level ★★

05284 Chargestar T26

• 12v/24v charging voltages

20amp (12v) / 12amp (24v) maximum charging current



ITEM NO.	05284
Supply	230v (13amp)
Charging Voltage/s	12v / 24v
Charge Rate Settings	2
Max. Rated Current Output - 12v	20amp
Max. Rated Current Output - 24v	12amp
Min. Rated Battery Capacity - 12v	30Ah
Min. Rated Battery Capacity - 24v	20Ah
Degree of Protection	IP20
Net Weight	6.5kg
Gross Weight	7kg
Packaged Dimensions (HxWxL)	320 x 250 x 250mm
Barcode Number	5012713052844

05286 Chargestar T45

• 12v/24v charging voltages

charging current



trade level ★★

ITEM I	NO. 05286
Su	oply 230v (13amp)
Charging Voltag	je/s 12v / 24v
Charge Rate Setti	ngs 2
Max. Rated Current Output -	12v 45amp
Max. Rated Current Output - :	24v 45amp
Min. Rated Battery Capacity -	12v 30Ah
Min. Rated Battery Capacity -	24v 30Ah
Degree of Protec	tion IP20
Net We	ight 11.5kg
Gross We	ight 12kg
Packaged Dimensions (HxW	/xL) 290 x 290 x 370mm
Barcode Num	ber 5012713052868

PROFESSIONAL Battery Chargers

key features

A comprehensive range of professional battery chargers, made in the EU. These are powerful, reliable and portable.

Perfect for use in garages and workshops.

- Heavy duty charge leads and crocodile clips
- Reverse polarity protection




professional level ***



05530 Chargestar P24

Reliable, professional battery charger - perfect for all garages and workshops.





Supply 230v (13amp) 12v / 24v Charging Voltage/s 85Ah 85amps Max. Rated Battery Capacity Rated Output Max. Rated Output Charge Rate Settings Degree of Protection Insulation Class IP20 Weight 5.38kg Packaged Dimensions (HxWxL) 215 x 265 x 300mm

professional level ★★★

05531 Chargestar P32

Reliable, professional battery charger - perfect for all garages and workshops.

in Italy

• Ammeter clearly and accurately indicates charging levels



ITEM NO. 230v (13amp) 12v / 24v 110Ah Supply Charging Voltage/s Max. Rated Battery Capacity
Rated Output
Max. Rated Output 11amps 16amps Charge Rate Settings IP20 Degree of Protection Insulation Class Class F Weight Packaged Dimensions (HxWxL) 7.12kg 215 x 265 x 300mm 5012713055319

Made