DIRECT DRIVE / Oil Free



sales hotline | 01509 500500

DIRECT DRIVE / Oil Free

06225 Airmate Hurricane 25-0

- 7 CFM piston displacement
- 8 bar maximum pressure
- Ultra modern design
- Wheel mounted for easy manoeuvrability



trade level $\star\star$

Useful integrated tool tray

OIL FREE	MOUNTED	RECEIVER
ITEM NO.		06225
Supply	230v (13amp)	
Air Receiver Size	24 litres	
Motor	1.5hp (1.1kW	
Piston Displacement	7.0 CFM (198 litres/min)	
Max. Free Air Delivery (F.A.D.)	elivery (F.A.D.) 4 CFM (113 litres/min)	
Max. Pressure 116psi		6psi (8.0 bar)
Noise Level		97dB(A)
Weight		21kg
Packaged Dimensions (HxWxL)	440 x 2	55 x 575mm
Barcode Number 50127130622		2713062256

And on the other



06236 Airmate TN1.5/25-O

- 7 CFM piston displacement
- Huge 10 bar maximum pressure
- · Ultra modern design
- Extra large wheels and extra long handle for superb mobility



trade level $\star\star$

Useful integrated tool tray

OIL FRE TEM NO

Motor Piston Displacement

> Noise Level Weight

Barcode Number

Supply Air Receiver Size

Max. Free Air Delivery (F.A.D.) Max. Pressure

Packaged Dimensions (HxWxL)

Air Compressors & Air Tools

trade level ★★

06236

97dB(A) 21kg

230v (13amp) 24 litres 1.5hp (1.1kW) 7.0 CFM (198 litres/min)

3.5 CFM (99 litres/min) 145psi (10.0 bar)

21kg 445 x 570 x 255mm 5012713062362

HUGE
mode
10 har
TODU
MAX. PRESSURE
The Ressone



06296 Airmate Hurricane 245/25 with 7 Piece Air Kit

EXTRACT NUMBER

- 8 CFM piston displacement
- 8 bar maximum pressure
- Wheel mounted for easy

manoeuvrability KIT CO

Gravity fed spray gun, inflating gun, 3 nozzles and 5 metre coiled air hose



04005 Nirmale

irmate

(airmate Sip

Ssip

OIL FREE	WHEEL 24 LITRE MOUNTED RECEIVER	
ITEM NO.	06296	
Supply	230v (13amp)	
Air Receiver Size	24 litres	
Motor	2.0hp (1.5kW)	
Piston Displacement	8.0 CFM (226 litres/min)	
Max. Free Air Delivery (F.A.D.)	5.4 CFM (153 litres/min)	
Max. Pressure	116psi (8.0 bar)	
Noise Level	97dB(A)	
Weight	19.5kg	
Packaged Dimensions (HxWxL)	595 x 250 x 565mm	
Barcode Number	5012713062966	

Italian Design

DIRECT DRIVE / Oil Free



Weight

Barcode Numbe

Packaged Dimensions (HxWxL)



05281 Airmate TN2/50-O

- 8 CFM piston displacement
- 8 bar maximum pressure
- Wheel mounted for improved manoeuvrability

Italian Design ou	FREE	WHEEL MOUNTED	50 LITRE RECEIVER
ITEM NO.			05281
Supply		230v (13amp)	
Air Receiver Size		50 litres	
Motor		2.0hp (1.5kW)	
Piston Displacement		8.0 CFM (226 litres/min)	
Max. Free Air Delivery (F.A.D.)		5.0 CFM (141.6 litres/min)	
Max. Pressure		116psi (8.0 bar)	
Noise Level		95dB(A)	
Weight		30kg	
Packaged Dimensions (HxWxL)		690 x 840 x 330mm	
Barcode Number		501	2713052813



16.3kg

640 x 310 x 320mm

5012713062492

22.2kg

845 x 330 x 330mm

5012713062430

45kg

1100 x 460 x 470mm

5012713062454

Air Compressors & Air Tools

AIRLINE Compressors

Airline from SIP

Outstanding value-for-money, these Airline compressors are exclusive from SIP. Oil lubricated for longer life, these models include twin gauges, plus they're wheel mounted for easy manoeuvrability.

The VDX/50 model features a heavy-duty 'V-Twin' pump for optimum performance.

Airline RC2/24 & RC/50 Compressors

item No: 05297 - 24 litre air receiver item No: 05289 - 50 litre air receiver

- 8CFM piston displacement
- 8 bar maximum pressure
- Available in 24 and 50 litre air receiver sizes
- Efficient cooling system
- External air filters for easy access
- Wheel mounted for improved manoeuvrability
- Oil lubricated



	OIL LUBRICATED	WHEEL MOUNTED	24 LITRE RECEIVER	50 LITRE RECEIVER
ITEM NO.		05297		05289
Supply	23	0v (13amp)	2	230v (13amp)
Air Receiver Size		24 litres		50 litres
Motor	2.0	Ohp (1.5kW)	2	2.0hp (1.5kW)
Piston Displacement	8.0 CFM (227 litres/min)		8.0 CFM (2	26 litres/min)
Max. Free Air Delivery (F.A.D.)	4.8 CFM (13	6 litres/min)	4.8 CFM (1	36 litres/min)
Max. Pressure	116	psi (8.0 bar)	116psi (8.0 bar)	
Noise Level		94dB(A)	94dB(A)	
Weight		25kg		33kg
Packaged Dimensions (HxWxL)	570 x 26	0 x 580mm	765 x 3	325 x 660mm
Barcode Number	5012713052974		501	2713052899

Airline

Airline VDX/50 CM3 Compressor

item No: 05287

- 13CFM piston displacement
- 8 bar maximum pressure
- 50 litre air receiver
- `V-Twin' pump for optimum efficiency and performance
- Efficient cooling system
- External air filters for easy access
- · Wheel mounted for improved manoeuvrability
- Oil lubricated



51

DIRECT DRIVE Compressors

Key features The crankcase and head on these compressors are made of aluminium for efficient cooling. Ideal for light professional and serious home users looking for high performance and a good air reserve.

- Oil lubricated for long life
- Cast iron barrel
- Tanks conform to full CE directives
- Wheel mounted •

06234 Airmate Nimbus 50





sales hotline | 01509 500500

DIRECT DRIVE Compressors



53

www.sip-group.com

Key features This compressor range features an extra hard wearing pump for long lasting reliability and resistance to wear. Finned cast iron barrels and aftercooler to improve cooling and an oversized crankcase for better lubrication. Ideal for prolonged use.



Multi-finned flywheel for improved pump cooling



* PRESSURE REGULATOR NOT INCLUDED - SEE BELOW

OPTION 1: 02080 MIDI FILTER REGULATOR + 51386 REDUCING BUSH (top mount) + 51384 ELBOW (end mount) OPTION 2: 02085 MAXI 12 FILTER REGULATOR + 51384 ELBOW (end mount) SEE PAGES 101 & 104 FOR MORE DETAILS



Air Compressors & Air Tools

04292 Forty MkII TN3/150-SRB + 7 Piece Air Kit

- Fortieth anniversary edition
- Automatic start/stop control

Made in Italy

• Twin threaded outlets



Spray gun, duster gun, tyre inflator, hose and a selection of fittings



PRESSURE REGULATOR NOT INCLUDED - SEE BELOW

OPTION 1: 02085 MAXI 12 FILTER REGULATOR (top mount) OPTION 2: 02085 MAXI 12 FILTER REGULATOR + 51384 ELBOW (end mount) SEE PAGES 101 & 104 FOR MORE DETAILS

Stationary compressors must be fitted with anti-vibration mountings, suggested mounts - SIP item no. 02357

REQUIRED:

HP 3

HP

trade level ★★

05300 Airmate PX3/150-SRB

- Powerful 3hp (2.2kW) motor
- B3800 pump fitted as standard
- 16 CFM (453 litre/min) piston displacement
- 150 litre air receiver
- Cast iron barrel
- Multi-finned flywheel for improved cooling
- Oil lubricated



Air Compressors & Air Tools

57

ITEM NO.	05300
Supply	230v (16amp)
Air Receiver Size	150 litres
Motor	3.0hp (2.2kW)
Piston Displacement	16.0 CFM (453 litres/min)
Max. Free Air Delivery (F.A.D.)	10.7 CFM (303 litres/min)
Max. Pressure	145psi (10 bar)
Noise Level	97dB(A)
Weight	81kg
Packaged Dimensions (HxWxL)	990 x 1300 x 430mm
Barcode Number	5012713053001

05302 Airmate PX3/200-SRB

Lt.200

airmat

Lt.150

Tirmai

• Powerful 3hp (2.2kW) motor

Made in Italy

- B3800 pump fitted as standard
- 16 CFM (453 litre/min) piston displacement
- 200 litre air receiver

- Cast iron barrel
- Multi-finned flywheel for improved cooling
- · Oil lubricated

trade level ★★

Don't Forget REGULATOR

Page 10

MOUNTS Page 100

LITR

05302

230v (16amp) 200 litres 3.0hp (2.2kW) 16.0 CFM (453 litres/min)

10.7 CFM (303 litres/min) 145psi (10 bar) 97dB(A)

94kg 1090 x 1500 x 430mm

5012713053025

REQUIRED

ITEM NO.

Motor Piston Displacement Max. Free Air Delivery (F.A.D.)

Weight

Supply Air Receiver Size

> Max. Pressure Noise Level

Barcode Number

Packaged Dimensions (HxWxL)

Stationary compressors must be fitted with anti-vibration mountings, suggested mounts - SIP item no. 02357

www.sip-group.com

Made

in Italy

05251 Airmate B3800/270 Tandem

• 2 x 3hp motors - maximum power from a single phase 230v (32amp) supply.

- Twin pump units added benefit of single continued operation in the event of a single pump or motor failure
- 2 x twin cylinder single stage pumps
- 270 litre air receiver
- · High efficiency pump

स्ट्रिगास्ट्रक

Stationary compressors must be fitted with anti-vibration mountings, suggested mounts - SIP item no. 02357



Max. Free Air Delivery (F.A.D.) Max. Pressure

Packaged Dimensions (HxWxL) Barcode Number

Weight

	Made in Italv

170kg 1200 x 605 x 1700mm

5012713052516

06583

trade level ★★

06583 Airmate TN5.5/200

- 24 CFM (680 litres/min) piston displacement
- 2 stage pump for greater efficiency
- Heavy duty knock resistant flywheel guard

1000

111111

-11-11

Lt.2

airmate Sip

Lt. 270

Cast iron barrel

06585 Airmate TN7.5/270

- 34 CFM (963 litres/min) piston displacement
- 2 stage pump for greater efficiency
- · Heavy duty knock resistant flywheel guard
- Cast iron barrel

06587 Airmate TN10/270

- 42 CFM (1189 litres/min) piston displacement
- 2 stage pump for greater efficiency
- · Heavy duty knock resistant flywheel
- guard Cast iron barrel

REQUIRED:

Stationary compressors must be fitted with anti-vibration mountings, suggested mounts - SIP item no. 02357

> iiiiin 10000

> > 14. 270



06585

3 phase

200 LITR

270 LITR

AIRMATE TN10/270

415v (20amp) - 3ph

42 CFM (1189 litres/min) 28 CFM (793 litres/min)

1340 x 540 x 1620mm

5012713065875

270 litres 10hp (7.5kW)

145psi (10 bar)

200kg

BARREL

Air Compressors & Air Tools





AIRMATE TN7.5/270

415v (20amp) - 3ph

34 CFM (963 litres/min) 25 CFM (708 litres/min)

157kg 1340 x 540 x 1620mm

5012713065851

270 litres 7.5hp (5.6kW)

145psi (10 bar)

0658



145kg

1140 x 550 x 1500mm

5012713065837

airmate

	415v SUPPLY
MODEL	AIRMATE TN5.5/200
M NO.	06583
Supply	415v (20amp) - 3ph
ver Size	200 litres
Motor	5.5hp (4.1kW)
cement	24 CFM (680 litres/min)
(F.A.D.)	18 CFM (510 litres/min)
ressure	145psi (10 bar)

Sip

airmate





DIRECT DRIVE Professional - Oil Free

key features

A range of professional direct drive compressors made for frequent use. Ideal for professionals looking for high performance and a good air reserve. Innovative compressors delivering quality, reliability and safety.

- Compact and highly portable
- Extra large gauges for easy reading*
- · Ergonomic pressure reducer knobs with adjustment
- Two year warranty

06248 Airmate OM200/6 proTECH

85dB(A)

SLOW RUNNING

ORTABL

ITEM NO

Noise Leve

Barcode Numbe

Piston Displacement

Max. Free Air Delivery (F.A.D.) Max. Pressure

Weight Packaged Dimensions (HxWxL)

Supply Air Receiver Size

Motor

- Compact and highly portable
- 5 CFM piston displacement
- · Ergonomic pressure reducer knobs with adjustment
- Low noise only 85dB(A)
- Slow running, smooth operation



Air Compressors & Air Tools

Airmate OL197/10RC proTECH

Available in:
230v (06254) or
110v (06256) supply

Design

- 8 CFM piston displacement
- · Heavy duty pump
- Oil-free operation maintenance free
- Easy to use extra large gauges and adjustment knobs
- Hidden hose storage
- Lightweight protection frame with integrated carry handle





professional level ★★★

OIL FREE

6 LITRE

06248 230v (13amp)

6 litres

85dB(A)

15kg

1.0hp (0.75kW)


118psi (8.0 bar)

540 x 530 x 210mm

5012713062485

5.0 CFM (140 litres/min) 2.0 CFM (56.6 litres/min)

Unique, integrated pressure control panel



Weight

Barcode Number

Packaged Dimensions (HxWxL)

Italian Design

sales hotline | 01509 500500

11kg

315 x 475 x 535mm

5012713062560

11kg

315 x 475 x 535mm

5012713062546

DIRECT DRIVE Professional - Oil Free & Oil Lubricated



BELT DRIVE Professional

Key features This compressor range features a hard wearing extra slow running pump unit for long lasting reliability and resistance to wear. Finned cast iron barrels and aftercooler to improve cooling and an oversized crankcase for better lubrication. Ideal for heavy prolonged use - perfect for frequent references use professional use.

2 year warranty



2 O 2 C

Professional bleed-tap with enlarged passage to avoid blockages

Larae adjustment knob & large easy to read dials

professional level $\star \star \star$

05255 Airmate PB3800B/100S proTECH 06278 Airmate PB3800B/150S proTECH 06279 Airmate PB3800B/200S proTECH • 14 CFM piston displacement • Oversized crankcase for better lubrication Moulded plastic, extra strong belt guard designed for low vibration and provides directional pump cooling · Units supplied with free wheel kit • Twin front castors - for improved stability & manoeuvrability · Built-in regulator

Piston Displacement Max. Free Air Delivery (F.A.D.)

Packaged Dimensions (HxWxL)

Max. Pressure

Barcode Number

Noise Leve Weight

Air Compressors & Air Tools



9.5 CFM (269 litres/min)

920 x 1070 x 430mm

145psi (10.0 bar)

5012713052554

97dB(A)

75kg

9.5 CFM (269 litres/min)

975 x 1390 x 430mm

145psi (10.0 bar)

5012713062782

97dB(A)

91kg

14.0 CFM (397 litres/min)

9.5 CFM (269 litres/min)

1015 x 1520 x 445mm

145psi (10.0 bar)

5012713062799

97dB(A)

102kg

BELT DRIVE Professional



06282 Airmate PB3800B3/150 proTECH 06284 Airmate PB3800B3/200 proTECH

- Powerful 3.0hp motor
- High 16 CFM piston air displacement from a single phase unit
- Oversized crankcase for better lubrication
- Oil lubricated
- · Extra large wheels for better mobility
- · Multi-finned flywheel for improved cooling
- Moulded plastic, extra strong belt guard designed for low vibration and provides directional pump cooling
- · Twin front castors for improved stability & manoeuvrability
- Built-in regulator

06286 **Airmate PB3800B4/150** proTECH 06288 **Airmate PB3800B4/200** proTECH

- Powerful 4.0hp motor
- Super high 18 CFM piston air displacement from a single phase unit
- · Oversized crankcase for better lubrication
- Oil lubricated
- · Extra large wheels for better mobility
- · Multi-finned flywheel for improved cooling
- Moulded plastic, extra strong belt guard designed for low vibration and provides directional pump cooling
- · Twin front castors for improved stability & manoeuvrability
- Built-in regulator



SUPER HIGH

18 CFM

PISTON DISPLACEMENT



2 YEAR WARRANTY 1 PHASE OIL LUBRICATE	CAST IRON BARREL MOUNTED	150 LITRE RECEIVER RECEIVER
MODEL	AIRMATE PB3800B3/150	AIRMATE PB3800B3/200
ITEM NO.	06282	06284
Supply	230v (16amp) - 1ph	230v (16amp) - 1ph
Air Receiver Size	150 litres	200 litres
Motor	3.0hp (2.2kW)	3.0hp (2.2kW)
Piston Displacement	16.0 CFM (453 litres/min)	16.0 CFM (453 litres/min)
Max. Free Air Delivery (F.A.D.)	11.0 CFM (311.5 litres/min)	11.0 CFM (311.5 litres/min)
Max. Pressure	145psi (10.0 bar)	145psi (10.0 bar)
Noise Level	97dB(A)	97dB(A)
Weight	91kg	102kg
Packaged Dimensions (HxWxL)	975 x 1390 x 430mm	1015 x 1520 x 445mm
Barcode Number	5012713062829	5012713062843



5012713062867

5012713062881

Barcode Number

63

, _____