## DUST COLLECTORS

### 01929 50 Litre Dust & Chip Collector

The 50 litre capacity is ideal for small workshops using bench top machinery and power tools. Because these types of machine generate a high speed of air through the hose, they are suitable for reducing down to a smaller diameter hose when using power tools. Built to high standards and offers effective and high filtration to 0.5microns. A quick action clamp releases the lid of the drum to empty it out.

- 1.5 metre hose
- 5 Piece Adaptor (01935) included



### 01935 5 Piece Adaptor for Dust Collectors

5 PIECE ADAPTOR SET INCLUDED



trade level ★★

Quick action clamp for easy lid removal



Filter bag for clean, quick emptying

13 AMP SUPPLY

ITEM NO.	01929
Motor	1.1kW (1.5hp)
Supply	230v (13amp)
Inlet Hose Diameter	100mm
Motor Speed	20,000rpm
Hose Length	1.5 metres
Collection Capacity	50 litres
Weight	1 Okg
Packaged Dimensions (LxWxH)	390 x 450 x 670mm
Barcode Number	5012713019298
ACCESSORIES	
Filter Bag (paper)	67212
Filter Baa Cartridae	67211



Adapts 100mm to: 105mm, 70mm, 45mm, 40mm and 35mm. Compatible with the full range of SIP Dust Collectors and Extractors.

Barcode Number: 5012713019359



sales hotline | 01509 500500



199

# DUST COLLECTORS

### 01954 Dust Extractor 3hp - Two Bag

This extractor has dual input capable of running two woodworking machines simultaneously. Inlet can be closed off when using 1 machine. The powerful 3hp induction motor will give long running, smooth performance and the balanced metal impeller is quiet and has high impact resistance. Can be run off a 13amp supply.

Included: 2x cotton bags (for coarse chippings), 1x double inlet adaptor • Filtration down to 1 micron\*

- Mounted on free running castors for improved manoeuvrability
- Quick release straps
- Inlet blanking adaptors supplied
- Connection hose not included



2.5m (100mmØ) Connection Hose 4m (100mmØ) Connection Hose

SIP INDUSTRIA

06878

06880



Twin dust input facility - gives the option of running two machines with one extractor

#### 01956 Dust Extractor 3hp - Four Bag

A powerful machine for a busy workshop. A triple hose inlet facility gives the option of running up to 3 machines simultaneously. The powerful induction 2230w (3hp) motor provides long running, smooth performance and the balanced metal impeller has high impact resistance.

Inlets can be closed off when not in use.

- Complete with a set of collection bags and free-running castors
- Inlet adaptor for 3 machines
- Inlet blanking adaptors are supplied
- Connection hose not included



trade level  $\star\star$ 



Triple dust input facility - gives the option of running three machines with one extractor

13 AMP SUPPLY	NVR switch

ITEM NO.	01956
Motor	2.23kW (3hp)
Supply	230v (13amp)
Air Flow	3900m <sup>3</sup> /hour
Inlet Hose Diameter	3 x 100mm
Fan Diameter	305mm
Bag Capacity	2 x 153 litres
Weight	59kg
Packaged Dimensions (LxWxH)	1170 x 560 x 570mm
Barcode Number	5012713019564

ACCESSORIES	
Collector Bag (polythene)	66371
Filter Bag (cotton)	66376
Filter Bag (fine felt)	66377
2.5m (100mmØ) Connection Hose	06878
4m (100mmØ) Connection Hose	06880

200

sales hotline | 01509 500500