

HITON - UNIVERSAL OIL BURNING HEATERS

key features

A fantastic range of efficient, clean, virtually soot free combustion solutions using waste oil or diesel. The furnace will operate using most engine oils; mineral, synthetic as well as gear and hydraulic oils.

Made in the EU for superior quality, our Hiton oil heaters all include a flue kit.

- 09159 **Hiton HP105 Oil Heater**
- 09177 **Hiton HP115 Oil Heater**
- 09161 **Hiton HP125-O Oil Heater**
- 09178 **Hiton HP125 Oil Heater**



75,067 BTU/hr
MAX. HEAT
OUTPUT

09159



75,067 BTU/hr
MAX. HEAT
OUTPUT

09177

**FREE
FLUE KIT INCLUDED
WITH ALL HITON
HEATERS**



**13 AMP
SUPPLY**

PRODUCT NAME	HP105	HP115	H125-O	HP125
ITEM NO.	09159	09177	09161	09178
Supply	230v (13amp)	230v (13amp)	230v (13amp)	230v (13amp)
Min. Heat Output	51,182 BTU/hr (15kW)	51,182 BTU/hr (15kW)	72,000 BTU/hr (21kW)	72,000 BTU/hr (21kW)
Max. Heat Output	75,067 BTU/hr (22kW)	75,067 BTU/hr (22kW)	102,420 BTU/hr (30kW)	102,420 BTU/hr (30kW)
Approx. Heating Area	420m ³ (14,832 cu.ft)	420m ³ (14,832 cu.ft)	668m ³ (24,297 cu.ft)	668m ³ (24,297 cu.ft)
Fuel Consumption (min. output)	1.25 kg/hr (1.49 ltr/hr)	1.25 kg/hr (1.49 ltr/hr)	1.8 kg/hr (2.14 ltr/hr)	1.8 kg/hr (2.14 ltr/hr)
Fuel Consumption (max. output)	1.85 litres/hr (2.20 ltr/hr)	1.85 litres/hr (2.20 ltr/hr)	2.9 litres/hr (3.44 ltr/hr)	2.9 litres/hr (3.44 ltr/hr)
Fuel Tank Capacity	50 litres	50 litres	50 litres	50 litres
Finish	Heavy Duty Painted	Heavy Duty Painted	Galvanised Metal	Heavy Duty Painted
Flue Diameter Ø	150mm	150mm	150mm	150mm
Flue Included	✓	✓	✓	✓
Fan Assisted	✗	✓	✓	✓
Weight	70kg	90kg	90kg	90kg
Packaged Dimensions (HxWxL)	1140 x 540 x 780mm	1340 x 540 x 780mm	1360 x 540 x 780mm	1360 x 540 x 780mm
Barcode Number	5012713091591	50127130091775	5012713091614	5012713091614

HITON - UNIVERSAL OIL BURNING HEATERS

PLEASE NOTE:

In order to burn waste oil you will need to register with your local authority



102,420 BTU/hr
MAX. HEAT
OUTPUT

09161



102,420 BTU/hr
MAX. HEAT
OUTPUT

09178



HITON - UNIVERSAL OIL BURNING HEATERS

09179 Hiton HP145 Oil Heater

The heater features a built-in heavy duty heat exchanger for increased output.



09179

143,406 BTU/hr
MAX HEAT OUTPUT



13 AMP SUPPLY

PRODUCT NAME	HP145
ITEM NO.	09179
Supply	230v (13amp)
Min. Heat Output	102,420 BTU/hr (30 kW)
Max. Heat Output	143,406 BTU/hr (42 kW)
Approx. Heating Area	2660m ³ (93,937 cu.ft)
Fuel Consumption (min. output)	2.55 kg/hr (3.04 ltr/hr)
Fuel Consumption (max. output)	3.57 litres/hr (4.25 ltr/hr)
Fuel Tank Capacity	50 litres
Finish	Heavy Duty Painted
Flue Diameter Ø	150mm
Flue Included	✓
Fan Assisted	✓
Weight	110kg
Packaged Dimensions (HxWxL)	1270 x 600 x 1200mm
Barcode Number	5012713091799

Hiton Universal Oil Heater Boosters

Item No: 09164 - Suitable for model: HP105, HP115 & HP125

Item No: 09171 - Suitable for model: HP145

These stainless steel heat boosters can increase your universal oil heater's output by 40% by utilising heat that would ordinarily be released and lost up through the flue.

The boosters are compatible with all of our universal oil heaters and simply slot in between the heater and the flue.

Use a heat booster and increase your oil heater's efficiency up to a massive 91%.

Barcode Number for 09164: 5012713091645

Barcode Number for 09171: 5012713091713

40% INCREASE IN OUTPUT

UP TO 90% EFFICIENCY



09164