

## key features

Trade Medusa petrol driven generators - perfect for mobile food bars, boats, caravans, building sites etc...

### 03920 Medusa Compact T951

Compact and lightweight, complete with handy measuring cup in the filler cap.

- Capable of powering small tools, lights etc.
- 3 pin UK socket outlet, 12v DC battery charging (40Ah max.)
- 4 litre fuel tank - up to 6.5 hours running time
- Supplied with 2 stroke oil, spark plug socket, screwdriver set, leads, clamps & measuring cup

trade level ★★



Don't Forget  
**FUEL CANS**  
Page 00



1x 230v 3pin (UK), 1x 12v DC Output Sockets

**Petrol  
POWERED**

**UP TO  
6.5 HRS  
RUN TIME**

**230v SUPPLY** **SINGLE SOCKET** **2 STROKE ENGINE** **LOW MAINTENANCE**

ITEM NO.	03920
Supply	230v (13amp)
Continuous Rated Output	750w
Output Voltage (DC)	12v
Maximum Output	950w
Engine	2 stroke
Fuel	Unleaded
Fuel Capacity	4 litres
Running Time (approx)	6.5 hours
Weight	20kg
Packaged Dimensions (HxWxL)	366 x 308 x 376mm
Noise Level*	95dB(A)
Barcode Number	5012713039203

power

153

### 03955 Medusa T1101

- 2.4hp engine
- Up to 1100w peak output, continuous rated 900w
- 4 stroke, air cooled, OHV petrol engine
- 230v, 3 pin (UK) socket outlet
- Low oil shutdown
- 6 litre fuel tank - up to 6 hours running time

trade level ★★

**NEW  
FROM SIP**

- 12v DC battery charging up to 5.8amps
- Noise level 93dB(A)\*



1x 230v 3pin (UK), 1x 12v DC Output Sockets

**Petrol  
POWERED**

**UP TO  
6 HRS  
RUN TIME**

**230v SUPPLY** **SINGLE SOCKET** **4 STROKE ENGINE** **LOW MAINTENANCE**

ITEM NO.	03955
Supply	230v (13amp)
Continuous Rated Output	900w
Output Voltage (DC)	12v
Maximum Output	1100w
Engine	4 stroke
Fuel	Unleaded
Fuel Capacity	6 litres
Running Time (approx)	6 hours
Weight	28kg
Packaged Dimensions (HxWxL)	470 x 390 x 430mm
Noise Level*	93dB(A)
Barcode Number	5012713039555

\*Complies with European Noise Directives

# GENERATORS - Petrol Powered

## 03921 Medusa T2401

A powerful 5hp, full frame generator.



**Petrol POWERED**

**UP TO 13 HRS RUN TIME**

trade level ★★

- 4 stroke, air cooled, OHV petrol engine
- 2 x 230v AC sockets, 12v DC battery charging (40Ah max.)
- 15 litre fuel tank capacity - 13 hours running time (approx)
- Low oil shut down



2x 230v (AC), 1x 12v DC Output Sockets



- LOW MAINTENANCE**
- 230v SUPPLY**
- TWIN SOCKET**
- 4 STROKE ENGINE**

ITEM NO.	03921
Supply	230v (13amp)
Continuous Rated Output	2.0KVA
Maximum Output	2.4KVA
Output Voltage (DC)	12v
Engine	5hp, 4 stroke
Fuel	Unleaded
Fuel Capacity	15 litres
Running Time (approx)	13 hours
Weight	44kg
Packaged Dimensions (HxWxL)	520 x 460 x 605mm
Noise Level*	95dB(A)
Barcode Number	5012713039210

## 03922 Medusa T2801

A powerful 6hp, full frame generator.



**Petrol POWERED**

**UP TO 11 HRS RUN TIME**

trade level ★★

- 4 stroke, air cooled, OHV petrol engine
- 1 x 230v, 1 x 110v AC sockets, 12v DC battery charging (40Ah max.)
- 15 litre fuel tank capacity - 11 hours running time (approx)
- Low oil shut down



1x 230v (AC), 1x 110v (AC), 1x 12v DC Output Sockets



- 230v SUPPLY**
- 110v SUPPLY**
- TWIN SOCKET**
- 4 STROKE ENGINE**

ITEM NO.	03922
Supply	230v / 110v
Continuous Rated Output	2.4KVA
Maximum Output	2.8KVA
Output Voltage (DC)	12v
Engine	6hp, 4 stroke
Fuel	Unleaded
Fuel Capacity	15 litres
Running Time (approx)	11 hours
Weight	45kg
Packaged Dimensions (HxWxL)	520 x 460 x 605mm
Noise Level*	96dB(A)
Barcode Number	5012713039227



# GENERATORS - Petrol Powered

## 03957 Medusa T3801

- 9hp engine
- Up to 3800w peak output, continuous rated 3200w
- 4 stroke, air cooled, OHV petrol engine
- 1x 230v (16amp), 1x 110v (16amp) AC sockets & 1x 12v DC socket
- Low oil shutdown
- 25 litre fuel tank - up to 12 hours running time

**NEW**  
FROM SIP

trade level ★★

- 12v DC battery charging up to 8.3amps
- Wheel mounted, full frame design with integrated lifting handles
- Noise level 96dB(A)\*



1x 230v, 1x 110v AC (16amp) Output Sockets



**Petrol**  
POWERED

UP TO  
12 HRS  
RUN TIME

WHEEL MOUNTED    LOW MAINTENANCE    LONG RANGE FUEL TANK

230v SUPPLY    110v SUPPLY    TWIN SOCKET    4 STROKE ENGINE

ITEM NO.	03957
Supply	230v / 110v
Continuous Rated Output	3200w
Maximum Output	3800W
Output Voltage (DC)	12v
Engine	9hp, 4 stroke
Fuel	Unleaded
Fuel Capacity	25 litres
Running Time (approx)	12 hours
Weight	69kg
Packaged Dimensions (HxWxL)	720 x 550 x 5590mm
Noise Level*	96dB(A)
Barcode Number	5012713039579

power

155

## 03958 Medusa T5501

- 13hp engine
- Up to 5500w peak output, continuous rated 5000w
- 4 stroke, air cooled, OHV petrol engine
- 1x 230v (32amp), 1x 110v (32amp) AC sockets & 1x 12v DC socket
- Low oil shutdown
- 25 litre fuel tank - up to 10 hours running time

**NEW**  
FROM SIP

trade level ★★

- 12v DC battery charging up to 8.3amps
- Wheel mounted, full frame design with integrated lifting handles
- Noise level 97dB(A)\*
- Electric start (battery included)



1x 230v (AC), 1x 110v (AC), 1x 12v DC Output Sockets



**Petrol**  
POWERED

UP TO  
10 HRS  
RUN TIME

**Electric**  
START

WHEEL MOUNTED    LOW MAINTENANCE    LONG RANGE FUEL TANK

230v SUPPLY    110v SUPPLY    TWIN SOCKET    4 STROKE ENGINE

ITEM NO.	03957
Supply	230v / 110v
Continuous Rated Output	5000w
Maximum Output	5500w
Output Voltage (DC)	12v
Engine	13hp, 4 stroke
Fuel	Unleaded
Fuel Capacity	25 litres
Running Time (approx)	10 hours
Weight	83kg
Packaged Dimensions (HxWxL)	720 x 550 x 590mm
Noise Level*	97dB(A)
Barcode Number	5012713039579

# GENERATORS - Petrol Powered - HONDA

## key features


Our popular Honda™ generators are powerful, reliable and are covered by a Honda™ 3 year engine warranty.

These generators are robust and comprise a heavy duty maintenance free alternator, cast iron cylinder and rugged frame.

- 3 year engine warranty
- Splash fed lubrication system
- Low oil shut down, prevents potential engine damage
- Cast iron cylinder sleeve
- Hot spark electronic ignition
- Built and tested by SIP in the UK



## Medusa Honda™ Generators



Petrol Powered

Built and Tested by SIP in the UK

POWERED by HONDA 3 year engine warranty

230v SUPPLY 110v SUPPLY LOW MAINTENANCE

PRODUCT NAME	MEDUSA MGHP2.5F	MEDUSA MGHP3.5F	MEDUSA MGHP4.5F <sup>††</sup>	MEDUSA MGHP6.0F <sup>††</sup>	MEDUSA MGHP6.0FE <sup>††</sup>
ITEM NO.	PROFESSIONAL - 04535	PROFESSIONAL - 04462	PROFESSIONAL - 04464	PROFESSIONAL - 04718	PROFESSIONAL - 04720
Supply	230v / 110v	230v / 110v	230v / 110v	230v / 110v	230v / 110v
Continuous Rated Output	2.2KVA	3.5KVA	4KVA	6KVA	6KVA
Maximum Output	2.6KVA	3.75KVA	4.5KVA	7.2KVA	7.2KVA
Frame Type	Full	Full	Full	Full	Full
Engine	Honda GX160	Honda GX200	Honda GX270	Honda GX390	Honda GX390
Fuel	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Capacity	3.6 litres	3.6 litres	6 litres	6.5 litres	6.5 litres
Running Time (approx)	2.6 hours	2.6 hours	2.8 hours	2.4 hours	2.4 hours
Weight	36kg	37kg	54kg	72kg	73kg
Packaged Dimensions (HxWxL)	540 x 510 x 750mm	540 x 510 x 750mm	540 x 510 x 750mm	540 x 510 x 750mm	540 x 510 x 750mm
Barcode Number	5012713045358	5012713044627	5012713044641	5012713047185	5012713047208

<sup>††</sup> These units are for fixed installation and are not recommended for outdoor use.





# LONG RANGE GENERATORS - Petrol Powered - HONDA

## key features

Our professional Long Range Honda™ generators offer all the same features as our standard generators but have higher capacity fuel tanks for extended run times.

- 3 year engine warranty
- High capacity fuel tank for extended running times
- Splash fed lubrication system
- Low oil shut down, prevents potential engine damage
- Cast iron cylinder sleeve
- Hot spark electronic ignition
- Built and tested by SIP in the UK



Don't Forget  
GENERATOR  
ACCESSORIES  
Page 1610



Don't Forget  
FUEL CAN  
ACCESSORIES  
Page 161



## Medusa Honda™ Long Range Generators

professional level ★★★



04466

**LONG RANGE  
FUEL TANK**  
FOR EXTENDED RUN TIMES

**Petrol  
Powered**



**POWERED by  
HONDA™**  
3 year engine warranty



230v  
SUPPLY

110v  
SUPPLY

LOW  
MAINTENANCE

PRODUCT NAME	MEDUSA MGHP2.5FLR	MEDUSA MGHP3.5FLR	MEDUSA MGHP4.0FLR ††	MEDUSA MGHP6.0FLR ††	MEDUSA MGHP6.0FLR ††
ITEM NO.	PROFESSIONAL - 04466	PROFESSIONAL - 04468	PROFESSIONAL - 04470	PROFESSIONAL - 04476	PROFESSIONAL - 04478
Supply	230v / 110v	230v / 110v	230v / 110v	230v / 110v	230v / 110v
Continuous Rated Output	2.2KVA	3.5KVA	4KVA	6KVA	6KVA
Maximum Output	2.6KVA	3.75KVA	4.5KVA	7.2KVA	7.2KVA
Frame Type	Full	Full	Full	Full	Full
Engine	Honda GX160	Honda GX200	Honda GX270	Honda GX390	Honda GX390
Fuel	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Capacity	12 litres	12 litres	22 litres	22 litres	22 litres
Running Time (approx)	9 hours	9 hours	10 hours	8.5 hours	8.5 hours
Weight	39.3kg	42.4kg	59.5kg	76.8kg	76.8kg
Packaged Dimensions (HxWxL)	550 x 415 x 650mm	550 x 415 x 650mm	667 x 557 x 750mm	667 x 557 x 750mm	667 x 557 x 750mm
Barcode Number	5012713044665	5012713044689	5012713044702	5012713044764	5012713044788

†† These units are for fixed installation and are not recommended for outdoor use.


# GENERATORS - Petrol Powered - KOHLER

## key features

Reliable petrol powered generators - ideal for industrial use. Built in the UK by SIP, these generators are powered by Kohler® industrial petrol engines.

- Quad Clean™ heavy duty cyclonic air cleaner - cyclonic action forces large particles of contaminants out of the engine
- Engine designed in the USA
- Engineered for enhanced durability
- Oversized mufflers, steel forged crankshafts and oversized ignition systems
- 3 year engine warranty

© Copyright Kohler Co.



Quad Clean™ Cyclonic air cleaner

## Medusa Kohler® Generators

professional level ★★ ★



04340

Petrol Powered

Built and Tested by SIP in the UK



**KOHLER** Relentless Power. Legendary Performance.  
3 year engine warranty

230v SUPPLY 110v SUPPLY LOW MAINTENANCE

PRODUCT NAME	MEDUSA MGKP2.5F †	MEDUSA MGKP3.5F †	MEDUSA MGKP4.0F †	MEDUSA MGKP7.0F †	MEDUSA MGKP7.0FE †
ITEM NO.	PROFESSIONAL - 04353	PROFESSIONAL - 04340	PROFESSIONAL - 04341	PROFESSIONAL - 04355	PROFESSIONAL - 04356
Supply	230v / 110v	230v / 110v	230v / 110v	230v / 110v	230v / 110v
Continuous Rated Output	2.4KVA	3.5KVA	4KVA	7KVA	7KVA
Maximum Output	2.75KVA	3.75KVA	4.5KVA	7.5KVA	7.5KVA
Frame Type	Full	Full	Full	Full	Full
Engine	Kohler 7hp	Kohler 7hp	Kohler 9.5hp	Kohler 14hp	Kohler 14hp
Fuel	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Capacity	4.1 litres	4.1 litres	7.3 litres	7.3 litres	7.3 litres
Running Time (approx)	3 hours	3 hours	4.3 hours	2.8 hours	2.8 hours
Weight	38kg	39kg	56kg	76kg	77kg
Packaged Dimensions (HxWxL)	540 x 510 x 750mm	540 x 510 x 750mm	540 x 510 x 750mm	540 x 510 x 750mm	540 x 510 x 750mm
Barcode Number	5012713043538	5012713043408	5012713043415	5012713043552	5012713043569

† Recommended for export customers.



# LONG RANGE GENERATORS - Petrol Powered - KOHLER

## key features

Reliable petrol powered generators - ideal for industrial use. Built in the UK by SIP, these generators are powered by Kohler® industrial petrol engines.

- *Quad Clean™* heavy duty cyclonic air cleaner - cyclonic action forces large particles of contaminants out of the engine
- Engine designed in the USA
- Engineered for enhanced durability
- Oversized mufflers, steel forged crankshafts and oversized ignition systems
- 3 year engine warranty

© Copyright Kohler Co.



Don't Forget  
KOHLER SERVICE KITS  
Page 161



## Medusa Kohler® Long Range Generators

professional level ★★

power

159



04344

Petrol  
Powered

LONG RANGE  
FUEL TANK  
FOR EXTENDED RUN TIMES

Built and Tested  
by SIP in the UK

**KOHLER**  
3 year engine warranty

Relentless Power.  
Legendary Performance.



230v  
SUPPLY

110v  
SUPPLY

LOW  
MAINTENANCE

ELECTRIC  
START

PRODUCT NAME	MEDUSA MGKP4.0FLR †	MEDUSA MGKP7.0FLR †	MEDUSA MGKP7.0FELR †
ITEM NO.	PROFESSIONAL - 04344	PROFESSIONAL - 04347	PROFESSIONAL - 04357
Supply	230v / 110v	230v / 110v	230v / 110v
Continuous Rated Output	4KVA	7KVA	7KVA
Maximum Output	4.5KVA	7.5KVA	7.5KVA
Frame Type	Full	Full	Full
Engine	Kohler 9.5hp	Kohler 14hp	Kohler 14hp
Fuel	Unleaded	Unleaded	Unleaded
Fuel Capacity	22 litres	22 litres	22 litres
Running Time (approx)	13 hours	8.5 hours	8.5 hours
Weight	61.5kg	80.8kg	80.8kg
Packaged Dimensions (HxWxL)	667 x 557 x 750mm	667 x 557 x 750mm	667 x 557 x 750mm
Barcode Number	5012713043446	5012713043477	5012713043576

† Recommended for export customers.