WOODWORKING STANDS

01955 Portable Workstation

A portable workstation with foot-operated clamping system. Suitable for clamping material up to $956 \, \mathrm{mm}$ in length.





- · Allows for hands-free clamping
- Clamping force up to 1000kg (1 Ton)
- · Fast folding for quick and easy storage
- · Adjustable footplates



Capable of clamping material up to 956mm







Folds down for easy storage




Foot operated clamp system

This is a solidly built, fully adjustable universal stand. It is easily assembled and folds neatly away for easy and compact storage. The stand includes a wheel kit for easy manoeuvrability. SIP universal stands are compatible with most makes of compound and table saws.

Easy lock system

01958 Universal Saw Stand



- Tubular steel extendable sliding rails
- · Legs fold away for compact storage
- · Includes a wheel kit for easy manoeuvrability



Angle adjustable end rollers



5012713019557

trade level ★★

1220 - 1900mm extendable rails



Height adjustable end rollers



Quick release mounting brackets

ITEM NO.	01958
Table Rail Adjustment	1220 - 1900mm
Table Height	800mm
Max. Work Support Height	320mm
Weight	26kg
Packaged Dimensions (LxWxH)	190 x 300 x 1330mm
Barcode Number	5012713019588
OPTIONAL ACCESSOIRES	
Ouick Palence Mounting Pails	01957

5012713019571 **Barcode Number**



01441 Oak Woodworking Bench

trade level ★★



A modern version of a traditional woodworking bench. This bench is constructed from quality oak - much harder wearing than standard softwood benches. Environmentally friendly, manufactured from 100% sustainable forests.

- Bench incorporates 2 oak vices
- Supplied with 4 workpiece holding pegs
- Single central, waist level drawer convenient tool storage
- Low level, full length storage shelf for bulkier items









Waist height drawer

2 oak vices

Workpiece holding pegs

Convenient storage shelf



"All in all this is a well thought-out bench that's easy to assemble. It offers extremely good value for money and serves its purpose well. It's comfortable to work at and firm enough to use without the wabble associated with the softwood models available from DIY superstores."

ITEM NO.	01441
Work Top Area	1350 x 500mm
Work Top Height	865mm
Vice Width	280mm
Max. Vice Opening	160mm
Weight	30kg
Packaged Dimensions (LxWxH)	1350 x 500 x 825mm
Barcode Number	5012713014415

trade level ★★

01934 Foldable Roller Stand

An essential item in any workshop when handling large pieces of timber. Suitable for use with all machines where additional support is needed.

- Folding legs for easy storage
- · Non-slip rubber feet
- Fully adjustable height from 650 1050mm






01379 Single Roller Stand

Precision made, fully adjustable roller stand. This is an essential piece of equipment when handling larger pieces in busy, productive workshop. The stand height adjusts from 700mm to 1100mm.









ITEM NO.	01379
Load Capacity	80kg
Height Adjustment Range	700-1100mm
Roller Length	400mm
Weight	6.5kg
Packaged Dimensions (LxWxH)	600 x 160 x 130mm
Barcode Number	5012713013791





01383 Adjustable V-Type Roller Ball Stand

Fully adjustable, designed with 2 roller arms each able to tilt independently and lock in any angle from 0° to 45° . The stand has 8 rollers and is suitable for supporting flat and cylindrical work pieces.

• Ideal for supporting irregular shaped timber







0° - 45° adjustable twin rollers

trade level **

ITEM NO.	01383
Load Capacity	100kg
Height Adjustment Range	700-1150mm
Roller Extended Length	450mm
Roller Tilt	0° - 45°
Weight	8kg
Packaged Dimensions (LxWxH)	480 x 440 x 135mm
Barcode Number	5012713013838





01381 Heavy Duty 5 Roller Stand

Essential when supporting large or heavy work pieces whilst machining. This heavy-duty stand has a cast iron base with four feet for maximum stability.

• Ideal for supporting large and heavy sections of timber





ITEM NO.	01381
Load Capacity	100kg
Height Adjustment Range	680 - 1150mm
Roller Length	450mm
Roller Diameter	57mm
Weight	16kg
Packaged Dimensions (LxWxH)	590 x 550 x 135mm
Barcode Number	5012713013814

