

# STARTER / CHARGERS

- 05290 **Startmaster T200/30W**
- 05294 **Startmaster T400/75W**
- 05296 **Startmaster T600/90W**

trade level ★★

Our excellent range of Trade Starter / Chargers, wheel mounted for easy manoeuvrability.



MODEL	STARTMASTER T200/30W	STARTMASTER T400/75W	STARTMASTER T600/90W
ITEM NO.	05290	05294	05296
Supply	230v (13amp)	230v (40amp)	230v (40amp)
Charging Voltage/s	12v / 24v	12v / 24v	12v / 24v
Charge Rate Settings	4	4	4
Max. Charging Current Output	30amp	75amp	90amp
Max. Start Current	180amp	400amp	570amp
Min. Battery Capacity	20Ah	20Ah	20Ah
Degree of Protection	IP20	IP20	IP20
Cable Length	2 metres	2 metres	2 metres
Net Weight	15kg	23kg	28kg
Gross Weight	17kg	25kg	30kg
Packaged Dimensions (HxWxL)	345 x 300 x 505mm	340 x 300 x 510mm	330 x 425 x 630mm
Barcode Number	5012713052905	5012713052943	5012713052967

## key features

Built with tough steel case, these units are ideal for use in busy workshops and garages.

- Heavy duty charge leads and crocodile clips
- Reverse polarity protection



### 05532 Startmaster P300

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 2 charge rate levels - for fast and slow charging

**150 amp**  
MAX. BOOST

**20 amp**  
MAX. RATED CHARGE



professional level ★★★

13 AMP SUPPLY

ITEM NO.	05532
Supply	230v (13amp)
Charging Voltage/s	12v
Max. Rated Battery Capacity	160Ah
Rated Charge Output	14amps
Max. Rated Charge Output	20amps
Boost @ 1V/c	85amps
Max. Boost	150amps
Charge Rate Settings	2
Degree of Protection	IP20
Insulation Class	Class F
Weight	6.58kg
Packaged Dimensions (HxWxL)	245 x 265 x 300mm
Barcode Number	5012713055326

### 05533 Startmaster P440

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 2 charge rate levels - for fast and slow charging

**220 amp**  
MAX. BOOST

**33 amp**  
MAX. RATED CHARGE



professional level ★★★

13 AMP SUPPLY

ITEM NO.	05533
Supply	230v (13amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	180Ah
Rated Charge Output	22amps
Max. Rated Charge Output	33amps
Boost @ 1V/c	135amps
Max. Boost	220amps
Charge Rate Settings	2
Degree of Protection	IP20
Insulation Class	Class F
Weight	12.7kg
Packaged Dimensions (HxWxL)	410 x 295 x 315mm
Barcode Number	5012713055333

### 05534 Startmaster PW520

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 3 charge rate levels - for fast and slow charging

**260 amp**  
MAX. BOOST

**42 amp**  
MAX. RATED CHARGE



professional level ★★★

13 AMP SUPPLY

WHEEL MOUNTED

ITEM NO.	05534
Supply	230v (13amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	200Ah
Rated Charge Output	25amps
Max. Rated Charge Output	42amps
Boost @ 1V/c	145amps
Max. Boost	260amps
Charge Rate Settings	3
Degree of Protection	IP20
Insulation Class	Class F
Weight	21kg
Packaged Dimensions (HxWxL)	360 x 400 x 700mm
Barcode Number	5012713055340

## PROFESSIONAL Starter / Chargers

### 05535 Startmaster P560

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 2 charge rate levels - for fast and slow charging

professional level ★★★★★

13 AMP  
SUPPLY



ITEM NO.	05535
Supply	230v (16amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	220Ah
Rated Charge Output	28amps
Max. Rated Charge Output	45amps
Boost @ 1V/c	200amps
Max. Boost	280amps
Charge Rate Settings	2
Degree of Protection	IP20
Insulation Class	Class F
Weight	14.94kg
Packaged Dimensions (HxWxL)	410 x 300 x 320mm
Barcode Number	5012713055357

280 amp  
MAX.  
BOOST

45 amp  
MAX. RATED  
CHARGE



Made  
in Italy

### 05536 Startmaster PW600

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 3 charge rate levels - for fast and slow charging

professional level ★★★★★

WHEEL  
MOUNTED



ITEM NO.	05536
Supply	230v (16amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	280Ah
Rated Charge Output	30amps
Max. Rated Charge Output	45amps
Boost @ 1V/c	200amps
Max. Boost	300amps
Charge Rate Settings	3
Degree of Protection	IP20
Insulation Class	Class F
Weight	21kg
Packaged Dimensions (HxWxL)	360 x 400 x 700mm
Barcode Number	5012713055364

300 amp  
MAX.  
BOOST

45 amp  
MAX. RATED  
CHARGE



Made  
in Italy

### 05537 Startmaster PW760

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 3 charge rate levels - for fast and slow charging

professional level ★★★★★

WHEEL  
MOUNTED



ITEM NO.	05537
Supply	230v (20amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	340Ah
Rated Charge Output	38amps
Max. Rated Charge Output	57amps
Boost @ 1V/c	260amps
Max. Boost	380amps
Charge Rate Settings	3
Degree of Protection	IP20
Insulation Class	Class F
Weight	25kg
Packaged Dimensions (HxWxL)	360 x 400 x 700mm
Barcode Number	5012713055371

380 amp  
MAX.  
BOOST

57 amp  
MAX. RATED  
CHARGE



Made  
in Italy



# PROFESSIONAL Starter / Chargers

## 05538 Startmaster PW1000

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 6 charge rate levels - for fast and slow charging
- 120 minute variable charge timer facility - for added convenience

**500 amp**  
MAX. BOOST

**68 amp**  
MAX. RATED CHARGE

**Made in Italy**



professional level ★★★

**CHARGE TIMER** **WHEEL MOUNTED**

ITEM NO.	05538
Supply	230v (25amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	370Ah
Rated Charge Output	45amps
Max. Rated Charge Output	68amps
Boost @ 1V/c	330amps
Max. Boost	500amps
Timer	120min
Charge Rate Settings	6
Degree of Protection	IP20
Insulation Class	Class F
Weight	29kg
Packaged Dimensions (HxWxL)	370 x 390 x 745mm
Barcode Number	5012713055388

## 05539 Startmaster PW1400

A reliable, professional starter/charger - perfect for all garages and workshops.

- Ammeter clearly and accurately indicates charging levels
- 6 charge rate levels - for fast and slow charging
- 120 minute variable charge timer facility - for added convenience
- Remote lead for one man operation

**700 amp**  
MAX. BOOST

**90 amp**  
MAX. RATED CHARGE

**Made in Italy**



professional level ★★★

**REMOTE LEAD** **CHARGE TIMER** **WHEEL MOUNTED**

ITEM NO.	05539
Supply	230v (40amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	400Ah
Rated Charge Output	60amps
Max. Rated Charge Output	90amps
Boost @ 1V/c	400amps
Max. Boost	700amps
Remote Start	Yes
Timer	120min
Charge Rate Settings	6
Degree of Protection	IP20
Insulation Class	Class F
Weight	32kg
Packaged Dimensions (HxWxL)	370 x 390 x 745mm
Barcode Number	5012713055395

## 05540 Startmaster Digital P900

- Easy-to-read digital display showing battery voltage, battery charge percentage, charge time remaining and current
- Suitable for **Lead Acid, AGM, Calcium** or **Gel** batteries
- Variable timer for up to 10 hour charging
- Infinitely variable charge current

**450 amp**  
MAX. BOOST

**30 amp**  
MAX. RATED CHARGE

**Made in Italy**



professional level ★★★

## 05541 Trolley for Digital P900

- Wheeled trolley
- Storage shelves

Barcode Number:  
5012713055418

**10 HOUR CHARGING** **DIGITAL DISPLAY**

ITEM NO.	05540
Supply	230v (16amp)
Charging Voltage/s	12v / 24v
Max. Rated Battery Capacity	375Ah
Rated Charge Output	1 to 30amps
Boost @ 1V/c	300amps
Max. Boost	450amps
Timer	10hrs
Charge Rate Settings	Infinitely Variable
Degree of Protection	IP20
Insulation Class	Class F
Weight	20.1kg
Packaged Dimensions (HxWxL)	260 x 380 x 440mm
Barcode Number	5012713055401