Economy Galvanised Store _____

The perfect solution where a bunded storage facility is required on a tight budget. This store is extremely durable and will withstand all weather conditions. The walls and doors are manufactured from profiled galvanised steel panels, doors are complete with a two point flush fitting integral locking system. The pitched roof which is designed for effective rain water dispersal is manufactured from galvanised steel roof cladding.

Each unit contains high and low natural ventilation and a 1140 litre capacity leakproof sump and comes complete with two bays of galvanised shelving along both sides of the store.

Please Note: The Economy Galvanised Bunded Store is not designed to store temperature sensitive liquids, such as low flash point flammables or paint. Please refer to the Relocatable Safety Store (page 102), a unit that is specifically designed for such liquids.



Description	H x W x D (mm)	Capacity (Ltrs)	Order Ref	Price (Each)
Double Door	2700 x 3000 x 2000	1140	E-EGBS3D	£3575.00
Single Door	2700 x 3000 x 2000	1140	E-EGBS3S	£3294.00

General Purpose Safety Store _____

Designed for the storage of flammable, chemical and other hazardous liquids. The General Purpose Safety Store is constructed from 2mm profiled mild steel sheet over 50mm x 50mm x 3mm RHS. The store design also incorporates a fully welded leakproof sump over the entire base area of the unit to a depth of 190mm. The store has high and low level flame arrested ventilation, and comes with removable galvanised grid flooring, as well as full length galvanised shelving along both sides of the store. The store also has full width, fully opening, double doors fitted with two point flush fitting integral locking system.

Please Note:

- The General Purpose Safety Store is not designed to store temperature sensitive liquids, such as low flash point flammables or paint. Please refer to the Relocatable Safety Store (page 102), a unit that is specifically designed for such liquids.
- The General Purpose Safety Store can be tailor-made to your exact specification.

Standard paint finishes available (other colours may be available upon request):





*Add 140mm to external width to allow for the rain gutters.

Description	External H x W x D (mm)	Internal H x W x D (mm)	Capacity (Ltrs)	Order Ref	Price (Each)
Economy Store	2450 x 2100* x 2100	1900 x 2000 x 2000	800	E-GPSS1	£3,078.87
Economy Store	2450 x 2500* x 2900	1900 x 2400 x 2800	1300	E-GPSS2	£3,816.00

Dual Purpose Storage Unit

Our Dual Purpose Units are designed to store 205 litre drums and 1000 litre IBCs. All units are welded for added strength and are constructed from 2mm profiled mild steel sheet over 100 x 50 x 3mm RHS.

They have a fully welded leakproof sump over the entire base area to a depth of 220mm and contain removable galvanised grid flooring.

Other features include high and low level vents, padlockable sliding doors (E-DPSU64/16C & E-DPSU96/24C have sliding doors on both long sides) and the upper level has support bearers. These units comply with the Control of Pollution (Oil Storage) (England) Regulations 2001, The Water Environment (Oil Storage) (Scotland) Regulations 2001, EA Guidance Note PPG26, The Health & Safety Executives Guidelines for the Storage of Flammable Liquids HSG51 and the current Health, Safety & Environmental regulations.

Optional Extras:

- · Removable galvanised grid shelving
- Insulation
- Heating
- Temperature control

Standard paint finishes available (other colours may be available upon request):



Description	H x W x D (mm)	No. of Drums	No. of IBCs	Capacity (Ltrs)	Order Ref	Price (Each)
Drum/IBC Storage	2400 x 3000 x 1650	8	2	1100	E-DPSU8/2SL	£3,960.00
Drum/IBC Storage	3350 x 3000 x 1650	16	4	1125	E-DPSU16/4C	£4,620.00
Drum/IBC Storage	3350 x 5900 x 1650	32	8	2000	E-DPSU32/8C	£6,380.00
Drum/IBC Storage	3350 x 8900 x 1650	48	12	3000	E-DPSU48/12C	£9,020.00
Drum/IBC Storage	3350 x 5900 x 3300	64	16	4000	E-DPSU64/16C	£10,010.00
Drum/IBC Storage	3350 x 8900 x 3300	96	24	6000	E-DPSU96/24C	£15,840.00

Relocatable Safety Store _____

This durable unit is designed for the safe storage of highly flammable liquids, petroleum mixtures, pesticides and other hazardous materials. The exterior wall panels and roof are manufactured from plastic coated sheet steel, giving superior performance, colour stability and resistance to degradation. The walls, doors and roof of the unit are insulated with 75mm Rockwool Firebatt. The base of the unit is fully welded and acts as a leakproof sump covering the entire floor area. As standard, the unit comes with high and low flame arrested ventilation and galvanised grid flooring as well as a secure Yale lock with internal override. Optional extras include Zone 1 lighting, heating, extraction systems, sprinkler systems, fire detection and temperature control as well as a variety of shelving options.

These units carry with them a One Hour Fire Rating as tested and approved by the Warrington Fire Research Centre in compliance with BS476: Part 22 1987 clause 5.

Please Note: The unit shown below is fitted with optional extras.



Description	H x W x D (mm)	Capacity (Ltrs)	Order Ref	Price (Each)
Relocatable Safety Store	2635 x 1372 x 1372	350	E-MSS50	£3,560.98
Relocatable Safety Store	2635 x 1981 x 1981	740	E-MSS100	£4,452.68
Relocatable Safety Store	2735 x 2565 x 2565	1200	E-SS8	£7,352.88
Relocatable Safety Store	2735 x 2565 x 3657	1750	E-SS12	£9,429.39
Relocatable Safety Store	2735 x 2565 x 4876	2350	E-SS16	£12,139.36
Relocatable Safety Store	2735 x 2565 x 6096	2950	E-SS20	£14,033.83
Relocatable Safety Store	2735 x 2565 x 7315	3550	E-SS24	£16,240.60
Relocatable Safety Store	2735 x 2565 x 8534	4150	E-SS28	£18,293.42
Relocatable Safety Store	2735 x 2565 x 9753	4750	E-SS32	£20,152.35