

GUARDA Chain Posts

GUARDA Chain Posts are the ideal low cost solution for cordoning off areas both internally and temporarily outdoors.

- Quickly and easily deployed.
- Corrosion proof plastic construction.
- Low centre of gravity for stability.
- Choice of three base styles.
- Four integrated chain eyes in cap.
- Highly visible post colours - Red/White or Black/Yellow

Applications:

Warehouse, production areas, shipping departments, administration depts. etc

Specifications:

Post dia. 40mm

Post height: 870mm

Bases:

Rubber: 265 x 265mm sq.

Weight 1.8kg

Plastic (hollow): 300mm dia.

Weight: Variable

Plastic/concrete*: 300mm SL

Weight: 2.9kg

*Suitable for outdoor use.

GUARDA Chain Post set.

As detailed above but available in handy sets of:





6 chain posts and bases.


10m of M-POLY Chain.

10 Connecting links.

10 'S' hooks.



Chain stands Plastic posts 40mm dia		Base type	Colour	Height (mm)	Base (mm)	Order Ref	Price (Each)
		Plastic, concrete filled (three sided)	red/white	870	300 SL	175.13.895	£8.00
			black/yellow			175.14.011	£8.00
		Hard rubber (four sided)	red/white		265 x 265	175.19.222	£11.50
			black/yellow			175.16.601	£11.50
		Plastic hollow (Round)	red/white		300	175.16.320	£9.70
			black/yellow			175.18.711	£9.70

Chain stand sets c/w 6 chain posts, 10m M-POLY Chain, 10 connecting links and 10 hooks		Base type	Colour	Height (mm)	Base (mm)	Order Ref	Price (Each)
	Plastic, concrete filled (three sided)		red/white	870	300 SL	175.16.146	£73.30
			black/yellow			175.13.735	£73.30
	Hard rubber base (four sided)		red/white		265 x 265	175.19.176	£93.10
			black/yellow			175.17.668	£93.10
	Plastic hollow base (Round)		red/white		300	175.15.850	£83.00
			black/yellow			175.17.247	£83.00

Safety Barriers

Fully Welded Barriers

These safety barriers are designed for creating protective barriers around machinery and equipment and for defining walkways through industrial, manufacturing and warehousing areas.

- Choice of open or mesh infill panels.
- Fully welded construction.
- Powder coated high visibility yellow.
- Supplied with floor fixings.



Description	Overall Size L x H (mm)	Mesh Infill		Open Infill	
		Order Ref	Price	Order Ref	Price
Corner Unit	1200 x 900	RBCU1290MYXX	£296.63	RBCU1290OYXX	£200.59
	1200 x 1100	RBCU1211MYXX	£296.03	RBCU1211OYXX	£203.21
Gate Unit	900 x 900	RBGU9090MYXX	£168.56	RBGU9090OYXX	£131.81
	900 x 1100	RBGU9011MYXX	£175.95	RBGU9011OYXX	£140.56
	1200 x 900	RBGU1290MYXX	£184.84	RBGU1290OYXX	£138.69
	1200 x 1100	RBGU1211MYXX	£197.02	RBGU1211OYXX	£149.84
Straight Unit	1200 x 900	RBST1290MYXX	£187.02	RBST1290OYXX	£141.72
	1200 x 1100	RBST1211MYXX	£236.02	RBST1211OYXX	£181.74
	2400 x 900	RBST2490MYXX	£299.22	RBST2490OYXX	£210.98
	2400 x 1100	RBST2411MYXX	£315.25	RBST2411OYXX	£218.35

Heavy Duty Barriers

These safety barriers are designed for creating protective barriers around machinery and equipment and for defining walkways through industrial, manufacturing and warehousing areas.

- 1400mm high for additional safety.
- Modular design.
- Welded support posts.
- Supplied in knock down form for easy onsite assembly.
- Powder coated red or yellow.
- Supplied with floor fixings.



Description	Size H (mm)	Red	Yellow	Price (Each)
		Order Ref	Order Ref	
Support Posts	1400	RBHDS1400RXX	RBHDS1400YXX	£142.91

Description	Size L (mm)	Red	Yellow	Price (Each)
		Order Ref	Order Ref	
Barrier Rails	1500	RBHDR1500RXX	RBHDR1500YXX	£90.94
	1100	RBHDR1100RXX	RBHDR1100YXX	£77.95
	800	RBHDRX800RXX	RBHDRX800YXX	£64.96
	500	RBHDRX500RXX	RBHDRX500YXX	£51.97


Barriers

Lift Out Barriers

- Modular design at 500, 900 or 1100mm tall.
- Removable rails allow access if required.
- Constructed from tough mild steel box section.
- Supplied in knock down form for easy onsite assembly.
- Powder coated high visibility yellow.
- Supplied with floor fixings.



Lift Out Single Rail Barrier



Lift Out Twin Rail Barrier

Description	Overall Size H x W x D (mm)	Order Ref	Price (Each)
Single Rail End Post	500 x 80 x 80	RBSRBEX500Y	£94.08
Single Rail Standard Post		RBSRBBSX500Y	£108.64
Single Rail Corner Post		RBSRBBCX500Y	£108.64
Twin Rail End Post	1100 x 80 x 80	RBTRBBE1100Y	£122.08
	900 x 80 x 80	RBTRBBEX900Y	£106.40
Twin Rail Standard Post	1100 x 80 x 80	RBTRBBS1100Y	£136.64
	900 x 80 x 80	RBTRBBSX900Y	£123.20

Description	Overall Size H x W x D (mm)	Order Ref	Price (Each)
Twin Rail Corner Post	1100 x 80 x 80	RBTRBBC1100Y	£136.64
	900 x 80 x 80	RBTRBBCX900Y	£123.20
Universal Rails	3000 Long	RBTRBBB3000Y	£126.56
	2400 Long	RBTRBBB2400Y	£107.52
	1200 Long	RBTRBBB1200Y	£84.00
	600 Long	RBTRBBB600Y	£56.00
	300 Long	RBTRBBB300Y	£39.20

Round Tube Rail Barriers

- Modular design at 500 or 900mm tall.
- Supplied in knock down form for easy onsite assembly.
- Constructed from round tube beams and box section supports.
- Powder coated high visibility yellow.
- Supplied with floor fixings.

Description	Size (mm)	Order Ref	Price (Each)
Single Rail End Post	500 High	RBSRBREX500Y	£89.60
Single Rail Standard Post		RBSRBRSX500Y	£112.00
Single Rail Corner Post		RBSRBRCX500Y	£112.00
Twin Rail End Post	900 High	RBTRBREX900Y	£142.91
Twin Rail Standard Post		RBTRBRSX900Y	£172.79
Twin Rail Corner Post		RBTRBRCX900Y	£172.79
Universal Round Tube Rails	2000 Long	RBTRBRB2000Y	£64.96
	1600 Long	RBTRBRB1600Y	£51.96
	800 Long	RBTRBRB800Y	£38.96
	400 Long	RBTRBRB400Y	£25.98



Round Tube Single Rail Barrier



Round Tube Twin Rail Barrier

Vision Barriers

- Light duty barrier system.
- Choice of sheet steel, clear perspex or mesh panels.
- Pre-drilled universal posts function as standard, corner and end posts
- Supplied in knock down form for easy onsite assembly.
- Powder coated yellow, can be supplied in black
- Supplied with floor fixings.



Mesh Clear Perspex Sheet Steel

Description	Size W x H (mm)	Yellow	Black	Price (Each)
		Order Ref	Order Ref	
Mesh Infill	990 x 1000	RBVPM9910YXX	RBVPM9910AXX	£168.90
Perspex Infill		RBVPX9910YXX	RBVPX9910AXX	£194.88
Sheet Steel Infill		RBVPS9910YXX	RBVPS9910AXX	£142.91
Universal Barrier Post	1120 High	RBVPP1120YXX	RBVPP1120AXX	£172.79

TRAFFIC-LINE Steel Hoop Guards

Protect and segregate pedestrians, machinery and other zones from works vehicles, falls etc.

- Versatile and effective protection.
- Highly visible finish.
- Additional reinforcing crossbar.
- Easily installed with bolts (available at extra cost).

Permanent & removable versions now available for fixing to vertical surfaces.

Applications: Protection of pedestrian areas (entrances, exits etc.), machinery, dangerous zones, elevation changes, loading docks, hazardous areas, garage pits etc.

Specifications:

Lengths: 1,000, 1,500 and 2,000mm

Height: 1,000mm Surface mount –
1,300mm Wall mounted

Diameter: 48mm Ø x 2mm Wall

Fixing plates: Surface mount –

70 x 60 x 10mm

(2 x mounting plates with pre-drilled fixing holes)

Wall fixing (permanent)

(2 x mounting plates with pre-drilled fixing holes)

Wall fixing (Removable)

(Socket with 2 x mounting plates with pre-drilled fixing holes)


Finish:

Interior: Powder coated yellow with black bands.

Exterior: Hot Dip Galvanised. Powder coated yellow with black bands.



Wall Mounted





Permanent version




Removable version

TRAFFIC-LINE Steel Hoop Guards

Steel Hoop Guards 48/2mm Surface Fixing 160 x 70 x 10mm	Description	Dimensions H x L (mm)	Finish	Order Ref	Price (Each)
	Yellow with black bands	1000 x 1000	Powder Coated	201.14.228	£131.40
			Hot dip galvanised and powder coated	201.15.512	£165.50
		1000 x 1500	Powder Coated	201.15.794	£156.00
			Hot dip galvanised and powder coated	201.17.982	£196.40
		1000 x 2000	Powder Coated	201.14.465	£175.90
			Hot dip galvanised and powder coated	201.13.553	£223.90

Steel Hoop Guards 48/2mm Wall Fixing (Permanent) 160x70x-10mm	Description	Dimensions H x L (mm)	Finish	Order Ref	Price (Each)
	Wall fixings (permanent)	1300 x 1000	Powder Coated	201.23.846	£174.90
			Hot dip galvanised and powder coated	201.23.287	£205.70
		1300 x 1500	Powder Coated	201.21.475	£201.90
			Hot dip galvanised and powder coated	201.27.174	£213.10
		1300 x 2000	Powder Coated	201.20.276	£224.50
			Hot dip galvanised and powder coated	201.24.456	£267.20

Steel Hoop Guards 48/2mm Wall Fixing (Removable) 160x70x10mm	Description	Dimensions H x L (mm)	Finish	Order Ref	Price (Each)
	Wall fixings (removable barrier)	1300 x 1000	Powder Coated	201.25.003	£136.00
			Hot dip galvanised and powder coated	201.20.059	£168.60
		1300 x 1500	Powder Coated	201.22.243	£162.90
			Hot dip galvanised and powder coated	201.27.829	£201.40
		1300 x 2000	Powder Coated	201.21.658	£185.50
			Hot dip galvanised and powder coated	201.21.335	£230.10
Rawl plug bolt (4 per guard)		12 x 100	-	100.17.393	£1.50
Throughbolt anchor		12 x 120	-	100.24.665	£3.00
Wall socket		120W x 300H	Hot dip galvanised	201.27.454	£34.60

TRAFFIC-LINE Protection Guards

Protect property and machinery with TRAFFIC-LINE Protection Guards.

- Superior build quality and strength.
- Highly visible colour scheme.
- Easily installed with floor fixings (available at extra cost)
- Corner protection style also available with 600mmL sides.

Applications: Protect stock, traffic routes and work areas, separates different traffic routes (e.g. stacker lanes in warehouses and pedestrian traffic), machinery, supports, columns, shelving, loading ramps, equipment etc.

Specification:

Widths: 375mm, 750mm and 1,000mm.
 Heights: 350mm, 600mm and 1,200mm.
 Diameter: 76mm with 3mm wall thickness.
 Fixing plates: 160 x 140 x 10mm (drilled 4 fixing holes)

Finishes:

Interior: Powder coated yellow with black bands.
 Exterior: Hot Dip Galvanised. Powder coated yellow with black bands.

Sub-surface versions, special sizes and colours can be manufactured to order.



Steel guards 76/3.0mm Surface fixing plate 160 x 140 x 10mm	Colour	Dimensions H x W (mm)	Finish	Order Ref	Price (Each)
	Yellow	350 x 375	Powder coated	195.15.621	£98.30
			Hot dip galvanised and powder coated	195.18.233	£122.40
	Yellow with black bands	350 x 750	Powder coated	195.14.450	£115.00
			Hot dip galvanised and powder coated	195.16.265	£140.60
		350 x 1000	Powder coated	195.14.589	£124.00
			Hot dip galvanised and powder coated	195.13.499	£154.10
		600 x 750	Powder coated	195.18.515	£136.70
			Hot dip galvanised and powder coated	195.17.623	£170.60
		600 x 1000	Powder coated	195.18.943	£146.80
			Hot dip galvanised and powder coated	195.19.157	£182.80
		1200 x 750	Powder coated	195.19.573	£173.70
			Hot dip galvanised and powder coated	195.17.296	£215.80
		1200 x 1000	Powder coated	195.17.903	£186.40
			Hot dip galvanised and powder coated	195.18.822	£232.60
Rawl plug bolt	8 required per guard	12 x 100	-	100.17.393	£1.50
Throughbolt anchor		12 x 120	-	100.24.665	£3.00

Sub-surface versions available upon on request

Steel guards 76/3.0mm Surface fixing plate 160 x 140 x 10mm	Colour	Dimensions H x W (mm)	Finish	Order Ref	Price (Each)
	Yellow with black bands	350 x 600	Powder coated	195.13.241	£198.90
			Hot dip galvanised and powder coated	195.14.708	£258.90
		600 x 600	Powder coated	195.14.637	£242.70
			Hot dip galvanised and powder coated	195.17.083	£316.00
		1200 x 600	Powder coated	195.17.512	£316.60
			Hot dip galvanised and powder coated	195.13.874	£381.80
Rawl plug bolt	12 required per guard	12 x 100	-	11.17.393	£1.50
Throughbolt anchor		12 x 120	-	100.24.665	£3.00

TRAFFIC-LINE FLEX Protection Guards

TRAFFIC-LINE FLEX Protection Guards

A unique development of our standard Protection Guards that features the strength and protective attributes of steel combined with the ability to 'give' up to 10 degrees from the vertical, reducing the incidence of damage and the need for repairs. This is achieved by equipping the guard with flexible shock absorbing polyurethane pads. These pads are UV, weather and temperature resistant, making them suitable for internal and external use.

- Highly visible yellow/black colour scheme.
- Unique flexing action.
- Easily installed.
- Interior & Exterior models.

Applications:

Traffic routes and work areas, segregation of traffic routes, machinery, supports, columns, loading ramps, equipment etc.

Specifications:

Widths: 375, 750, 1,000 and 2,000mm

Heights (max. inclination): 390 (55), 640 (95), 1240 (190)mm

Diameter: 76mm

Wall thickness: 3mm

Finishes:

Interior: Powder coated yellow with black bands

Exterior: Hot Dip Galvanised, Powder coated yellow with black bands

Upgradable: Existing TRAFFIC-LINE Protection Guard installations can be up-graded, new chemi-anchor fixings will be required.

Options: Can be supplied in a sub-surface fixing version – POA.



Steel guards 76/3.0mm Surface fixing plate 16t0x140x10mm	Colour	Dimensions H x W (mm)	Finish	Order Ref	Price (Each)
	Yellow	390 x 375	Powder coated	196.21.558	£132.60
			Hot dip galvanised and powder coated	196.24.195	£153.90
	Yellow with black bands	390 x 750	Powder coated	196.23.927	£146.80
			Hot dip galvanised and powder coated	196.28.870	£172.00
		390 x 1000	Powder coated	196.20.479	£158.40
			Hot dip galvanised and powder coated	196.28.678	£185.50
		390 x 2000	Powder coated	196.23.138	£221.00
			Hot dip galvanised and powder coated	196.29.639	£248.00
		640 x 750	Powder coated	196.27.339	£171.10
			Hot dip galvanised and powder coated	196.26.638	£190.40
		640 x 1000	Powder coated	196.29.617	£181.10
			Hot dip galvanised and powder coated	196.20.921	£214.20
		640 x 2000	Powder coated	196.28.884	£241.30
			Hot dip galvanised and powder coated	196.20.921	£276.70
		1240 x 750	Powder coated	196.21.978	£208.10
			Hot dip galvanised and powder coated	196.23.976	£247.20
		1240 x 1000	Powder coated	196.21.739	£220.80
			Hot dip galvanised and powder coated	196.29.532	£264.00
	Chemical Anchors	300 x 100	Powder coated	196.27.054	£289.10
			Hot dip galvanised and powder coated	196.22.922	£331.80

TRAFFIC-LINE FLEX Heavy Duty Bollards

The “smart” protection bollard – yields when hit helping to reduce damage to both the bollard and the vehicle. Combination of internal spring and an elastic polyurethane buffer absorbs the impact force (progressive force absorption).

- Heavy duty protection.
- “Gives” up to 25°.
- Returns to original position.
- Superior build quality and strength.
- High grade steel construction.

Applications: High traffic areas, loading bays, site entrances, etc.

Specification:

Material: Steel/Polyurethane construction.

Height: 655mm

Diameter: 159mm



Wall thickness: 4.5mm

Fixing plate: 200 x 200 x 10mmD (pre-drilled 4 holes)

Finish:

Interior: Powder coated Yellow

Exterior: Hot Dip Galvanised. Powder coated Yellow

Flexible steel bollard 159/4.5mm Surface fixing 200 x 200 x 100mm	Colour	Dimensions (mm) H x Ø	Finish	Order Ref	Price (Each)
	Yellow with black bands	655 x 159	Powder coated	199.29.230	£262.60
			Hot dip galvanized and powder coated	199.28.240	£297.80
Rawl plug bolt	4 per guard	12 / 100	-	100.17.393	£1.50
Throughbolt anchor		12 / 120	-	100.24.665	£3.00
	Root fixing adapter	Size 200 x 200 x 10	Hot dip galvanized	199.28.682	£44.60
		Diam Ø 76			

TRAFFIC-LINE Protection Guard with Under-Run Protection



TRAFFIC-LINE Protection Guard with Under-Run Protection Same design as **TRAFFIC-LINE. Protection Guards** but with steel infill plate.

- Superior build quality and strength.
- Strong, effective protection.
- Protect vulnerable equipment.
- Highly visible colour scheme.
- Easily installed with 8 anchor bolts (available at extra cost).

Diameter: 76mm x 3mm wall thickness

Fixing plates: 160 x 140 x 10mm (drilled 4 fixing holes)

Under-run plate:

Height: 150mm and 400mm

Gauge: 4mm

Finish: Powder coated yellow with black bands.

Sub-surface versions, special sizes and colours can be manufactured to order. Please ask for details.


Applications:

Use in warehouses, distribution depots, storage areas etc.

Specification:

Widths: 750mm and 1,000mm

Heights: 350mm and 600mm

Steel protection guard 76/30mm with under-run protection plate 4.0mm gauge surface fixing	Colour	Dimensions H x W (mm)	Finish	Order Ref	Price (Each)
	150	350 x 750	Powder Coated - yellow with black bands	196.16.857	£160.30
		350 x 1000		196.15.132	£175.10
	400	600 x 750		196.17.125	£229.50
		600 x 1000		196.17.619	£270.70
Rawl plug bolt	8 required per guard	12 x 100	-	100.17.393	£1.50
Throughbolt anchor		12 x 120	-	100.24.665	£3.00

TRAFFIC-LINE Collision Protection Guard

Low cost protection for plant and machinery from forklift trucks, roller containers, trolleys, pallet trucks etc.

- Easily and quickly installed.
- Low profile design enables easy pedestrian access to protected areas.
- Protect machinery, plant etc
- Interior use only

Applications: Protect shelving, cabinets, wall-mounted equipment (instruments, switch cabinets, first aid equipment etc.).

Specification:

Lengths: 400, 800 and 1,200mm.

Height (O/all): 86mm

Diameter: 76mm with 3mm wall thickness.

Base plates: 10mm thick. Drilled 2 fixing holes.


Finish: Powder coated yellow with black bands.


Special lengths, colours, and external versions can be manufactured to order. Please ask for details.

Corner Protection Collision guards – 638mm each arm.

Dimensions: 86 x 638 x 638mm.



Steel protection guard 76/3mm for surface mounting (130 x 70 x 10mm)	Colour	Dimensions H x W (mm)	Finish	Order Ref	Price (Each)
	Yellow with black bands	86 x 400	Powder Coated	195.13.478	£27.90
		86 x 800		195.19.220	£43.50
		86 x 1200		195.14.143	£59.40
Rawl Plug bolt	4 required per guard	12 x 100	-	100.17.393	£1.50
Throughbolt anchor		12 x 120	-	100.24.665	£3.20

Corner steel protection guard 76/3mm for surface mounting (130 x 70 x 10mm)	Colour	Dimensions H x W (mm)	Finish	Order Ref	Price (Each)
	Yellow with black bands	86 x 638 x 638	Powder Coated	199.22.677	£114.10
Rawl Plug bolt	6 required per guard	12 x 100	-	100.17.393	£1.50
Throughbolt anchor		12 x 100	-	100.24.665	£3.20


TRAFFIC-LINE Hi-Vis Belt Posts

A supremely flexible system that provides either permanent or temporary demarcation of pedestrian areas from vehicular traffic routes.

- Quickly & easily deployed.
- High visibility colour scheme.
- Moulded bases with reflectors.
- Temporary or permanent installation.
- Base can be weighted with water or sand.
- Powder coated aluminium posts.
- Self tensioning mechanism.
- Damped belt mechanism for controlled retraction.
- Secure four point fixing for permanent installations.
(Fixing bolts available at extra cost.)

Specification:

- Overall height: 985mm
- Post dia.: 60mm
- Post colours: Yellow, Red
- Weight: 13kg (filled) 2.4kg (empty)
- Base dia.: 330mm
- Base colours: Yellow/Black, Red/White
- Belt length: 3000mm or 4000mm
- Belt colours: Black/Yellow diagonal stripes.
- Red/White diagonal stripes.
- Or single colours available.
- Applications:
 - Barriers,
 - Guidance,
 - Parking facilities,
 - Industrial premises,
 - Warehouses,
 - Outdoor facilities, etc.



Description		Colours	Belt length (mm)	Order Ref	Price (Each)
	Yellow powder coated	Black/Yellow	3000	179.14.759	£154.20
			4000	179.22.511	£171.40
		Yellow	3000	179.17.353	£154.20
			4000	179.26.335	£171.40
	Red powder coated	Red/White	3000	179.19.970	£154.20
			4000	179.28.338	£171.40
		Red	3000	179.15.362	£154.20
			4000	179.24.575	£171.40

TRAFFIC-LINE Wall Mounted Belt Cartridge

The TRAFFIC-LINE Wall Mounted Belt Cartridge is available in both conventional fixing and in Magnetic fixing versions, giving them a greater flexibility in use.

The ideal solution for controlling access at fixed locations.

- Easy to install.
- Moulded in black hard wearing ABS.
- Damped belt action for smooth retraction.
- Unique bracket allows belt deployment in three directions.
- Choose from 5 belt colours.
- The belts are manufactured from a strong and durable fabric.

Applications:

Entrances, internal door-ways, stairs, corridors, aisles etc.

Specifications:

Cartridge height: 130mm





Cartridge depth: 110mm







Belt length: 3000mm or 4000mm

Belt width: 50mm

Accessories: Wall mounted clip, Belt joining clip.



Wall mounted belt cartridge (H) 130mm (D) 110mm cartridge colour black	Colours		Belt length (mm)	Order Ref	Price (Each)
		black/yellow striped	3000	179.18.124	£79.00
			4000	179.23.024	£96.50
		red/white striped	3000	179.13.738	£79.00
			4000	179.23.085	£96.50
		black/yellow/black	3000	179.19.708	£79.00
			4000	179.29.337	£96.50
		black/red/black	3000	179.16.023	£79.00
			4000	179.26.981	£96.50
		black/silver/black	3000	179.18.931	£79.00
			4000	179.29.945	£96.50

Magnetic belt cartridge (H) 130mm (D) 110mm cartridge colour black	Colours		Belt length (mm)	Order Ref	Price (Each)
		black/yellow striped	3000	179.27.462	£101.00
			4000	179.23.187	£124.40
		red/white striped	3000	179.27.835	£101.00
			4000	179.21.407	£124.40
		black/yellow/black	3000	179.20.545	£101.00
			4000	179.29.326	£124.40
		black/red/black	3000	179.21.084	£101.00
			4000	179.27.176	£124.40
		black/silver/black	3000	179.25.944	£101.00
			4000	179.23.919	£124.40

Post & Wall Mounted Accessories

Wall mounted wall clip.



Magnetic wall clip




Belt link for connecting 2 belts.



Description	Order Ref	Price (Each)
Wall mounted wall clip (1 clip included with cartridge)	179.16.000	£9.80
Magnetic wall clip (1 clip included with cartridge)	179.26.987	£17.60
Belt link for connecting 2 belts	179.17.430	£5.40

TRAFFIC-LINE Impact Protection – Profiles




TRAFFIC-LINE Impact Protection


TRAFFIC-LINE Impact Protection profiles provide both visual warning and safety cushioning to hard unyielding objects.

- Prevents injury and protects property.
- Quick and easy to install.
- High quality moulded sections.
- Standard length is 1,000mm.
- Easily cut to length with sharp knife or fine saw blade.
- Made from flexible age resistant polyurethane foam.
- UV resistant yellow/black colours according to DIN 4844.
- Temperature resistant from -40 °C to + 90°C.
- Fire resistant.
- CFC and silicon free.


Edge Protection



Trapeze 40/40




Right-Angle 30/30




Right Angle 60/60

Edge Protection	Colour	Length (mm)	Fixing	Order Ref	Price (Each)
Trapeze 40/40	Yellow/Black	1000	Self Adhesive	422.14.275	£23.70
			Magnetic	422.23.243	£26.60
Right-Angle 30/30	Yellow/Black	1000	Self Adhesive	422.17.559	£23.10
			Magnetic	422.24.979	£26.00
Right Angle 60/60	Yellow/Black	1000	Self Adhesive	422.15.712	£23.10
			Magnetic	422.18.566	£37.70
Semi-Circular 40/40	Yellow/Black	1000	Self Adhesive	422.25.253	£40.60
			Magnetic	422.19.099	£23.70
Semi-Circular 40/40	White	1000	Self Adhesive	422.20.276	£26.60
			Self Adhesive	422.15.039	£23.70


Semi-Circular 40/40




Surface Protection




Trapeze 40/40




Semi-circular 40/32



Rectangle 60/20




Rectangle 200/20, 4 pre-drilled holes




Rectangle 60/20, 3 pre-drilled holes

Surface Protection	Colour	Length (mm)	Fixing	Order Ref	Price (Each)
Trapeze 40/40	Yellow/Black	1000	Self Adhesive	422.18.441	£22.90
			Magnetic	422.26.582	£25.80
Semi-circular 40/32	Yellow/Black	1000	Self Adhesive	422.13.249	£22.90
	White		Magnetic	422.27.977	£25.80
Rectangle 60/20	Yellow/Black	1000	Self Adhesive	422.18.541	£22.90
			Magnetic	422.19.912	£31.10
	White		Self Adhesive	422.20.678	£34.00
Rectangle 60/20 3 pre-drilled holes	Yellow/Black	1000	Screw/Bolt	422.18.163	£31.10
Rectangle 200/20 4 pre-drilled holes	Yellow/Black	500	Screw/Bolt	422.19.509	£31.10
				422.15.592	£60.50


Profile Protection




Trapeze 40/40/8



Trapeze 40/80/8



Semi Circular 40/40/8



Rectangle 25/30/8

Profile Protection	Colour	Length (mm)	Fixing	Order Ref	Price (Each)
Trapeze 40/40/8	Yellow/Black	1000	Push on	422.13.264	£21.80
Trapeze 40/80/8	Yellow/Black	1000	Push on	422.15.601	£34.40
Semi Circular 40/40/8	Yellow/Black	1000	Push on	422.17.696	£21.80
	White			422.18.250	£21.80
Rectangle 25/30/8	Yellow/Black	1000	Push on	422.26.168	£24.10

TRAFFIC-LINE Cable/Hose Protection Ramps

TRAFFIC-LINE SMALL Cable/Hose Protection Ramps for fast easy deployment.

- Easy and quick deployment.
- Protect cables/hoses up to 40mm Dia.
- High visibility alternating Yellow/Black sections.
- Suitable for HGV and forklift trucks.
- Tough flexible materials.

Applications: Emergency services, construction sites, road works, etc

Material: Recycled rubber



TRAFFIC-LINE SMALL cable/hose protection ramp		Colour	Order Ref	Price (Each)
		Yellow	279.28.720	£56.00
		Black	279.21.784	£56.00

TRAFFIC-LINE LARGE Cable/Hose Protection Ramps – drive over cables, hoses and pipes without causing them damage.

- Easily and quickly deployed.
- Three top loading channels for cables/hoses.
- Anti-slip hinged top panel.
- Interlocking design feature.
- Strong robust construction.
- Suitable for use with HGV's.

Applications: Construction sites, distribution depots emergency works, road works, etc.

Material – Body: Hard rubber.

Material Cover: Polypropylene.



TRAFFIC-LINE LARGE cable/hose protection ramp		Colour	Order Ref	Price (Each)
<p>Centre Section</p>		Black/ Yellow	279.23.799	£71.30
<p>Left Hand Right Hand</p> <p>45° Section</p>		Black/ Yellow	279.29.848 (Left Hand)	£35.90
			279.26.562 (Right Hand)	£35.90
<p>End Section</p>		Black	279.20.233	£15.80
			279.22.899	£15.80


TOPSTOP-ECO Speed Reduction Ramps

TOPSTOP-ECO Speed Reduction ramps are the cost effective method of controlling traffic speed. They are supplied in three versions to reduce traffic speeds to 5mph, 10mph and 15mph respectively.

- Easily and quickly installed
- Contrasting colours for daylight visibility.
- Reflectors in 5RE and 10RE for night visibility.
- Cost effective solution
- Sectional construction to suit site conditions.

Material: Recycled materials
Colours: Black. Yellow.
End sections Yellow only
Fixing bolts: 12/100mm Included

Applications: Hazardous situations such as exit ways, bends, loading bays, weigh bridges, pedestrian crossings, junctions, schools, manufacturing sites, depots, car parks in hospitals, public houses, hotels, sporting venues and other parking locations etc.



TOPSTOP-ECO 5RE Recommended speed <5mph	H x W x D (mm)	Colour	Order Ref	Price (Each)
Ramp Section	70 x 500 x 500	Black	281.14.155	£48.40
		Yellow	281.18.436	£48.40
End Section - Male	70 x 250 x 500	Yellow	281.18.224	£29.00
End Section - Female			281.15.317	£29.00
It is recommended that appropriate warning signs are used with this product				Fixing Bolts included

TOPSTOP-ECO 10RE Recommended speed <10mph	H x W x D (mm)	Colour	Order Ref	Price (Each)
Ramp Section	50 x 500 x 400	Black	281.16.415	£37.60
		Yellow	281.18.692	£37.60
End Section - Male	50 x 250 x 400	Yellow	281.19.480	£23.20
End Section - Female			281.15.466	£23.20
It is recommended that appropriate warning signs are used with this product				Fixing Bolts included

TOPSTOP-ECO 15RE Recommended speed <15mph	H x W x D (mm)	Colour	Order Ref	Price (Each)
Ramp Section	30 x 500 x 500	Black	281.15.289	£29.40
		Yellow	281.16.941	£29.40
End Section	30 x 250 x 500	Yellow	281.17.266	£16.80
It is recommended that appropriate warning signs are used with this product				Fixing Bolts included