

PRESSURE WASHERS - electric

key features

Easy to use powerful pressure washers, ideal for a wide range of cleaning applications.

- Integrated extra large wheels for easy movement
- Handy hose reel storage
- Total stop function - cuts power when unit is not in use



08900 Tempest T360/130

- Powerful 1700w induction motor
- 360 litres/hour flow rate
- 1885 psi/130 bar pressure
- Innovative design with all metal pump
- Back holster

trade level ★★

INDUCTION MOTOR

Don't Forget PATIO CLEANER
Page 174

13 AMP SUPPLY

ITEM NO.	08900
Supply	230v (13amp)
Induction Motor	1700w
Turbo Pressure	✗
Max. Pressure	130 bar (1885 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	46800 CP
Water Flow Rate	360 ltr/hour
Hose Length	6 metres
Noise Level	93 dB(A)
Weight	15kg
Packaged Dimensions (LxWxH)	410 x 300 x 620mm
Barcode Number	5012713089000



FOAM BOTTLE INCLUDED

Made in Italy



08904 Tempest T480/150-S

- Powerful 2300w induction motor
- 480 litre/hour flow rate
- 2030 psi (140 bar) pressure
- **Turbo nozzle gives 4000psi EWP***
- Innovative design with all brass pump
- Back holster

trade level ★★

Don't Forget PATIO CLEANER
Page 174

INDUCTION MOTOR

MASSIVE 4000PSI EWP*

13 AMP SUPPLY

ITEM NO.	08904
Supply	230v (13amp)
Induction Motor	2300w
Turbo Pressure	4000 psi (EWP*) Turbo Nozzle
Max. Pressure	140 bar (2030 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	67200 CP
Water Flow Rate	480 ltr/hour
Hose Length	6 metres
Noise Level	93 dB(A)
Weight	17kg
Packaged Dimensions (LxWxH)	400 x 300 x 620mm
Barcode Number	5012713089048



FOAM BOTTLE & TURBO NOZZLE INCLUDED

Made in Italy



08932 Tempest T480/130-S

- Powerful 2400w induction motor
- Heavy duty metal lance
- **Complete with turbo lance - gives 3345psi EWP***
- Foam lance included
- **Handy hose reel storage**

trade level ★★

10m HOSE

INDUCTION MOTOR

MASSIVE 3345PSI EWP*

13 AMP SUPPLY

LOW NOISE

ITEM NO.	08932
Supply	230v (13amp)
Induction Motor	2400w
Turbo Pressure	3345 psi (EWP*) Turbo Nozzle
Max. Pressure	130 bar (1885 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	62400 CP
Water Flow Rate	480 ltr/hour
Hose Length	10 metres
Noise Level	84 dB(A)
Weight	22kg
Packaged Dimensions (LxWxH)	890 x 320 x 380mm
Barcode Number	5012713089321



FOAM BOTTLE & TURBO LANCE INCLUDED

Made in Italy

*EWP (Equivalent Working Pressure) with turbo nozzle / lance

PROFESSIONAL PRESSURE WASHERS - electric

08933 Tempest P480/140-S

- Powerful 2400w induction motor
- Ideal for agricultural or commercial use
- **Turbo lance gives 3600psi EWP***
- Heavy duty metal lance with comfortable rubber grips
- Professional rubber hose and reel



Made in Italy

FOAM BOTTLE & TURBO LANCE INCLUDED

professional level ★★★

- Handy hose reel storage
- Pressure gauge, thermal protection for long life

10m PRO HOSE

INDUCTION MOTOR

MASSIVE 3600PSI EWP*

13 AMP SUPPLY

LOW NOISE

ITEM NO.	08933
Supply	230v (13amp)
Induction Motor	2400w
Turbo Pressure	3600 psi (EWP*) Turbo Nozzle
Max. Pressure	130 bar (1885 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	62400 CP
Water Flow Rate	480 ltr/hour
Hose Length	10 metres
Noise Level	84 dB(A)
Weight	23kg
Packaged Dimensions (LxWxH)	890 x 320 x 380mm
Barcode Number	5012713089338

08934 Tempest P540/150-S

- Powerful 2700w induction motor
- **Patented extra heavy duty brass head pump**
- **4 litre internal detergent tank**
- **Turbo lance gives 4000psi EWP***
- Heavy duty metal lance with comfortable rubber grips
- Professional 10 metre rubber hose and reel
- Extra long-life brass fittings



Made in Italy

TURBO LANCE INCLUDED

4 Litre DETERGENT TANK

professional level ★★★

- Handy hose reel storage
- Pressure gauge, thermal protection for long life

10m PRO HOSE

INDUCTION MOTOR

MASSIVE 4000PSI EWP*

13 AMP SUPPLY

LOW NOISE

ITEM NO.	08934
Supply	230v (13amp)
Induction Motor	2700w
Turbo Pressure	4000 psi (EWP*) Turbo Nozzle
Max. Pressure	140 bar (2030 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	75600 CP
Water Flow Rate	540 ltr/hour
Hose Length	10 metres
Noise Level	84 dB(A)
Weight	26kg
Packaged Dimensions (LxWxH)	890 x 320 x 380mm
Barcode Number	5012713089345

08936 Tempest P700/120

- Powerful 2900w induction motor
- **Patented brass pump with ceramic pistons**
- **Sucks water up to 1 metre**
- **4 litre internal detergent tank**
- **Turbo lance gives 3000psi EWP***
- Quick fit brass connectors on pump
- Heavy duty metal lance with comfortable rubber grips
- Extra long-life brass fittings
- Professional 8 metre rubber hose and reel
- Handy hose reel storage



internal detergent tank



Made in Italy

TURBO LANCE INCLUDED

4 Litre DETERGENT TANK

professional level ★★★

- Pressure gauge, thermal protection for long life

SUCKS WATER UP TO 1 METRE

8m PRO HOSE

INDUCTION MOTOR

MASSIVE 4000PSI EWP*

SUCKS WATER

13 AMP SUPPLY

LOW NOISE

ITEM NO.	08936
Supply	230v (13amp)
Induction Motor	2900w
Turbo Pressure	3000 psi (EWP*) Turbo Nozzle
Max. Pressure	120 bar (1742 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	84000 CP
Water Flow Rate	700 ltr/hour
Sucks Water	Up to 1 Metre
Hose Length	8 metres
Noise Level	84 dB(A)
Weight	23kg
Packaged Dimensions (LxWxH)	890 x 320 x 380mm
Barcode Number	5012713089369

PRESSURE WASHERS - petrol powered

key features

SIP petrol driven Trade and Professional pressure washers are perfect where no mains power supply is available. Ideal on-site, agricultural work or for heavy duty work in open spaces.

- Brass head pumps and brass fittings for longer life
- Heavy duty lance supplied
- Nozzles included
- Super space saving powder coated folding frame design
- Large pneumatic tyres for easy movement



Search YouTube for:
SipTechZone



- 08923 **Tempest TP650/175**
- 08925 **Tempest TP760/190**
- 08930 **Tempest TP1020/250**

trade level ★★



08923

6.5 HP
ENGINE



Full nozzle selection, situated on convenient frame mounted dispenser



folding frame, saves space when unit is stored



08925

6.5 HP
ENGINE



Brass head pump



08930

13 HP
ENGINE

FOLDING
FRAME
DESIGN

PNEUMATIC
TYRES

MODEL	TEMPEST TP650/175	TEMPEST TP760/190	TEMPEST TP1020/250
ITEM NO.	08923	08925	08930
Engine	6.5hp	6.5hp	13hp
Max. Pressure	175 bar (2540 psi)	190 bar (2760 psi)	248 bar (3600 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	113,750 CP	142,500 CP	252,960 CP
Water Flow Rate	650 ltr/hour	750 ltr/hour	1020 ltr/hour
Hose Length	8 metres	10 metres	9 metres
Gross Weight	47kg	50kg	66kg
Packaged Dimensions (LxWxH)	710 x 400 x 475mm	720 x 400 x 485mm	790 x 510 x 610mm
Barcode Number	5012713089239	5012713089253	5012713089307

PROFESSIONAL PRESSURE WASHERS - petrol powered - HONDA

key features

SIP petrol driven Professional pressure washers are perfect where no mains power supply is available. Ideal on-site, agricultural work or for heavy duty work in open spaces. Ideal for heavy duty use, built in the UK by SIP, these pressure washers are powered by quality Honda petrol engines

- Brass head pumps and heavy duty metal lance
- Super space saving powder coated folding frame design
- Large pneumatic tyres for easy movement
- **3 year Honda engine warranty**
- Built and tested by SIP in the UK



08946 **Tempest PP660/165**

professional level 

08943 **Tempest PP760/190**



Frame mounted nozzle storage



Brass head pump



SIP folding frame design - for easy storage



08943

Don't Forget
FUEL CANS
Page 161

Don't Forget
HONDA SERVICE KIT
(04496)
Page 161



POWERED by
HONDA
3 year engine warranty

**HEAVY DUTY
LANCE**

**FOLDING
FRAME
DESIGN**

**PNEUMATIC
TYRES**



MODEL	TEMPEST PP660/165	TEMPEST PP760/190
ITEM NO.	08946	08943
Engine	HONDA GX160	HONDA GX200
Max. Pressure	165 bar (2393 psi)	190 bar (2760 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	108,900 CP	143,640 CP
Water Flow Rate	660 ltr/hour	756 ltr/hour
Sucks Water	Up to 2 metres	x
Hose Length	8 metres	10 metres
Gross Weight	38kg	42kg
Packaged Dimensions (LxWxH)	650 x 560 x 620mm	650 x 560 x 620mm
Barcode Number	5012713089468	5012713089437

**SUCKS
WATER**

PROFESSIONAL PRESSURE WASHERS - petrol powered - HONDA

08948 **Tempest PP960/210**

professional level **★★★**

08950 **Tempest PP960/280**



Frame mounted nozzle storage



Brass head pump



SIP Folding Frame design - for easy storage



Swivel connection lance



08950

Don't Forget
HONDA SERVICE KIT
(04495)
Page 161

Don't Forget
FUEL CANS
Page 161

DUAL LANCE
WITH PROTECTED
EXTENSION & SWIVEL
CONNECTOR

FOLDING
FRAME
DESIGN

PNEUMATIC
TYRES

**Built and Tested
by SIP in the UK**

POWERED by
HONDA
3 year engine warranty

MODEL	ITEM NO.	ITEM NO.	ITEM NO.
MODEL	ITEM NO.	ITEM NO.	ITEM NO.
Engine	HONDA GX340	HONDA GX340	HONDA GX390
Max. Pressure	210 bar (3045 psi)	210 bar (3045 psi)	276 bar (4005 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	201,600 CP	201,600 CP	264,960 CP
Water Flow Rate	960 ltr/hour	960 ltr/hour	960 ltr/hour
Sucks Water	x	x	x
Hose Length	10 metres	10 metres	10 metres
Gross Weight	73kg	73kg	70kg
Packaged Dimensions (LxWxH)	650 x 560 x 620mm	650 x 560 x 620mm	650 x 560 x 620mm
Barcode Number	5012713089482	5012713089482	5012713089505

PROFESSIONAL PRESSURE WASHERS - petrol powered - KOHLER

key features

Reliable petrol powered pressure washers - ideal for heavy duty use. Built in the UK by SIP, these compressors are powered by quality Kohler industrial petrol engines.

- Quad Clean™ heavy duty cyclonic air cleaner - cyclonic action forces large particles out of the engine
- Brass head pumps and heavy duty metal lance
- Super space saving powder coated folding frame design
- Large pneumatic tyres for easy movement
- Engine designed in the USA
- 3 year Kohler engine warranty.
- Built and tested by SIP in the UK

© Copyright Kohler Co.



Quad Clean™ Cyclonic air cleaner



- 08442 **Tempest PP570/150WM**
- 08446 **Tempest PP660/165WM**
- 08443 **Tempest PP760/190WM**

Don't Forget
**KOHLER SERVICE
KIT (04480)**
Page 161

professional level ★★★

**Petrol
Powered** **7 HP
ENGINE**



Brass head pump

**Built and Tested
by SIP in the UK**



KOHLER | Relentless Power.
3 year engine warranty | Legendary Performance.

**HEAVY DUTY
LANCE**

**FOLDING
FRAME
DESIGN**

**PNEUMATIC
TYRES**

	MODEL	TEMPEST PP570/150WM	TEMPEST PP660/165WM	TEMPEST PP760/190WM
ITEM NO.		08442	08446	08443
Engine		Kohler 7hp	Kohler 7hp	Kohler 7hp
Max. Pressure		150 bar (2175 psi)	165 bar (2393 psi)	190 bar (2760 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)		85,500 CP	108,900 CP	143,640 CP
Water Flow Rate		570 ltr/hour	660 ltr/hour	756 ltr/hour
Sucks Water		✗	Up to 2 metres	✗
Hose Length		8 metres	8 metres	10 metres
Gross Weight		38kg	40kg	42kg
Packaged Dimensions (LxWxH)		650 x 560 x 620mm	650 x 560 x 620mm	650 x 560 x 620mm
Barcode Number		5012713084425	5012713084463	5012713084432

**SUCKS
WATER**

Pressure Washers

171

PROFESSIONAL PRESSURE WASHERS - petrol powered - KOHLER



08448 **Tempest PP960/210WM**

08450 **Tempest PP960/280WM**

professional level **★★★**



folding frame, saves space when unit is stored



Brass head pump

Pressure Washers

Petrol
Powered

14 HP
ENGINE

172



08450

Don't Forget
KOHLER SERVICE KIT (04480)
Page 161

Built and Tested by SIP in the UK

KOHLER Relentless Power. Legendary Performance.
3 year engine warranty

ENGINE DESIGNED IN USA



DUAL LANCE WITH PROTECTED EXTENSION

FOLDING FRAME DESIGN

PNEUMATIC TYRES

	MODEL	ITEM NO.	ITEM NO.
	TEMPEST PP960/210WM	08448	TEMPEST PP960/280WM
	08448	08448	08450
Engine	Kohler 14hp		Kohler 14hp
Max. Pressure	210 bar (3045 psi)		276 bar (4005 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	201,600 CP		264,960 CP
Water Flow Rate	960 ltr/hour		960 ltr/hour
Sucks Water	x		x
Hose Length	10 metres		10 metres
Gross Weight	77kg		70kg
Dimensions (LxWxH)	650 x 560 x 620mm		650 x 560 x 620mm
Barcode Number	5012713084487		5012713084500

GEARBOX PRESSURE WASHERS - petrol powered




key features

Our fantastic new range of gearbox driven pressure washers are here! Available as Trade diesel, Trade petrol, or Professional Honda petrol editions. The gearbox on these machines reduces the pump speed for less wear and tear and prolonged life, without affecting performance.

- Low oil protection to prevent engine damage
- Ideal for farming or contractor use with powerful engines and large pneumatic tyres
- Nozzles included
- Super space saving powder coated folding frame for easy storage
- Heavy duty metal lance



Search YouTube for:
SipTechZone



Gearbox Pump - reduces pump speed resulting in less wear and tear and prolonged life

08926 Trade Tempest TPG680/210

- 6.5hp petrol engine
- Gearbox Pump - for reduced wear
- Max. Output Pressure: 3000 psi (207 bar)
- Water Flow Rate: 676 ltr/min
- 9 metre rubber hose
- Heavy duty 20" stainless steel lance

NEW
FROM SIP

trade level ★★



HEAVY DUTY LANCE

Petrol Powered

6.5 HP ENGINE

FOLDING FRAME DESIGN

PNEUMATIC TYRES

Pressure Washers

173

ITEM NO.	08926
Engine	6.5hp
Max. Pressure	207 bar (3000 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	139,932 CP
Water Flow Rate	676 ltr/hour
Hose Length	9 metres
Gross Weight	42kg
Dimensions (LxWxH)	770 x 410 x 500mm
Barcode Number	5012713089260

08947 Professional Tempest PPG680/210

- Honda GX270 petrol engine
- Gearbox Pump - for reduced wear
- Max. Output Pressure: 3000 psi (207 bar)
- Water Flow Rate: 676 ltr/min
- 9 metre rubber hose

NEW
FROM SIP

professional level ★★★

- Heavy duty 20" stainless steel lance
- 3 year engine warranty



HEAVY DUTY LANCE

Petrol Powered

POWERED by HONDA
3 year engine warranty

Built and Tested by SIP in the UK

FOLDING FRAME DESIGN

PNEUMATIC TYRES

ITEM NO.	08947
Engine	Honda GX270
Max. Pressure	207 bar (3000 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	139,932 CP
Water Flow Rate	676 ltr/hour
Hose Length	9 metres
Gross Weight	59kg
Dimensions (LxWxH)	650 x 560 x 620mm
Barcode Number	5012713089475

GEARBOX PRESSURE WASHERS



08952 Professional Tempest PPG1002/250

professional level ★★★

- Honda GX390 petrol engine
- Gearbox Pump - for reduced wear
- Max. Output Pressure: 3600 psi (248 bar)
- Water Flow Rate: 1002 ltr/hr
- 10 metre rubber hose
- Heavy duty metal dual lance
- 3 year engine warranty

NEW
FROM SIP

POWERED by
HONDA
3 year engine warranty

Built and Tested
by SIP in the UK



HEAVY DUTY
TWIN LANCE

Petrol
Powered

PNEUMATIC
TYRES

ITEM NO.	08952
Engine	Honda GX390
Max. Pressure	248 bar (3600 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	248,496 CP
Water Flow Rate	1002 ltr/hour
Hose Length	10 metres
Gross Weight	72kg
Dimensions (LxWxH)	1200 x 600 x 670mm
Barcode Number	5012713089529

08928 Tempest TDG1021/250 Diesel

trade level ★★

- 10hp diesel engine
- Gearbox Pump - for reduced wear
- Max. Output Pressure: 3600 psi (248 bar)
- Water Flow Rate: 1002 ltr/hr
- 9 metre rubber hose
- Heavy duty 20" stainless steel lance
- 4 wheel trolley design
- Electric Start

NEW
FROM SIP

Electric
START



HEAVY DUTY
LANCE

10 HP
ENGINE

Diesel
Powered

PNEUMATIC
TYRES

ITEM NO.	08928
Engine	10hp DIESEL
Max. Pressure	248 bar (3600 psi)
Cleaning Power (Max. Pressure Bar x Water Flow Rate)	248,496 CP
Water Flow Rate	1002 ltr/hour
Hose Length	9 metres
Weight	106kg
Dimensions (LxWxH)	800 x 540 x 650mm
Barcode Number	5012713089284

PRESSURE WASHERS - Accessories



Lances			
Description	Suitable for SIP Item No:*	Item No.	Barcode Number
Trade Turbo Lance (0.35mm)	08931 • 08932 • 08933 • 08934	09063	501271309063
Hoses & Connector			
Description	Type of Hose	Item No.	Barcode Number
Professional Rubber Extension Hose - 10 metres (250 bar)	08948 (09104 required)	09067	501271309067
Brushes			
Description	Type of Hose	Item No.	Barcode Number
Trade Patio Cleaner	08900 • 08904	08905	5012713089055
Professional Rotary Surface Cleaner	All professional models**	09090	5012713090907

* May be suitable for non-SIP pressure washers, check your user manual **Not compatible with items: 08923, 08943, 08443 and 08445

Tempest Pressure Washer Replacement Parts

08900 - T360/130 (electric)	Item no:	08923 - TP650/175	Item no:
Nozzle	72561	Nozzle Set (white, yellow, red, green)	72809
Lance	72555	Nozzle (black)	72810
08904 - T480/150-S (electric)	Item no:	Hose	72819
Nozzle	72561	Pistol	72820
Turbo Nozzle	72562	Lance	72821
Lance	72555	08442 - TP570/150 (Kohler*)	Item no:
08932 - T480/130-S (electric)	Item no:	Hose	09066
Pistol	72505	Pistol	72505
Turbo lance	72506	Lance with nozzle	72621
Foam lance	72005	08925 - TP760/190	Item no:
Lance with nozzle	72508	Nozzle Set (white, yellow, red, green, black)	72879
Hose	72519	Nozzle (black)	72810
08933 - P480/140-S (electric)	Item no:	Hose	72890
Nozzle	72000	Pistol	72891
Lance with nozzle	72002	Lance	72821
Pistol	72505	08943 - PP760/190 (Honda™) / 08443 PP760/190 (Kohler*)	Item no:
Turbo lance	72008	Nozzle Set (white, yellow, red, green, black)	72879
Hose on reel	72013	Nozzle (black)	72810
Foam lance	72005	Hose	72890
08934 - P540/150-S (electric)	Item no:	Pistol	72891
Nozzle	72001	Lance	72821
Lance with nozzle	72003	08946 - PP660/165 (Honda™) / 08446 - PP660/165 (Kohler*)	Item no:
Pistol	72505	Hose	72725
Turbo lance	72009	Pistol	72726
Hose on reel	72013	Nozzle	72729
08936 - P700/120 (electric)	Item no:	Lance	09117
Lance	72102	08948 - PP960/210 (Honda™) / 08448 - PP960/210 (Kohler*)	Item no:
Pistol	72103	Pistol	72726
Hose	72105	Hose	72746
Nozzle	72196	Twin Lance	72747
		Low pressure nozzle	72748
		High pressure nozzle	72749

3 super value-for-money water pumps for 2014

SUBMERSIBLE WATER PUMPS

trade level ★★

06879 Sub 1010-FS

- 400w motor
- **Float switch to protect against pump running dry**
- 7 metre maximum pumping head
- 5mm particle diameter

06881 Sub 2011-FS Dirty Water

- 850w motor
- **Float switch to protect against pump running dry**
- 9 metre maximum pumping head
- 25mm particle diameter

06885 Sub 1025-FS Dirty Water

- 1100w motor
- **Float switch to protect against pump running dry**
- 10.5 metre maximum pumping head
- 35mm maximum particle diameter
- Stainless steel body



167 ltr/min
FLOW RATE

FLOAT SWITCH

217 ltr/min
FLOW RATE

DIRTY WATER PUMP

FLOAT SWITCH

333 ltr/min
FLOW RATE

DIRTY WATER PUMP

FLOAT SWITCH

ITEM NO.	06879	06881	06885
Supply	230v (13amp)	230v (13amp)	230v (13amp)
Motor	400w	850w	1100w
Max. Pumping Head	7 metres	9 metres	8 metres
Flow Rate	167 ltr/min	217 ltr/min	333 ltr/min
Max. Particle Diameter	5mm	25mm	35mm
Outlet Diameter	25mm to 32mm	25mm to 32mm	25mm to 32mm
Float Switch	✓	✓	✓
Cable Length	1000mm	1000mm	1000mm
Weight	3.8kg	5.7kg	6.7kg
Dimensions (LxWxH)	210 x 170 x 300mm	210 x 170 x 350mm	220 x 170 x 380mm
Barcode Number	5012713068791	5012713068814	5012713068852

NOTE: Pumps listed above are NOT suitable for permanent installation

PROFESSIONAL SUBMERSIBLE WATER PUMPS

**COPPER
WOUND
MOTORS**

professional level ★★★

06811 Sub 2010

- 400w motor
- Self priming
- 8 metre maximum pumping head
- 10 metre power cable

06813 Sub 2010-FS

- 400w motor
- Self priming
- **Float switch to protect against pump running dry**
- 8 metre maximum pumping head
- 10 metre power cable

06815 Sub 2011-FS

- 750w motor
- Self priming
- **Float switch to protect against pump running dry**
- 9 metre maximum pumping head
- 10 metre power cable

06817 Sub 2012FS Dirty Water

- 550w motor
- Self priming
- **Float switch to protect against pump running dry**
- 6 metre maximum pumping head
- 10 metre power cable
- **25mm maximum particle diameter**



**FLOAT
SWITCH**

**150 ltr/min
FLOW RATE**

**FLOAT
SWITCH**

**150 ltr/min
FLOW RATE**

**FLOAT
SWITCH**

**233 ltr/min
FLOW RATE**

**FLOAT
SWITCH**

**200 ltr/min
FLOW RATE**

**DIRTY
WATER
PUMP**

ITEM NO.	06811	06813	06815	06817
Supply	230v (13amp)	230v (13amp)	230v (13amp)	230v (13amp)
Motor	400w	400w	750w	550w
Max. Pumping Head	8 metres	8 metres	9 metres	6 metres
Flow Rate	150 litres/min	150 litres/min	233 litres/min	200 litres/min
Max. Particle Diameter	5mm	5mm	5mm	25mm
Outlet Diameter	25 - 32mm	25 - 32mm	25-32mm	25-32mm
Float Switch	No	Yes	Yes	Yes
Cable Length	10 metres	10 metres	10 metres	10 metres
Weight	4.6kg	4.7kg	5.9kg	5.8kg
Packaged Dimensions (LxWxH)	225 x 190 x 260mm	225 x 190 x 260mm	225 x 190 x 260mm	225 x 190 x 615mm
Barcode Number	5012713068111	5012713068135	5012713068159	5012713068173

NOTE: Pumps listed above are NOT suitable for permanent installation

06819 Professional Sub 2020-SS Dirty Water

Powerful dirty water pump with a stainless steel housing - durable and corrosion resistant.

- 750w motor
- Self priming submersible pump with multi-fit outlet adaptor
- **Float switch to protect against pump running dry**
- 8 metre maximum pumping head
- 10 metre power cable
- **35mm maximum particle diameter**

professional level ★★★

**COPPER
WOUND
MOTOR**



**13 AMP
SUPPLY**

**STAINLESS
STEEL**

**233 ltr/min
FLOW RATE**

**DIRTY
WATER
PUMP**

**FLOAT
SWITCH**

ITEM NO.	06819
Supply	230v (13amp)
Motor	750w
Max. Pumping Head	8 metres
Flow Rate	233 litres/min
Max. Particle Diameter	35mm
Outlet Diameter	25 - 32mm
Float Switch	Yes
Cable Length	10 metres
Weight	7kg
Packaged Dimensions (LxWxH)	210 x 175 x 350mm
Barcode Number	5012713068197

NOTE: Pumps listed above are NOT suitable for permanent installation

sales hotline | 01509 500500

07614 EP2M Surface Pump

trade level ★★

This is a powerful, surface mounted pump for a wide range of pumping applications and those not suitable for a submersible pump.

- 550w motor
- 40 metre maximum pumping head
- Ideal for general draining and pumping
- Tough cast iron housing with brass impeller
- Thermal overload protection
- Easy impeller access

400 ltr/min
FLOW RATE

45 metre
PUMPING HEAD



13 AMP
SUPPLY

ITEM NO.	07614
Supply	230v (13amp)
Motor	550w (0.6hp)
Max. Pumping Head	40 metres
Flow Rate	40 litres/min
Outlet Diameter	25mm (1")
Cable Length	0.5 metres
Weight	6kg
Packaged Dimensions (LxWxH)	275 x 160 x 170mm
Barcode Number	5012713076147

03924 Trade 2" Water Pump Petrol Driven

trade level ★★

A powerful petrol driven water pump in a robust carry frame - ideal for a wide range of agricultural and industrial applications.

- Tough cast iron impeller and volute housing

- 2" suction and outlet for maximum efficiency and peak flow



Don't Forget
FUEL CANS
Page 161

Petrol
Powered

5.5 HP
ENGINE


600 ltr/min
FLOW RATE

ITEM NO.	03924
Engine	5.5hp / 4 stroke
Max. Pumping Head	26 metre
Suction Head	8 metre
Flow Rate	600 litre/min
Outlet Diameter	50mm (2")
Weight	24kg
Packaged Dimensions (LxWxH)	506 x 421 x 421mm
Barcode Number	5012713039241

Delivery & Suction Hoses

SIP hoses meet the demands of a wide range of commercial and domestic water pumping applications.

- Delivery Hose - high quality reinforced PVC layflat hose
- Suction Hose - vacuum sealed spiral hose for use with surface pumps



07671



07673

Delivery Hoses

Description	Type of Hose	Length	Item No.	Barcode Number
1" Delivery Hose	Layflat	10 metres	07671	5012713076710
1 1/4" Delivery Hose	Layflat	10 metres	07615	5012713076154
1 1/2" Delivery Hose	Layflat	10 metres	07630	5012713076307
1 1/2" Delivery Hose	Layflat	100 metres	07631	5012713076314
2" Delivery Hose	Layflat	10 metres	07621	5012713076215
2" Delivery Hose	Layflat	100 metres	07622	5012713076222
3" Delivery Hose	Layflat	10 metres	07692	5012713076925
3" Delivery Hose	Layflat	100 metres	07593	5012713075935

Suction Hoses

Description	Type of Hose	Length	Item No.	Barcode Number
1" Suction Hose	Super Strength	10 metres	07673	5012713076734
2" Suction Hose	Super Strength	10 metres	07623	5012713076239
3" Suction Hose	Super Strength	10 metres	07595	5012713075959
3" Suction Hose	Super Strength	50 metres	07313	5012713073139